FINAL TECHNICAL REPORT

NASA AMES GRANT NGR 37-008-003

JANUARY 1972 TO AUGUST 1974

(NASA-CR-139659) ENERGY TRANSFER IN VOLUME-REFLECTING HEAT SHIELDS Final Technical Report, Jan. 1972 - Aug. 1974 (Tulsa Univ.) 75 p HC \$6.75 CSCL 20M

N74-32372

Unclas G3/33 46881

ENERGY TRANSFER IN VOLUME-REFLECTING HEAT SHIELDS

University of Tulsa
Department of Mechanical Engineering
Tulsa, Oklahoma 74104
Dr. Kenneth C. Weston
Principal Investigator



FINAL TECHNICAL REPORT - AUGUST 1974 NASA AMES GRANT NGR 37-008-003*

Volume reflecting materials constitute a class of dielectrics which are capable of a high level of internal scattering such that a significant fraction of an incident flux emerges from the incident flux surface. As such the primary modes of energy transfer in these materials are conductive and radiative transfer. The research performed under this grant has focussed on the calculation of radiative transfer in highly scattering materials, both by exact and approximate means, and the interaction of radiative transfer in such materials with the conduction mechanism, in both steady and transient modes.

An approximate analysis of radiative transfer in highly scattering materials was developed based on the Kubelka-Munk differential equations—a set of two differential equations representing the spatial rate of change of radiative half-fluxes within the scattering media. These approximate solutions of the Kubelka-Munk equations together with analytic solutions for the steady state temperature distribution for two types of boundary conditions are given in reference 1. These solutions show the influence of back surface reflectance, scattering power, incident radiative flux parameter and boundary conductive flux parameter on overall reflectance and temperature distributions. This radiation field analysis, adapted to spherical geometry, was applied in reference 2 to the evaluation of the thermal performance of teflon and fritted quartz as heat protection materials for entry into the atmosphere of Jupiter.

^{*}The NASA Technical Officer for this grant is Dr. Phillip R. Nachtsheim, NASA Ames Research Center, Moffett Field, California 94035.

Two exact analytic solutions for transient temperature distributions in non-emitting, plane parallel, diffuse reflectors were developed based on the approximate radiation field model presented in reference 1. The first of the initial-boundary value problems considered (reference 3) deals with transient development of the steady state solutions for the temperature in highly scattering media presented in reference 1. The solution proceeds from an initially uniform temperature distribution with an instantaneous change in temperature at one boundary and a zero conductive flux at the other boundary. The theory is applied to the transient heating of a 1 cm. quartz slab in reference 3. Results obtained are similar to those presented in reference 2 for the more complex case of cylindrical geometry. However, the solution is much simpler for the plane parallel geometry. Reference 3 also presents an evaluation of the adequacy of the Kubelka-Munk reflectance solution for zero absorption when applied to the determination of the reflectance of highly scattering and weakly absorbing media. The importance of using accurate overall reflectance values in the solution is demonstrated. The influence of rear surface reflectance, scattering power, and absorption coefficient-scattering coefficient ratio on overall media reflectance is also briefly discussed based on the Kubelka-Munk theory in reference 3.

The second analytic solution referred to above treats the more involved unsteady temperature development arising from specified constant radiative and conductive fluxes at one boundary and vanishing temperature gradient at the other boundary (reference 5). It was shown that the solutions increase or decrease in time monotonically for a given incident radiative flux depending on the value of the boundary conductive heat flux. A relation was also obtained defining a singular condition for which a steady state exists. This relation obtained by study of the analytic solution may also be obtained by means of a steady state energy balance on the diffuse

reflector. Sample results showing unsteady temperature development for cases of asymptotically increasing and decreasing temperature and for the critical case are also presented in reference 4. Some of the details of the analyses not presented in references 3 and 4 are given in reference 5.

While approximate solutions such as those discussed above are useful in making rapid estimates in preliminary design and in guiding qualitative thought, more precise representations of radiative transfer and temperature fields may be required for design purposes. Toward this end a method of coupling solutions of the equation of radiative transfer and energy equation was developed (reference 6). This complex technique, utilizing the method of idempotents to generate a quasi-steady radiation field, determines an instantaneous temperature field by solving the thermal energy equation (including radiative flux divergence term) using an explicit finite difference scheme. The resulting temperature field then couples with the radiative transfer solution through radiative emission. The method was applied to the analysis of the transient development of the coupled, steady state temperature and radiation field distributions between two opaque, partially reflecting boundaries. The intervening media were allowed participation in the energy exchange through the mechanisms of radiative absorption, emission and isotropic scattering and through the mechanism of thermal conduction. Reference 6 shows that this method accurately reproduces transient, non-scattering results in the literature as special cases. The method was also used to generate steady state results for comparison with existing isotropic scattering solutions in the literature. Reference 7, an extension and refinement of the work of reference 6, presents previously unavailable transient solutions for the plane-parallel radiation field problem in which isotropic scattering is present. These parametric studies of the influence of the effects of optical thickness, albedo, boundary

emissivity and conduction-radiation parameter on the temperature and energy flux distributions in semi-transparent media may be regarded as exact, within the limitations of the spatial and directional discretization inherent in the explicit finite difference representation of the energy equation and the Gaussian Quadrature representation of the transfer equation scattering integral. The very complex computer program developed to obtain these solutions was given the acronym CURCES for the Combined Unsteady Radiative and Conductive Energy System. A listing of the program is given in an appendix of reference 6.

While the CURCES program provided the milestone in unsteady coupled radiative and conductive energy transfer published in reference 7, it was cumbersome to use and lacked flexibility for adaptation to more complex problems. For instance, the idempotent method used in CURCES is mathematically incompatible with spatially varying radiative property distributions. As a result further solutions of the radiative transfer equation were obtained through the develop ment of a series of programs using an iterative technique and therefore bearing the acronym ITERAD for Iteration of Radiation. A discussion of the basic solution method and its convergence is given in reference 8. A comparison of the reflectance of a specific diffuse reflector as computed by the CURCES and ITERAD programs is given in Table 1.

| | | TABLE 1 | |
|------------|---|----------|--------|
| Number of | | Reflect | ance* |
| Ordinates | • | CURCES | ITERAD |
| / 2 | | .8678 | .8672 |
| 4 | | .8649 | .8646 |
| 6 | | .8637 | .8633 |
| 8 | | .8632 | .8627 |
| 10 | | | .8625 |
| 12 | | | .8623 |
| 14 | | <u>-</u> | .8622 |

^{*}Albedo = .9995, Optical Thickness 3.177, Rear Surface Reflectance = 0.8

It is clear that the two sets of results agree very well and demonstrate the improvement in accuracy and diminishing returns associated with increasing quadrature order. These results may also be compared with the value .875 obtained from the Kubelka-Munk equation (5) of reference 1. Further evidence of the consistency of the CURCES and ITERAD programs is shown in figure 2 of reference 8. There individual radiation field intensity distributions inside a highly scattering medium calculated by the two methods are shown to be in very good agreement. Reference 8 also shows good agreement of ITERAD reflectance calculations with values from the literature over a wide range of radiation parameters.

Through adaptation of the ITERAD program a study of the influence of anisotropy on the reflectance and internal radiation field of a highly scattering material was made. Some results of this study for the phase function: $P(\theta) = w[1 + x \cos \theta]$ are given in reference 8. Here wis the scattering albedo, θ is the angle between incoming and outgoing beams and x is an anisotropy parameter such that one obtains

net backward scattering for $-1.0 \le x < 0$ isotropic scattering for x = 0net forward scattering for $0 < x \le 1.0$

The results demonstrate that net forward scattering allows the penetration of radiation to greater depths than isotropic scattering and causes greater internal energy conversion to thermal energy through media and rear surface absorption. The reverse effect is obtained for net backward scattering. As might be expected backward scattering increases overall reflectance while forward scattering decreases reflectance. Reference 8 shows the influence of anisotropy of scattering on the radiative flux and radiative flux divergence distributions as well as on the intensity field.

An extensive effort was put forward in this program to evaluate two flux theories with respect to the transfer equation. It is demonstrated in reference 8 that the Schuster-Schwarzschild two-flux equations may be obtained by integration of the equation of radiative transfer over two hemispheres for which the radiation field is given by

$$I(\tau,\mu) = \begin{cases} I^{+}(\tau), & \mu > 0 \\ I^{-}(\tau), & \mu < 0 \end{cases}$$

It is shown that the Kubelka-Munk equations are identical to the Schuster-Schwarzschild equations when a simple set of relations exist between the scattering and absorption coefficients of the two theories. It is pointed out in reference 8 that the relations between the coefficients of the two theories depend on the nature of the intensity field. A case in the literature is cited for which a different set of relations is obtained.

Computations are presented in reference 8 which compare transfer equation solutions with reflectance, radiative flux, and flux divergence obtained from Kubelka-Munk analyses. It is demonstrated that the Kubelka-Munk two-flux analysis is capable of reasonable approximation of transfer equation results. The approximate radiative flux and radiative flux divergence relations of reference 1 are shown to be accurate only for albedo very near unity. The influence of the relation between the transfer equation parameters and the Kubelka-Munk coefficients on the radiative calculation comparison is also examined.

The iteration procedure for solving the transfer equation was applied to the determination of the radiation field and related parameters for a scattering medium with non-unity refractive index. A detailed study (reference 9) showed that certain calculations in the literature had significant errors because of the poor approximation of the scattering integral with the standard Gaussian quadrature. There it was shown using an approximate model and verified using transfer equation solutions that direct application

of Gaussian quadrature to the evaluation of the scattering integral can result in large errors in certain cases. This occurs because of the presence of a discontinuity at the critical angle for total internal reflection. Application of the model also showed that the error for a given quadrature order is not necessarily a monotonic function of the index of refraction and that it is possible under certain conditions to increase rather than decrease error by increasing quadrature order. Reference 9 also shows the significant error reduction possible by tailoring the quadrature approximation of the scattering integral to the critical angle for total internal reflection. The model of reference 9 is also briefly applied to demonstrate that no error exists in the scattering integral as a result of the discontinuity at $\mu = 0$ in the unity refractive index radiation field.

A study of several citematives for application of Gaussian quadratures to avoid the discontinuity error pointed out in reference 9 is reported in reference 10. There, by extrapolation of an increasingly accurate sequence of transfer equation reflectance values, precise values are obtained which are employed to evaluate the adequacy for discontinuity error avoidance of several Gaussian quadrature combinations involving sixteen total directions. It was found that the combination of fifth order quadrature in each of the forward and rearward critical cones and sixth order quadrature outside yields the most accurate reflectance solutions for sixteen total directions (on the average). As a result the transfer equation iteration program was revised to incorporate this combination. A number of solutions have been obtained with the revised program for refractive indices of 1.2 and 1.4. Reflectance values for layers of finite optical thickness and refractive indices of 1.2 and 1.4 are tabulated in reference 10 along with a comparison of unity refractive index reflectances from several sources. This collection is the first tabulation of

non-unity refractive index reflectances for the conditions considered, which is known to the principal investigator.

A final version of the transfer equation iteration program was developed which incorporated all the features in prior iteration programs as discussed above as well as certain other useful features. These features include a capability of treating composite plane layers with several differing values of absorption and scattering coefficient and a capability of treating radiation problems with non-gray incident flux distributions and property distributions. This program called the Band Model Program is discussed in the accompanying appendix. A listing of the program and several test cases demonstrating the band model capability and the spatial property variation capability are included there.

REFERENCES

- Weston, Kenneth C., Howe, John T. and Green, Michael J., "Approximate Temperature Distribution for a Diffuse, Highly Reflecting Material." AIAA Journal, Vol. 10, No. 9, Sept. 1972, pp 1252–1254.
- Howe, John T., Green, Michael J., and Weston, Kenneth C., "Thermal Shielding by Subliming Volume Reflectors in Convective and Intense Radiative Environments," AIAA Journal, Vol. 11, No. 7, July 1973, pp 989–994.
- Weston, Kenneth C., and Reddy, R. S., "Reflectance and Temperature Distribution in Diffuse Reflectors," AIAA Journal, Vol. 11, No. 12, Dec. 1973, pp 1775–1777.
- Weston, Kennth C., and Reddy, R. S., "Unsteady Temperature Distribution in Volume Reflectors." AIAA Journal, Vol. 12, No. 5, May 1974, pp 716-718.
- Reddy, Reddivari S., "Approximate Analyses for the Transient Thermal Response of A Weakly Absorbing Medium Undergoing Combined Conductive and Radiative Transfer," Masters Thesis, 1973, The University of Tulsa, Tulsa, Oklahoma.
- 6. Hauth, Jerry L., "Transient Simultaneous Conductive and Radiative Heat Transfer in Absorbing, Emitting and Scattering Materials," Masters Thesis, 1972, The University of Tulsa, Tulsa, Oklahoma.
- 7. Weston, K. C. and Hauth, J. L., "Unsteady Combined Radiation and Conduction in an Absorbing, Scattering, and Emitting Medium" Transactions of the ASME, Series C, Journal of Heat Transfer, Vol. 95, No. 3, Aug. 1973, pp 357–364. Also published as ASME Paper 73-HT-J.
- 8. Weston, Kenneth C., Reynolds, Albert C. Jr., Alikhan, Arif, and Drago, Daniel W., "Radiative Transfer in Highly Scattering Materials Numerical Solution and Evaluation of Approximate Analytic Solutions." Submitted for publication in AIAA Journal on August 2, 1974.
- Weston, Kenneth C. and Drago, Daniel W., "Discontinuities in Radiative Transfer Analysis Using Quadrature Formulae," Accepted for publication in the Transactions of the ASME, Journal of Heat Transfer on August 6, 1974.
- 10. Drago, Daniel W. and Weston, Kenneth C., "Reflectance of Finite, Plane, Absorbing and Scattering Layers with Non-Unity Refractive Index and the Influence of Gaussian Quadrature on Accuracy," Submitted to the Journal of Heat Transfer.

APPENDIX

FINAL BAND MODEL PROGRAM DESCRIPTION

By Daniel W. Drago

Over the past few years at the University of Tulsa, a program has been designed and developed to approximate the solution of the transfer equation as it applies to a scattering, absorbing, emitting, plane-parallel, semi-infinite slab subject to a diffuse, incident, radiative flux.* The slab is bounded on the rear by a specularly reflecting surface which is modeled using either uniform or Fresnel reflectance. The temperature distribution in the slab may be an arbitrarily specified function or constant. This program does not analyze changes in the temperature field over time but could easily be modified to do so.

The incident radiative flux and subsequent solutions of the internal radiation field may be divided into several band widths to allow for wave length differentials in the absorption scattering characteristics of the slab and for band-dependent values of the incident flux. The slab may also be modeled with several different layers of materials to study the reflective behavior of a composite slab. This program uses Gaussian quadrature for the approximation of the scattering integrals and the overall reflectance of the slab. The program computes the beam intensities at equally spaced stations, or nodes, throughout the slab. The output contains the iterated beam intensities for all stations within the slab as well as the net radiative flux and net radiative flux divergence for all nodes. The program is able to handle

^{*}A discussion of the theory, program equations, convergence and results are given in Radiative Transfer in Highly Scattering Materials - Numerical Solution and Evaluation of Approximate Analytic Solutions" by Kenneth C. Weston, et al.

non-unity index of refraction cases and either isotropic or non-isotropic scattering.

The best way to describe this program's capabilities and limitations is to present its necessary input and resultant output. Three special cases have been run and are discussed below as representative of the various output formats. Immediately below is a description of all input data including their programmed range of values (the order of presentation corresponds to the instructions found on the first page of the program listing):

NDS - One of the most crucial decisions when setting up the data is the number of nodes to use for the slab. In an earlier paper (see footnote on page 1), the minimum number of nodes was found to be dependent on the optical thickness of the slab, its albedo, and the quadrature used:

NDS
$$\geq 1 + \tau_0 \left(\frac{1 - \alpha_i w/2}{|\mu_i|} \right)$$
 for all i. (A1)

As an example, with unity index of refraction (this program uses 16th quadrature when the index is one), $\omega = .9995$, and $\tau_0 = 5$, a minimum of 49 nodes would be necessary to obtain a smooth convergent solution. It has been our experience, however, that accuracy of the solution increases as the number of nodes is increased. It is suggested to use 2 to 3 times the minimum number from (A1) to insure high accuracy. Range: 11 \rightarrow 751 in increments of 10.

THICK - The depth of the slab is arbitrary as long as the necessary optical thickness is maintained. Constant values of the scattering and absorption coefficients may be used for a variety of different optical depths with the only necessary adjustment to the data being in the thickness of the slab. For a multi-layer analysis, the slab is divided into five layers, each having a depth of 1/5 of THICK. Range: greater than zero.

TOL - The program iterates back and forth through the slab solving for new values of the intensity field until the sum of the squares of the differences between the old and new

4.

values (<u>PARAM</u>) is less than the set tolerance (<u>TOL</u>). For no changes in the fifth significant digit in the field a tolerance of 10⁻¹⁰ is necessary. Range: greater than zero.

TEST - The program will abort if it reaches <u>TEST</u> iterations before obtaining a solution.

Through some careless input of data a non-convergent situation may be encountered which would lead to an infinite loop. <u>TEST</u> terminates computations in this event. This variable may also be set to a very small number to determine initially if the input data is in need of adjustment before making a long, expensive run. Range: greater than zero.

PRINT - For the standard case the output contains information only from the last iteration. One of the bands may be designated as a special band which informs the computer to print the information for the first, second, every PRINT, and the final iteration. For example, if PRINT = 10 and the computed PARAM became less than TOL on the 53rd iteration, the program would print out all data on the following iterations: 1, 2, 10, 20, 30, 40, 50, and 53. Range: Greater than zero.

NONDM - Dimensionless data may be requested and will only appear for the final iteration. Beam intensities are divided by the incident beam intensity. Radiative flux is divided by the incident flux. Flux divergence is divided by the absorption coefficient-incident flux product. In the case of different values for the absorption coefficient through the slab, the dimensionless values for the flux divergence will be based on the coefficient for the 5th, or bottom, layer. Range: 0 or 1.

BNDS - This variable tells the computer which bands to run and which one is a special band. If only a single standard band is being run, this card would contain a "1" in the first column. If the first, second, and fourth bands were to be run with the second band as special, the data would be "1201". This data must be left justified on the card. Range: 0, 1, or 2 for each of 10 bands.

TEMPD - This sets the temperature distribution through the slab. Four options are available: 1) The temperature at the front wall is used through the slab with the back wall temp independently set; 2) The back wall temp is used throughout with the front wall independently set; 3) The temperature falls or rises linearly from the front to the rear surface temp; and 4) The temperature for each node is individually read in. The first three options require reading in only the front and rear surface temperature while the fourth requires temperatures for all nodes. Range: Integers one through four.

ISOT - The scattering function is set by this variable. (See paper listed in page 1 foot-note) Maximum forward scattering is achieved by a value of +1 while max backwards is -1. Isotropic scattering occurs when this variable is 0. "K" on the same card determines whether this variable is read in for each layer of the slab or whether the first value is repeated for all 5 layers. Range: -1 to +1.

N - The index of refraction outside the front boundary is assumed to be 1. The slab itself may take on a different index which may be band-dependent. Range: Greater or equal to 1.0.

RB - This data may be used for either uniform or Fresnel back surface reflection. The value of K determines which back surface condition is used and whether one value is used for the slab or ten band-dependent values are read in. If the Fresnel relationship is used, the real component (NI) and the imaginary component (KI) of the substrate refractive index must both be read in. The program also checks to see if the Fresnel components are within the range prescribed for the approximation the program utilizes in this case, and will flag the output if the data is out of range. Range: For RB, $0 \rightarrow 1$; for NI and KI, positive.

QO - The band-dependent incident flux may be set for any value greater than zero.

<u>LAMBDA</u> – This is the upper wave length limit in centimeters of a particular band. The program finds the lower limit to the band from the data on the previous band (for the first band it assumes a lower limit of zero). The width of the band determines the amount of energy introduced into the slab by emission in that particular band. Range: $0 \rightarrow 10^{70}$.

ABSCO - The absorption coefficient may be any non-negative value.

<u>SCATCO</u> The scattering coefficient may also be any non-negative value. As described in the program listing, a set of the last few cards must be read in for each band up to the largest band number referred to in <u>BNDS</u>. For example, if <u>BNDS</u> contains "101201" information must be read in for all of the first six bands.

The program listing contains further explanation on the format of the input data cards and their order. Unless otherwise stated one card must be used for each card number referred to in the listing. 8A and B must be separate cards from 8. The data on the first six cards may be punched in any format but should be left justified.

The final form of the program is presented below. This has been run on a XEROX SIGMA 5 with FORTRAN IV. Necessary adjustments must be made to the input/output statements before the program may be used on another system. Comment cards have been inserted strategically in the program to assist the alert and courageous user attempting to understand the logic behind the statements.

Three test cases are also presented below as an aid to understanding the various output formats. The first case involves two bands with different indices of refraction. In this particular case the data for two cases was identical except for the index of refraction and as such were combined into one slab with the individual band output studied. Looking at the output, the data common to all bands is printed out first along with the number of

the different bands to be run. The temperature for each node is printed next as a double check for the programmer. The scattering characteristic <u>ISOT</u> is printed for each layer followed by the units for the beam intensities, flux, and flux divergence.

The next page of the output starts with the data peculiar to Band 1. The absorption (K) and scattering (S) coefficients are printed by layer. The Gaussian directions and weights for the eight forward directed beams are printed out since they are a function of the index of refraction (because the program incorporates discontinuity error avoidance). With non-unity index of refraction three quadrature formulae are used to avoid discontinuity errors (as discussed in Appendix B of the Semi-Annual Status report for the period January to June 1974).

The wave length interval is computed as described above. The input data is read in centimeters and internally converted to microns.

F(0-LT) describes the black body fraction of the emission at each node for this band. Since this fraction is dependent on temperature and band width, all the nodes are printed. In the case of zero temperature, garbage may appear in this output although this in no way affects the accuracy of the calculation of the intensity field.

<u>CRT</u> is the cosine of the critical angle for total internal reflection at the front boundary while CRTDG is CRT converted to degrees.

RFL1 is the reflectance on the inside surface for each of the eight Gaussian directions as printed out above. RFLO is the reflectance on the outside of the slab as computed for each direction corresponding to a single 16th order quadrature application. The reason for the difference between the quadrature formulae directions for RFLO and RFL1 will be discussed below.

Information on the final iteration is printed next. Since this is a standard case, only every 10th node is printed. From 1 to 101 are listed the intensities of the forward

directed beams and from 101 to 1, those for the backward directed beams. II corresponds to the beam intensity in the first Gaussian direction. PARAM is printed to double check that the solution did converge to the desired accuracy.

The dimensionless data is also printed for only every 10th node. This calculation is followed by a reflectance field calculation, with the following explanation: The Gaussian quadrature combination printed at the beginning of this band output was calculated so as to avoid a large error associated with the critical angle of total internal reflection. The reflectance field calculation (only used with non-unity index of refraction) uses the 16 internal directions corresponding to the 16 external directions in 16th order quadrature. The program iterates across these new directions within the already established intensity distribution. This is done to calculate, by using RFLO, the value of the reflected beams on the outside of the slab in those directions corresponding to 16th order quadrature so that the intensities may be readily integrated into a very accurate estimate of the overall slab reflectance. Immediately following this print out is the dimensionless value of the intensity field on the outside of the slab in the eight backward directions. From this the band-dependent slab reflectance is calculated and printed. This reflectance value is saved from each band to form an overall reflectance for the slab.

On the next pages of the output the data for the second band, which follows the format described above for the first band, is given. Note that the Gaussian directions and weights are not the same for the two bands.

The second special case was run to test the composite data from a multi-band slab analysis. The incident flux for each band was chosen such that the composite data corresponds to a single black band case with 459.646 watts/cm² incident flux. A comparison was made with a previously run single black band case and the two were found to match

well within allowable errors. Also in this test case the second band was run as a special band to demonstrate the output format for a special band. The output starts with the special band information. Note here that the black body fractions are non-zero due to the non-zero temperature distribution. The printout for the special case is similar to the standard except it contains the calculated reflectances across the front boundary from the outside in (RO) and the inside out (RI). Also printed is the starting routine where the Kubelka-Munk approximation is used to provide a first value for the intensity at each node from which to iterate the intensity field. The printout contains the information on all nodes for the first, second, every 7th, and final iteration, although most of these pages were left out here for brevity in the presentation.

On the following pages are the output for the first, second and third bands. Notice that the condensed information from the second, or special, band is repeated in its appropriate place in the output. After the third band the overall reflectance is printed out followed by the summed net radiative flux and net radiative flux divergence from all three bands.

In the third test case a slab is divided into two layers as described on the printout.

This single band case is run as a special band so that the intensity distribution may be closely studied node by node near the interface between the layers. The dimensionless value for the final iteration is presented in its entirety since this particular case generates a most interesting intensity field.

As a rule much more detailed information is printed out on a special band than on a standard band but the computer time is proportionately longer since the printer is working longer.

The program has been diligently checked out and has shown no visible errors within the limits of the cases studied.

FINAL BAND MODEL PROGRAM

1 •

2.

3.

4.

6 • 7 •

8.

9.

10 • 110

12.

13.

140 15. 16. 17.

18.

19 • 20 • 21.

22. 23.

24.

25. 26.

27.

28.

29.

30. 31 •

32. 33 •

34 .

35 .

36 •

37 •

38 • 39 •

40 .

41.

42.

43. 44.

45. 46.

47 .

C 11.

′ 5 •

```
COMMON F, IPOS, INEG, IPOSP, INEGP, SAVE
                                                                               B00001
                                                                               Bonnt
    REAL A(8), AA, A1, A2, BB, B1, B2, BET, C1, C2, C3, CRT, CRTDG, DQR(751), DQRDY,
   1DQRSAV(751),DY,DIV,DMLQR,DMLDQR,F(10,751))F1,1P8S(8,751),IP8SN,
                                                                               BD002
   21NEG(8,751),1POSP(8,751),1NEGP(8,751),KI(10),KF(10,5),KKM,LAMBDA(
                                                                               BDOGS
   310),ISOT(5),MU(8),MUP(8),MUO,MUU,N(10),OARFL,OARFL1,OARFL2,PARAM,
                                                                               BD004
   4PHASE(8,8), PHASCO, PHASKO, Q(751), QT, QRR, QTP, QRP, Q0(10), Q00, QRSAV(75
                                                                              BD005
   51),RB(10),RBB,RIN,RFLI(8),RFLO(8),RJ,RI,R(10),RO,S,S1,SF(10,5),SIG
                                                                              BD006
    REAL SAVE(308,11), SUM, SINMU, SINMUO, SKM, T(751), TBW, TFW, TK, TERM,
                                                                               BD007
                                                                              BD008
   1THICK, TOL, V, VALUE, Y
                             ,A3,A4,C4,FRFLB(10),FRFLI(10,8),FRFL0(8),
   2DML(8), KFF, SFF, NN, RF(8), MU1(8), AU1(8)
                                                                              BD0081
                                                                              BD009
    INTEGER ABORT, BND(11), BNDS(10), I, IJ, II, IK, IL, IN, III, IJI, J, JL, JK,
   1 JM × JP × JS × JT × JZ × JR × JQ × JJJ × K × KK × KJ × 🐯 KFRES × L × LL × LJ × LLL × LMT (61 × MM ×
                                                                              BD010
   2 0000
                NDS, NONDM, PRINT, PRTVAR, PLACE(8), TEMPD, TEST, JA
                                                                              80011
    DATA INPUT, BY CARD
 1. NDS - NUMBER OF NODES
 2.
     THICK - THICKNESS IN CM
 3. TOL - PARAM TOLERANCE
     TEST - MAXIMUM NUMBER OF ITERATIONS
     PRINT - FOR SPECIAL BAND, PRINTS FIRST, SECOND, EVERY (PRINT),
 5•
              AND LAST ITERATION
     NONDM - 0-NO, 1-YES
     BNDS - TO SET UP BANDS, 1011, 0-DON'T WORK, 1-STANDARD, 2-SPECIAL
 7•
 8. TEMPO = TEMPERATURE DISTRIBUTION, 1=FW THROUGHOUT, BW;
              2-FW, BW THROUGHOUT; 3-FW LINEAR BW; 4-READ IN DISTRIBUTION.
              IF 1*3.
        TEMPERATURE FRONT WALL
  * A8
  8B •
        TEMPERATURE BACK WALL
              IF 43
             FRONT WALL TO BACK, BY NODE, 10F8+3
  8A = 87
 9. K, ISOT(I1, 5F10.7) - ANISOTROPY BY DEPTH. K+O, FIRST VALUE REPEATED,
                           K-1, ALL 5 VALUES ON CARD.
     KIN(I1,10F7+3) - INDEX OF REFRACTION OF MEDIUM BY BAND.
                                                                    K AS ABOVE.
10 •
    KARB(II, 10F7+3) - RB, OR NI IF USING FRESNEL RELATIONSHIPS, BOTH BY BAND.
```

THE WOLLD OF THE BROWNELL VOLVERS

```
UP HO KELLENIED IN A IP NO KEAU IN LOK AME IN AMEDER
                   K - 2, NI AND KI REPEATED, ALTHOUGH KI UN SECOND CARD (10F7.3).
50%
                       3, NI READ IN, KI REPEATED. K - 4, NI REPEATED, KI READ IN.
51 •
                   K. 5 NI AND KI READ IN.
52.
53.
          NOTE: CARDS 12, 13, AND 13A (IF REQUIRED) MUST BE REPEATED FOR EACH BAND(J).
54 +
55,
       C 12. K.OG(J), LAMBDA(J)(I1, F15.7, E10.5) - INCIDENT RADIATIVE FLUX AND UPPER
56.
57 .
                                  LIMIT OF BAND.
58 •
59 •
       C 13. KF(J)(5F10.6) - ABSCO, SCATCO. USING THE K FROM CARD 12.
                   K-O, ONE VALUE FOR EACH ON THIS CARD; K-1, ONE VALUE FOR ABSCO.
60 •
                   5 VALUES FOR SCATCO ON NEXT CARD(SF10.6); K=2, 5 VALUES FOR ABSCO,
61 .
                   ONE VALUE FOR SCATCO ON SECOND CARD; K+3, 5 VALUES FOR EACH.
62.
63.
64 .
       C 14. LAST CARD - MUST HAVE 14! IN FIRST COLUMN OF FIRST CARD, FOLLOWED BY
65 •
66.
                   BLANK CARD.
       C
67.
       C
       C
68.
              DATA MU(1), MU(2), MU(3), MU(4)/.09501250984, .28160355078, .4580167776
69 •
                                                                                       BD012
             16, •61787624440/
                                                                                       BD013
70 •
              DATA MU(5), MU(6), MU(7), MU(8)/.75540440836, .86563120239, .9445750230
                                                                                       BD014
71 .
                                                                                        BD015
72.
             17, 198940093499/
              DATA A(1), A(2), A(3), A(4)/.18945061046, .18260341504, .16915651940,
                                                                                       BD016
73.
                                                                                       BD017
74.
             1 • 1 4 9 5 9 5 9 8 8 8 2 /
              DATA A(5),A(6),A(7),A(8)/.12462897126,.09515851168,.06225352394,
                                                                                       BD018
75•
                                                                                        BD019
76.
             1.02715245941/
77.
              S = 5.6699E = 12
                                                                                        BD020
                                                                                       BD0201
78.
              00 \ 415I = 1.8
                                                                                       BD0202
79.
              MU1(I) \neq MU(I)
                                                                                        BD0203
*08
          415 \text{ AU1}(I) = \text{A}(I)
                                                                                       BD030
81.
              ØARFL1 ≈ O•
                                                                                       BD031
82.
              GARFL2 = 0.
                                                                                       BD032
83.
              ABORT = 0
                                                                                       BD033
              INPUT NDS, THICK, TOL, TEST, PRINT, NONDM
84.
                                                                                       BD034
85.
              OUTPUT NDS, TOL, TEST, PRINT, NONDM
              PRINT 901, THICK
                                                                                       BD0341
86.
         901 FORMAT(1X) THICK #1)F8.5; CM1)
                                                                                       BD0342
87.
                                                                                       BD035
88.
              DO 4001 = 1.NDS
                                                                                       BD036
89.
              QRSAV(I) = 0+
                                                                                        BD037
90 .
          400 DRSAV(I) = 0 \bullet
91 •
92.
       C SET UP BANDS.
93.
                                                                                        BD038
94 .
              READ 1 BNDS
                                                                                        BD039
95.
              FORMAT(1011)
                                                                                        BD040
96 •
              IJ = 1
                                                                                        BD041
97.
              BND(1) = 0
                                                                                        BD042
98•
              D0 2I = 2.11
0.4
                                                                                        PD0:21
              2277 - 134 - Da
```

```
100+
                                                                                         U U J + J
               IF(BNDS(I = 1) = 1)2,3,4
101 •
                                                                                         BD044
102 •
               BND(1) = I = 1
                                                                                         BD045
                                                                                         BD046
103 •
               BND(IJ + 1) = I = 1
104 •
                                                                                         BD047
               IJ = IJ + 1
105 •
               CONTINUE
                                                                                         BD048
                                                                                         BD049
106 •
               II = 2
107 •
               IF(BND(1))7,7,6
                                                                                         BD050
108 .
                                                                                         BD051
               II = 1
109 •
               IF(IJ = 2)5,5,7
                                                                                         BD052
110 .
                                                                                         BD053
               IJ = 1
                                                                                         BD054
111.
               BND(2) = 0
112.
               PRINT 8, BNDS, (BND(I), I = 1, IJ)
                                                                                         BD055
               FORMAT( | BNDS = 1,1011/ | SPECIAL ==1,12, | STANDARD ==1,1013/)
                                                                                         BD056
113.
114.
         C
           SET UP TEMPERATURE DISTRIBUTION
115.
116 •
                                                                                         BD057
117 •
               INPUT TEMPO
                                                                                         BD058
118.
               BUTPUT TEMPD
                                                                                         BD059
119 •
               IF(TEMPD = 3)9,9,10
                                                                                         BD060
120 •
               INPUT TFW, TBW ...
                                                                                         BD061
121 •
               T(1) = TFW
                                                                                         BD062
122 •
               T(NDS) = TBW
               IF (TEMPD = 2)11,12,13
123.
                                                                                         BD063
                                                                                         BD064
124 .
           11 TK = TFW
                                                                                         BD065
125 •
               GØ TØ 14
126.
           12 TK # TBW
                                                                                         BDQ66
           14 DØ 15I = 2,NDS-1
                                                                                         BD067
127.
                                                                                         BD068
128 •
           15 T(I) * TK
129.
                                                                                         BD069
               GØ TØ 16
           13 TK = (TFW = TBW)/(NDS = 1 \cdot)
                                                                                         BD070
130 •
131 •
              DO 171 = 2,NDS = 1
                                                                                         BD071
132.
                                                                                         BD072
           17 T(I) = T(I = 1) = TK
                                                                                         BD073
133 •
               GO TO 16
                                                                                         BD074
134.
           10 READ 18, (T(I), I = 1, NDS)
135 •
           18 FORMAT((10F8+3))
                                                                                         BD075
                                                                                         BD076
136 •
           16 PRINT 19, (T(I), I = 1, NDS)
            19 FORMAT(' TEMP = ',10F9.3/1X,'(KELVIN)'/(8X,10F9.3/))
                                                                                         BD077
137 •
138 •
        С
           SET UP ANISOTROPY DISTRIBUTION
139.
140 •
                                                                                         BD078
               READ 20,K, ISOT
141.
           20 FORMAT(11,5F10+7)
                                                                                         BD079
142 •
                                                                                         BD080
143 •
               IF(K)21,21,22
                                                                                         BD081
           21 \quad D0 \quad 23I = 2.5
144.
                                                                                         80082
              ISOT(I) = ISOT(1)
145 •
           23
                                                                                         BD083
           22 PRINT 24, ISOT
146 •
147.
               FORMAT( ! ISOT # 1,5F11.7/)
                                                                                         BD084
148 •
149.
           SET UP INDEX OF REFRACTION
150
```

```
707.
                  NEAD EUSKIN
                                                                                                - リリリーン
                                                                                                BD086
152%
             26 FORMAT([1]10F7+3)
                                                                                               BD087
  153 •
                  IF(K)27,27,28
             27 DB 291 = 2,10
                                                                                               BD088
  154 •
                                                                                               BD089
  155 •
             29 N(I) # N(1)
 156.
  157 •
           C SET UP RB
  158 •
           C
                                                                                               BD090
  159.
             28 READ 32,K,RB
                                                                                               BD091
  160 .
             32 FORMAT(11,10F7.3)
                                                                                               BD0919
  161 •
                  KFRES # K
                  IF(K = 1)33,34,36
                                                                                               BD0920
  162.
                                                                                               BD0921
  163.
             36 READ 37.KI
  164 .
             37 FORMAT(10F7+3)
                                                                                               BD0922
                                                                                               800922
  165.
                  IF(K = 5)30,42,42
  166.
             30 IF(K = 3)38,39,38
                                                                                               BD0923
                                                                                               BD0924
  167 •
             38 \quad D6 \quad 401 = 2.10
  168.
             40 \quad RB(I) = RB(I)
                                                                                               BD0925
                                                                                                BD0926
  169 •
                  IF(K = 4)39,42,39
                                                                                               800927
  170 .
             39 D8 41I = 2,10
                                                                                               BD0928
  171.
             41 \text{ KI}(I) = \text{KI}(1)
  172 •
             42 PRINT 43
                                                                                               BD0929
             42 PRINT 43
43 FORMAT(1X//' FRESNEL"S CRITERIA'//' BAND VALUE'/)
                                                                                               BP0930
  173.
                                                                                               BD0931
  174.
                  D6.44I = 1.10
                                                                                                BD0932
  175 •
                  IF(N(I))44,44,63
  176.
             63 IF (RB(I))44,44,64
                                                                                               BD0933
             64 VALUE = {RB{I}*RB(I) + KI(I)*KI(I))***5/N(I)
- IF(VALUE = 3.3)72,72,73
                                                                                               BD0934
  177.
                                                                                               BD0935
  178 •
                  IF (VALUE - 3.3)72,72,73
                                                                                               BD0936
  179.
             72 PRINT 74, I, VALUE
             74 FORMAT(2X,12,3X,F7.2, ! NOTE: OUT OF RANGE OF FRESNEL APPROXIMATI BD0937
  180 •
                                                                                               BD0937
  181 •
                 10N!)
                                                                                               BD0938
                 G6 T6 44
  182 •
                                                                                               BD0939
  183 •
             73 PRINT 79, I, VALUE
  184 •
             79 FORMAT(2X, 12, 3X, F7.2)
                                                                                               BD0940
             44 CONTINUE
                                                                                               BD0941
  185 .
                                                                                               BD0952
  186 •
                  GO TO 34
                                                                                               BD0953
  187 •
             33 DØ 35I = 2,10
             35 \quad RB(I) = RB(I)
                                                                                               BD0954
  188 •
           C
  189 •
  190 •
             SET UP BAND DATA
  191 •
  192.
                                                                                                BD0955
             34 J = 1
             62 READ 45, K, QO(J), LAMBDA(J), (KF(J, I), I = 1,5)
                                                                                                BD096
  193.
                                                                                                BD097
  194.
             45 FORMAT(11,F15.7,E10.5/5F10.6)
                                                                                                BD098
  195.
                  IF(K = 4)60,61,61
                                                                                                BD099
  196 •
             60 IF(K = 1)46,47,47
                                                                                                BD100
  197 •
             46 \quad SF(J_21) = KF(J_22)
                                                                                                BD101
                  D8 49I = 2,5
  198 •
                                                                                                80102
  199.
                  SF(JiI) = SF(JiI)
                                                                                                BD103
             49 \quad \mathsf{KF}(\mathsf{J}_{\mathsf{J}}\mathsf{I}) = \mathsf{KF}(\mathsf{J}_{\mathsf{J}}\mathsf{I})
  500 •
                  ለፀ ቸጠ ጠበ 🐇
                                                                                                ANT NO
```

```
マン・・ハル・・ロー・ロントロントリント
                                                                                         つわてひつ
* 203°
            48 FORMAT(5F10+6)
                                                                                         BD106
  204 . '
                 IF(K = 2)51.52.50
                                                                                         BD107
            51 \quad D0 \quad 531 = 2.5
  205 •
                                                                                         BD108
  506.
            53 KF(J_2I) = KF(J_2I)
                                                                                      80109
                                                                                     BD110
  207 .
                 GØ TØ 50
            52 08 541 = 2,5
  *805
                                                                                         BD111
            54 \text{ SF}(J_1) = \text{SF}(J_1)
  209.
                                                                                         BD112
  210 •
            50 J = J + 1
                                                                                         BD113
  211.
                 IF(J = 11)62,61,61
                                                                                         BD114
  212.
            SET UP BOUNDARIES FOR NODE SECTIONS
  213.
  214.
  215 •
            61 KK = NDS/5
                                                                                         BD115
  216.
                LMT(2) = KK
                                                                                         BD116
  217.
                LMT(1) = 0
                                                                                         BD117
  218 •
                 LMT(3) = LMT(2) + KK
                                                                                         BD118
  219.
                 LMT(4) = LMT(3) + KK + 1
                                                                                         BD119
  220 •
                LMT(5) = LMT(4) + KK
                                                                                         BD120
  221 •
                LMT(6) = LMT(5) + KK
                                                                                         BD121
  222.
          C SET UP BLACK BODY FRACTIONS ACCORDING TO BAND WIDTH AND TEMPERATURE.
  223.
  224.
          C
  225.
                IJI = BND(IJ)
                                                                                         BD122
  226.
                III = BND(2) = 1
                                                                                         BD123
                IF(III = 1)610,611,611
  227 •
                                                                                         BD124
  228.
            610 III = 1
                                                                                        BD125
  229.
            611 DO 102MM = IJI, III, =1
                                                                                         BD126
  230
                 F1 = LAMBDA(MM)
                                                                                         BD127
                06 102LL = 1,NDS
  231.
                                                                                        BD131
  232.
                 IF(T(LL))102,102,25
                                                                                         BD1311
  233.
            25 V ≈ 1.43879/F1/T(LL)
                                                                                         BD132
  234 •
                 IF(V = 2.)103.104.104
                                                                                         BD133
            103 F(MM>LL) = 1. - 15./(3.141593)**4*V**3*(1./3. - V/8. + V*V/60. - V BD134
  235 •
  236 •
                1**4/5040 + V**6/272160 - V**8/13305600 
                                                                                         BD135
  237 •
                                                                                         BD136
                 GO TO 201
  238 •
             104 SUM = 0.
                                                                                         BD137
  239 •
                 DØ 105LLL = 1,5
                                                                                         BD138
            105 SUM = SUM + EXP(=LLL*V)/LLL**4*(((LLL*V + 3*)*LLL*V + 6*)*LLL*V +
  240 .
                                                                                         BD139
  241 .
               16.1
                                                                                         BD140
  242 .
                 F(MM_{\bullet}LL) = SUM + 15 \cdot / (3 \cdot 141593) + +4
                                                                                         BD141
  243.
            201 IF(MM - IJI)100,102,102
                                                                                         BD142
            100 F(MM + 1)LL) # F(MM + 1)LL) = F(MM)LL)
                                                                                         BD143
  244.
  245.
            102 CONTINUE
                                                                                         BD144
  246 .
                 DY = THICK/(NDS = 1.)
                                                                                        BD145
  247.
                 PRINT 902
                                                                                         BD1451
            902 FORMAT(1X//' INTENSITIES IN WATTS/CM**2/STERADIAN'//' FLUXES IN WA BD1452
  248.
               1TTS/CM**21// FLUX DIVERGENCE IN WATTS/CM**31)
  249 .
                                                                                         BD1453
  250 •
          С
  251.
            MAIN DO-LOOP FOR RUNNING THROUGH EACH BAND
  252.
```

```
とりょ・
              けい しっしょ エエチエゴ
254%
          SET UP VARIABLES PECULIAR TO EACH BAND
255.
        С
256.
257 •
                                                                                     BD1461
              KK = BND(IK)
                                                                                     BD1462
258 •
              NN = N(KK) * N(KK)
                                                                                     BD1463
259 •
              DO 680I = 1.8
                                                                                     BD1464
260 •
              MU(I) \approx MU1(I)
                                                                                     BD1465
261.
          680 A(I) = AU1(I)
                                                                                     BD1470
262.
              RBB = RB(KK)
              IF(NN - 1)850,850,860
                                                                                     BD1471
263.
                                                                                    BD1472
264 .
          860 RMUC # (1. = 1./NN)***5
                                                                                     BD1473
265.
              TERM1 = (1 \cdot = RMUC) * \cdot 5
                                                                                    BD1474
266.
              TERM2 = (1+ + RMUC) ++5
              CALL BRKDWN(RMUC, TERM1, TERM2, A, MU)
                                                                                    BD1475
267 •
                                                                                     BD1484
268.
          850 IF (KFRES - 1)113,113,114
                                                                                     BD1491
269.
          114 I * KK
                                                                                     BD1492
270%
              FRFLB(I) = 0
                                                                                     BD1493
271 •
               IF(N(I))83,83,84
                                                                                     BD1494
272.
          84 IF(RB(I))83,83,101
                                                                                     BD1495
273.
          101 D0 219J = 1.8
              A1 = (RB(I)*MU(J) = N(I))**2
                                                                                     B01496
274.
                                                                                     801497
275.
              A2 = (RB(I) + MU(J) + N(I)) + 2
                                                                                     BD1498
276 .
              A3 = (RB(I) = N(I)*MU(J))**2
                                                                                     BD1499
277.
              \Delta + = (RB(I) + N(I) + MU(J)) + \Delta
                                                                                     BD1500
278 •
              B1 = KI(I) * KI(I)
                                                                                     BD1501.
              B2 = B1 + MU(J) + MU(J)
279 •
              FRFLI(I,J) = .5*((A1 + B2)/(A2 + B2) + (A3 + B1)/(A4 + B1))
                                                                                     BD1502
280.
          219 FRFLB(I) = FRFLB(I) + A(J) + MU(J) + FRFLI(I,J)
                                                                                     BD1503
281 .
282.
               FRFLB(I) = FRFLB(I)/.50151552
                                                                                     BD1504
           83 RBB = FRFLB(KK)
                                                                                     BD1505
283.
                                                                                     BD1506
284 #
          113 Q00 = Q0(KK)
              IPOSN = Q00/3:141593
                                                                                     BD151
285.
286 •
               IF(IK = 1)66,66,67
                                                                                     BD152
287 •
        C
          PRINT HEADING AND INFORMATION
288 •
289 •
                                                                                     BD153
290 •
          66 PRINT 68 KK
                                                                                     BD154
          68 FORMAT(11 SPECIAL BAND == BAND 12//)
291 •
                                                                                     BD155
292 •
               GO TO 69
                                                                                     BD156
293.
          67 PRINT 70,KK
          70 FORMAT('1 BAND', 12//)
                                                                                     BD157
294.
                                                                                     BD158
          500 FORMAT(1X///' ITERATION ', 13//)
295 •
          69 PRINT 71,N(KK),RBB,Q00,(KF(KK,J),J = 1,5),(SF(KK,J),J = 1,5)
                                                                                     BD159
296 •
                                                                                     BD1591
297.
               PRINT 853, (MÜ(J), A(J), J = 1,8)
          853 FORMAT( | GAUSSIAN INTEGRAL 1/4X, 4HMU 15, 7X, 1 WEIGHTS 1/8(1X, F10.8, 2X)
                                                                                     BD1592
298 •
                                                                                     BD1593
299.
             1F10+8/11
          71 FORMAT( | INDEX = 1, F8.3/1 RB = 1, F6.3/1 Q0 = 1, F16.7, WATTS/CM##21/
                                                                                     BD160
300.
             1 K =1,5F11.6,1 CM++=11/1 S =1,5F11.6,1 CM++=11//}
                                                                                     BD161
301 •
                                                                                     BD1611
             - IF(KK - 1)904,904,905
302.
          DOT 14 - 1 AM D1/RK - 11
                                                                                     61, 14a
ኅበኅ -
```

```
304.
                 Gu 10 906 -
                                                                                         コロチュエコ
                                                                                         BD1614
 ″ 305°°
             904 A1 = 0.
                                                                                        BD1615
  306 •
             906 A2 = LAMBDA(KK)
                                                                                        BD1616
  307 •
                *00001*1A ≈ EA
                                                                                        BD1617
   308.
             - A4 = A2+10000+
                                                                                        BD1618
  309.
                 PRINT 903, A1, A2, A3, A4
             903 FORMAT(1X//! WAVELENGTH INTERVAL: . 1,E10.5, 1 = 1,E10.5, 1 CM1/23X,
   310 •
                                                                                        BD1619
                1E10.5, 1 = 1,E10.5, 1 MICRONS!/)
PRINT 701, (F(KK,J), J = 1,NDS)
                                                                                        80162
   311.
                                                                                        BD1621
   312.
             701 FORMAT(1X, ' F(0 = LT); '/(1X, 10E11.5/))
IF(TK = 1)75,75,76
                                                                                      BD1622
   313.
                                                                                        BD1623
   314.
                 IF(IK = 1)75,75,76
             76 IF(KK - BND(1))75,78,75
                                                                                 BD163
   315.
   316 .
             IF ALREADY RUN AS SPECIAL BAND, PRINT SAVED NUMBERS
   317 •
   318 •
   319.
              78 PRINT 82
                                                                                        BD165
   320 •
                 PRINT 80
                                                                                        BD1651
             80 FORMAT( | NODE 1,6x, 1111,9x, 1121,9x, 1131,9x, 1141,9x, 1151,9x, 1161,9x, BD166
   321 •
   322.
                1 ' 1 7 ' 1 DQRDY ' 1 8 ' 1 9 X 1 ' 1 QR 1 2 8 X 1 ' DQRDY ' / )
                                                                                        BD167
   323.
                 PRINT 81, ((SAVE(I,J)), J = 1,11), I = 1,L)
                                                                                        BD168
             81 FORMAT((1X)F4.0)2X,9(E10.5)1X),E11.5))
                                                                                        80169
   324.
                                                                                       BD170
   325 •
                 PRINT 82
                                                                    B0172
                                                                                        BD171
   326 •
             82 FORMAT(1X//)
                 PRINT 81, ((SAVE(I,J),J = 1,11),I = L+1,L + L)
   327 •
   328 +
                 BUTPUT R(KK)
                                                                                       801721
                                                                                        BD173
   329 •
                 IF(NONDM)65,65,85
   330 •
             85 PRINT 86
                                                                                        BD174
             86 FURMAT(1X///' DIMENSIONLESS!//)
                                                                                        BD175
   331 •
                 PRINT 80
PRINT 81, ((SAVE(I, J), J = 1, 11), I = L+L+1, L+L+L)
                                                                                        BD176
   332 •
                                                                            BD177
BD178
BD179
   333.
   334 •
                 PRINT 82
                 PRINT 81, ((SAVE(I,J),J = 1,11),I = L+L+L+1,L+L+L+L)
   335
                                                                                      BD180
   336 •
                 GØ TØ 65
   337 •
           C CALCULATE RFLECTANCE FOR INSIDE GAUSSIAN ANGLES
   338 ·
   339•
           C
                                                                                        BD181
   340 •
             75 \quad RIN = 1 \cdot / N(KK)
                 CRT = ARSIN(RIN) *
                                                                                        BD182
   341 •
                 CRTDG = CRT * 180 \cdot / 3 \cdot 141593
                                                                                        BD183
   342.
                 OUTPUT CRT, CRTDG
   343+
                                                                                        BD1831
                                                                                        BD184
                 DIV = COS(CRT)
   344.
                                                                                        BD185
   345.
                 DØ 1101 = 1.8
                 IF(MU(I) = DIV)111,111,112
                                                                                        BD186
   346 •
             112 SINMU = (1. = MU(I) +MU(I)) ++.5
   347 •
                                                                                        BD187
                                                                                     BU._
BD189
                 SINMUU = SINMU*N(KK)
   348 .
                 MU0 = (1. - SINMU0+SINMU0)++.5
   349
                                                                                        BD190
                 A1 = SINMUO*MU(I) + MUO*SINMU
   350 •
                                                                                        BD191
   351 •
                 A2 = SINMUO*MU(I) = MUO*SINMU
  352.
                 B1 = MUO \times MU(I) = SINMU \times SINMUO
                                                                                        BD192
                                                                                        BD193
   353.
                 B2 = MU8*MU(I) + SINMU*SINMU8
                 PD(1(1) - < 5"(*****/**/*1)"(1. + B1""1/R**/B2)
                                                                                         BD194
A 351.
```

```
an in TIA
            111 RFLI(I) = 1.
                                                                                        B0196
€ 356€
                                                                                        BD197
 357 •
            110 CONTINUE
 358 •
                PRINT 55, RFLI
                                                                                        BD1971
 359 •
            55 FORMAT( | RFLI = 1,8F10.7/)
                                                                                      801972
 360 •
          C CALCULATE OUTSIDE GAUSSIAN ANGLES AND CORRESPONDING REFLECTANCES
 361 •
 362 •
                                                                                    BD198
 363.
                D6 1151 = 1.8
                SINMU0 = (1 - MU1(I) + MU1(I)) + + + 5
                                                                                       BD199
 364 •
 365.
                SINMU = SINMUO/N(KK)
                                                                                     BD200
                                                                                      80201
                MUP(I) = (1 \cdot = SINMU + SINMU) + + \cdot 5
 366 •
 367.
                A2 = SINMU0*MUP(I) = MU1(I)*SINMU
                                                                                        BD202
                A1 = SINMUO*MUP(I) + MU1(I)*SINMU
                                                                                       90503
 368.
                                                             BD203
BD204
            B1 = MU1(I) + MUP(I) = SINMU+SINMU0

B2 = MU1(I) + MUP(I) + SINMU+SINMU0

115 RFL0(I) = •5+(A2+A2/A1/A1)+(1* + B1+B1/B2/B2)
 369.
                                                                                       80205
 370•
                                                                                        BD206
 371 .
                                                                                     BD2060
 372.
                PRINT 56, RFLO
                                                                                     BD2060
 373.
            56 FORMAT( | RFLO # 1,8F10+7/)
 374.
 375 •
          C KUBELKA MUNK STARTING ROUTINE
 376 •
          C
                                                                                      BD2062
 377.
                IF(KFRES = 1)106,106,108
                                                                                    BD2063
 378 •
         108 D0 121JM = 1.8
                A1 = (RB(KK)*MUP(JM) = N(KK))**2
                                                                                        BD2064
 379 •
                                                                                      BD2065
 380 •
                \Delta 2 = (RB(KK) + MUP(JM) + N(KK)) + 2
 381 •
                A3 = (RB(KK) = N(KK) + MUP(JM)) + +2
                                                                                      BD2065
                                                                                      802065
 382.
                A4 = (RB(KK) + N(KK)*MUP(JM))**2
                                                                                 BD2066
BD2067
 383.
                B1 = KI(KK)*KI(KK)
 384.
                B2 = B1 + MUP(JM) + MUP(JM)
          121 \; \mathsf{FRFLO}(\mathsf{JM}) \; = \; \mathsf{+5+(A1 + B2)/(A2 + B2)} \; + \; \mathsf{(A3 + B1)/(A4 + B1)}
                                                                                 BD2068
 385.
                                                                                     BD207
 386 •
            106 S1 = 0
                D0 120I = 1/8
                                                                                  80208
 387 •
                                                                     BD209
BD210
            120 S1 = S1 + A(I) + MU(I) + RFLI(I)
 388.
                RI = S1/.50151552
 389.
                R\theta = 1 + + NN*(RI = 1 +)
                                                                                   . 80211
 390 •
                                                                                        B0212
 391 •
            133 Y = -DY
                                                                                        BD213
 392 •
                IF(IK = 1)130,130,131
            131 IF (ABORT) 125, 125, 130
                                                                                        BD214
 393.
 394 •
          C PRINT OUT STARTING ROUTINE IF SPECIAL CASE OR ON ABORT STATUS
 395 •
 396.
                                                                                       BD215
            130 OUTPUT ROJRI
 397 •
                                                                                        BD216
 398+
                PRINT 132
            132 FORMAT(1X//3X, KUBELKA MUNK STARTING ROUTINE 1//2X, 1NODE 1,5X, 1QT 1,
                                                                                        BD217
 399•
                                                                                        BD218
 400.
               110X, 'QR', 9X, 'DQRDY'/)
                                                                                        BD219
            125 \ 00 \ 1221 = 1.5
 401 •
                                                                                        BD220
                III = LMT(I) + 1
 402
                                                                                        BD221
 403.
                JJJ = LMT(I + 1)
                                                                                        BDSSS
 404 .
                SKM = SF(KK,I) + . 75
                                                                                        BD223
 005.
                WIM H KELVIKATIES
```

```
. .
                OID A CKKIIALKKII A GEORGIAA A G
                                                                                          80225
s 407 €
                BET = SIG/(KKM + 2 \cdot *SKM)
                A1 = Q00*\timesEXP(*SIG*THICK)*(1. = R0)*(BET*(1. + RBB) = 1. + RBB)
                                                                                          BD226
 408.
                A2 = 2 \cdot *(BET*BET*(1 \cdot + RI)*(1 \cdot + RBB) + (1 \cdot - RI)*(1 \cdot - RBB))*
                                                                                         80227
 409+
               1SINH(SIG+THICK) + 2.*BET*(1. = RI*RBB)*COSH(SIG*THICK))
                                                                                          BD228
 410 .
                B1 = Q00*\timesEXP(SIG*THICK)*(1. = R0)*(BET*(1. + RBB) + 1. = RBB)
                                                                                          BD229
 411.
                                                                                          BD230
 412.
                AA = A1/A2
                                                                                          80231
 413.
                BB = B1/A2
 414.
                DO 122J = III,JJJ
                                                                                          BD232
                                                                                          EESGB
 415.
                Y = Y + DY
                QT = AA*(1* - BET)*EXP(SIG*Y) + BB*(1* + BET)*EXP(=SIG*Y)
                                                                                         B0234
 416 .
                QRR = AA*(1 \cdot + BET)*EXP(SIG*Y) + BB*(1 \cdot - BET)*EXP(-SIG*Y)
                                                                                         80235
 417 .
                                                                                         BD236
 418 •
                DORDY = *KKM*(OT + ORR)
 419 .
                                                                                         BD237
                QTP = QT/3 \cdot 141593
                                                                                         BD238
 420.
                QRP = QRR/3:141593
                                                                                         BD239
 421 •
                DØ 123JL = 1,8
                                                                                          BD240
 422 .
                IPOS(JL,J) = QTP
 423.
            123 INEG(JL,J) = GRP
                                                                                          BD241
                IF(IK - 1)124,124,126
                                                                                          BD242
 424 .
                                                                                          BD243
 425 •
            126 IF(ABORT)122,122,124
 426 •
            124 \text{ RJ} = J
                                                                                          BD244
                PRINT 127, RJ, QT, QRR, DQRDY
                                                                                         BD2441
 427 •
            127 FORMAT(1X,F5.0,1X,2(E10.5,2X),E11.5)
                                                                                          BD245
 428 .
 429 .
            122 CONTINUE
                                                                                          BD246
                                                                                          BD247
 430 .
                D0 200JK # 1, TEST
 431.
                PARAM = 0.
                                                                                         BD248
 432.
 433.
          C FRONT SURFACE CALCULATIONS
 434.
                                                                                          BD249
 435.
                D0 150I = 1.8
                                                                                         BD250
                IPOS(I_1) = INEG(I_1)
 436 •
                                                                                          BD251
 437 •
                IF(MU(I) = DIV)150,150,151
            151 IPOS(I,1) = RFLI(I) + INEG(I,1) + (1 - RFLI(I)) + IPOSN+NN
                                                                                         80252
 438.
                                                                                          BD253
 439 •
            150 CONTINUE
 440 .
          С
          C MARCH TO BACK WALL
 441.
 442 .
                                                                                          BD254
 443.
                D6 162I = 1.5
                                                                                          BD255
 444.
                DO 1611L = 1.8
                                                                                          BD256
 445 .
                D0.161IN = 1.8
            161 PHASE(IL, IN) = 1. + ISOT(I) *MU(IL) *MU(IN)
                                                                                          BD257
 446 .
                                                                                          BD258
 447.
                III = LMT(I) + 1
                                                                                          80259
               JJJ = LMT(I + 1)
 448 .
                                                                                          BD260
 449.
                IF(III = 1)163,163,164
                                                                                          80261
 450 •
            163 III = 2
                                                                                          BD262
            164 SFF = SF(KK,I)
 451 •
                KFF = KF(KK,I)
                                                                                          BD263
 452 .
                                                                                          BD264
 453.
                BET = SFF + KFF
 454.
                C2 = DY + SFF/2 +
                                                                                          BD2641
                C4 # DY*S*KFF/3.141593*NN
                                                                                          BD2642
 455.
                                                                                          AD245
 5 .
                DR 1'01 STTAILE
```

```
J, •
                  to the little at the second tenteral to
                                                                                              円付ささいま
 ⁵ 458≨
                  D6 162JL = 1.8
                                                                                              BD266
   459 •
                                                                                              BD267
                  MUU = MU(JL)
   460.
                                                                                              BD268
                  SUM = 0.
                  C1 = 1. - BET+DY/MUU
                                                                                              BD269
   461 •
                                                                                              BD272
   462.
                  D0 165LJ = 1.8
                  PHASCO = PHASE(LJ,JL)
                                                                                              BD273
   463.
                                                                                              BD274
   464 •
                  PHASKO = 2 - PHASCO
              165 SUM = SUM + A(LJ)*(PHASCO*IPOS(LJ)J = 1) + PHASKO*INEG(LJ)J = 1))
   465.
                                                                                              BD275
                                                                                              BD276
   466 .
                  TERM = IPOS(JL,J)
   467.
                  IPOS(JL_{J}J) = C1*IPOS(JL_{J}J = 1) + (C2*SUM + C3)/MUU
                                                                                           BD277
                                                                                              BD278
              162 PARAM = PARAM + (TERM/IPOSN = IPOS(JL)J)/IPOSN)**2
   468 •
   469.
            С
            C BACK BOUNDARY CONDITIONS
   470 •
   471 •
            C
                                                                                              BD2781
   472.
                   IF(KFRES = 1)128,128,129
   473.
              129 C1 = S \times NN \times T(NDS) \times \times 4/3 \cdot 141593 \times F(KK \cdot J)
                                                                                              BD2782
                                                                                              BD2783
   474.
                  DO 116I = 1.8
                                                                                          BD2784
BD2785
              116 INEG(I, NDS) = FRFLI(KK,I)*IPOS(I,NDS) + (1. = RBB)*C1
   475 •
   476.
                   GO TO 117
                                                                                           _ BD279
   477 •
              128 \text{ C1} = (1 \cdot \text{RBB}) + \text{S} + \text{NN} + \text{T} (\text{NDS}) + + 4/3 \cdot 141593 + \text{F} (\text{KK}_{2})
                                                                                              BD280
   478 •
                   DG 1701 = 1/8
              170 INEG(I, NDS) = RBB*IPOS(I, NDS) + C1
                                                                                              BD281
   479+
   480 +
            С
   481 •
            C MARCH TO FRONT WALL!
   482.
            C
   483
                                                                                              BD282
              117 DO 1801 = 5,1,=1
   484.
                                                                                              E8208
                   DO 1811L = 1/8
   485 •
                   D0 181IN = 1*8
                                                                                              BD284
              181 PHASE(IL, IN) = 1. - ISOT(I)*MU(IL)*MU(IN)
                                                                                              BD285
   486 •
   487 •
                  III = LMT(I + 1)
                                                                                              BD286
                                                                                              BD287
   488
                   JJJ = LMT(I) + 1 ...
   489.
                  IF(III * NDS)182,183,183
                                                                                              BD288
                                                                                              BD289
   490 •
              183 III = NDS - 1
                                                                                              BD290
   491
              182 SFF = SF(KK,I)
                                                                                              BD291
   492.
                  KFF = KF(KK)I)
                  BET * SFF + KFF
   493.
                                                                                              BD292
                                                                                              BD2921
   494.
                  C2 = DY*SFF/2*
                  C4 = DY*S*KFF/3.141593*NN
                                                                                              805955
   495 •
                                                                                              BD293
   496.
                  DØ 180J = III → 1
                  C3 = C4*T(J + 1)**4*F(KK*J)
                                                                                              BD2931
   497.
   498 .
                  DØ 180JL = 1,8
                                                                                              BD294
                                                                                              BD295
   499 •
                  MUU = MU(JL)
   500 •
                  SUM ≈ 0.
                                                                                              BD296
   501 •
                  C1 = 1. = BET+DY/MUU
                                                                                              BD297
                  D0 184LJ = 1.8
                                                                                              BD300
   502+
                                                                                              BD301
   503•
                  PHASCO = PHASE(LJ,JL)
                                                                                              BD305
   504 .
                  PHASKO = 2. - PHASCO
              184 SUM = SUM + A(LJ)*(PHASCO*IPOS(LJ.J + 1) + PHASKO*INEG(LJ.J + 1))
                                                                                              BD303
   505.
                                                                                              BD304
   506
                  TERM = INEG(JL,J)
                  THEOLIE IN O CANTHOR HEALTH AT A CORNOR OF CREAMINE
                                                                                              BDANS
A A 507.
```

```
3 U a •
             IBU PARAN — PARAN S TERNIZIS USB — INCULUIZIZITA USB S
                                                                                         シロナロッ
<sup>3</sup> 509<sup>™</sup>
            TEST ROUTINE -- CHECK FOR COMPLETION OR DIVERGENCE -- PRINT IF REACHED
  510 •
          С
             CONVERGENCE OR ON ABORT STATUS
  511.
  512 •
          С
                 IF(JK = 6)191,191,650
                                                                                         BD3061
  513.
                                                                                      BD307
            650 IF(PARAM = 10.)191,190,190
  514.
  515.
             191 IF(PARAM = TOL)193,192,192
                                                                                         BDBGB
                                                                                         BD309
  516 •
             192 IF(IK - 1)194,194,195
                                                                                         BD310
  517 .
             195 IF(ABORT)200,200,196
                                                                                         BD311
  518.
             190 IF (ABORT) 710, 710, 196
                                                                                         BD312
  519 •
            710 ABORT = 1
  520 •
                 PRINT 211 JK
                                                                                         BD313
            211 FORMAT(1X///5X, ****PROGRAM HAS DIVERGED AFTER*, 13, * ITERATIONS==IN BD314
  521 •
                                                                                         BD315
  522 •
                1ITIATE ABORT***////
                                                                                         BD316
  523.
                 GØ TØ 133
            193 IF(IK - 1)196,196,198
                                                                                         BD317
  524 .
                                                                                         BD318
  525 •
             198 PRTVAR = 10
                GØ TØ 199
                                                                                         BD319
  526 •
                                                                                         BD320
  527 •
             194 IF(JK = 2)196,196,202
  528 •
            202 IF(JK/PRINT = (JK + PRINT = 1)/PRINT)200,196,200
                                                                                         BD321
            196 PRTVAR = 1
                                                                                         BD355
  529 •
  530 •
          C
          C
            PRINT IPOS
  531 •
  532 •
                                                                                         BD323
  533 •
            199 PRINT 500, JK
                                                                                         BD325
  534 •
                PRINT 80
                 DØ 910JR = 1.NDS
                                                                                         BD326
  535 •
                Q(JR) = 0*
  536 •
                                                                                         BD327
                                                                                         BD328
  537 •
                 DGR(JR) = 0 \bullet
                 0.5 = DL805 BD
                                                                                         BD329
  538 •
                                                                                         BD3291
  539 •
               OL = AL
                 IF(JR = LMT(JQ))209,209,208
                                                                                         BD330
  540 .
                                                                                    BD331
  541 .
            208 CONTINUE
                                                                                         B0332
             209 KFF = KF(KK_{2}JA = 1)
  542 .
  543 •
                 DØ 210JQ = 1.8
                                                                                         BD334
                 Q(JR) = Q(JR) + A(JQ) + MU(JQ) + (IPSS(JQ)JR) = INEG(JQ)JR)
                                                                                         BD335
  544.
            210 DQR(JR) = DQR(JR) + A(JQ)*(IP6S(JQ,JR) + INEG(JQ,JR))
                                                                                         BD336
  545
                 Q(JR) = Q(JR) *2 * *3 * 141593
                                                                                         BD337
  546 •
            910 DQR(JR) = -2.+3.141593+KFF+DQR(JR) + 4.+KFF+S+T(JR)++4+NN+F(KK,JR) BD338
  547.
                                                                                         BD3381
  548.
                 DØ 207JR = 1,NDS,PRTVAR
                                                                                         BD339
  549.
                 RJ = JR
                                                                                         BD340
  550 •
                 PRINT 281,RJ_{1}(IP6S(JS_{1}JR)_{1}JS = 1,8)_{1}Q(JR)_{2}DQR(JR)
            281 FORMAT(1X,F4.0,2X,9(E10.5,1X),E11.5)
IF(IK = 1)2200,2200,207
                                                                                         BD341
  551 •
  552 •
                                                                                         BD342
                                                                                         803421
  553.
           2200 IF (PARAM - TOL) 2201, 207, 207
           2201 IF((JR = 1)/10 = (JR + 8)/10)207,2220,207
  554 *
                                                                                        BD343
                                                                                         BD344
  555.
           2220 \text{ JT} = \text{JR}/10 + 1
                                                                                         BD345
                 SAVE(JT,1) = JR
  556
                                                                                         BD346
  557 •
                L = JT
                                                                                         BD-- 7
                 n - ' ~ ~ 17
```

```
~
560%
               SAVE(JT,10) = Q(JR)
                                                                                           BD349
561 •
               SAVE(JT, 11) = DQR(JR)
                                                                                           80350
562 .
           207 CONTINUE
                                                                                           BD351
563.
               PRINT 82
                                                                                           BD352
564.
         С
565 •
         C PRINT INEG
566.
               DO 215JR = NDS, 1,=PRTVAR
567 •
                                                                                          BD353
568 •
                RJ = JR ·
                                                                                          BD354
           215 PRINT 281, RJ, (INEG(JS, JR), JS = 1,8)
569.
                                                                                          BD355
570 •
                GUTPUT PARAM
                                                                                          BD3551
571 •
               IF(JK = 1)200,200,629
                                                                                          BD3552
572.
           629 IF(IK = 1)216,216,217
                                                                                          BD356
           216 IF (PARAM - TOL) 107, 217, 217
573
                                                                                          BD3561
574.
           107 D8 218JR = NDS,1,=10
                                                                                          BD357
575
                JT = (NDS = JR + 1)/10 + 1 + L
                                                                                          BD358
576 •
                SAVE(JT,1) = JR
                                                                                          BD359
577.
               SAVE(JT,10) = 0.
                                                                                          BD360
578
               SAVE(JT,11) # 0.
                                                                                          BD361
579 •
                D0 218JZ = 2.9
                                                                                          BD362
580.
           218 SAVE(JT_{J}JZ) = INEG(JZ = 1_{J}JR)
                                                                                          BD363
581 +
         C . CHECK FOR NEED OF NONDIMENSIONALIZING -- SKIP SECTION IF ON ABORT STATUS
582 *
583 •
584 •
        217 IF(PARAM = 10.)220,224,224
                                                                                          BD364
585 *
           224 IF(JK = 6)220,220,2000
                                                                                          BD3641
586 •
           220 IF(ABORT)221,221,200
                                                                                           BD3.65
587 •
        221 IF(NONDM)222,222,223
                                                                                          BD366
588 .
           223 IF(PARAM - TOL)399,200,200
                                                                                          BD3661
589.
         С
         C DIMENSIONLESS RESULTS -- SAVE CALCULATIONS IF ON SPECIAL BAND
590 •
591 •
592 •
           399 \text{ C1} = 1./IP8SN
                                                                                          BD367
593 •
               C2 = 1 \cdot / Q \theta \theta
                                                                                          BD368
594 •
               C3 = 1 \cdot / KF(KK \cdot 5) / Q \theta \theta
                                                                                          BD369
595 •
               PRINT 86
                                                                                          BD370
596 •
               PRINT 80
                                                                                          BD3701
597
               DO 225JR = 1,NDS,PRTVAR
                                                                                          BD371
598•
               DMLQR = Q(JR)*C2
                                                                                          BD372
599 •
               DMLDQR = DQR(JR) *C3
                                                                                          BD373
600 .
              D0 226JP = 1.8
                                                                                          BD374
601 •
           226 DML(JP) = IPOS(JP_JR) *C1
                                                                                          BD375
602.
               IF(IK - 1)227,227,228
                                                                                          BD376
603.
           227 IF(PARAM - TOL)109,228,228
                                                                                             3761
604.
           109 IF((JR = 1)/10 = (JR + 8)/10)228,229,228
                                                                                             377
605 •
           229 \text{ JP} = \text{JR}/10 + 1 + \text{L} + \text{L}
                                                                                          BD378
606 •
               SAVE(JP,1) = JR
                                                                                          BD379
                                                                                           BD380
607 •
               SAVE(JP,10) = DMLQR
608 .
               SAVE(JP, 11) = DMLDQR .
                                                                                           BD381
100-
               DB 030 ID - 0.0
                                                                                           BDT O
```

```
CUU UAYELUCJUUL.
                                · 611°
             228 RJ = JR
                                                                                           BD384
   612 •
             225 PRINT 281, RJ, DML, DMLQR, DMLDQR
                                                                                           BD385
   613.
                  PRINT 82
                                                                                           BD386
   614.
                  DØ 254JR = NDS,1, PRTVAR
                                                                                           BD387
   615.
                 RJ = JR
                                                                                          88808
   616 *
                  D6 251JP = 1.8
                                                                                          BD389
              251 DML(JP) = INEG(JP, JR) +C1
   617 .
                                                                                          BD390
   618.
                  IF(IK = 1)252,252,254
                                                                                          BD391
   619.
              252 IF (PARAM - TOL) 57, 254, 254
                                                                                          BD3911
   620•
             57 IF ((JR = 1)/10 = (JR + 8)/10)254,253,254
                                                                                          BD392
   621 •
             253 JP = (NDS = JR + 1)/10 + 1 + L + L + L
                                                                                          BD393
   622.
                  SAVE(JP,1) = JR
                                                                                          BD394
   623.
                  SAVE(JP_110) = 0.
                                                                                          BD395
                  SAVE(JP_111) = 0
   624 .
                                                                                          BD396
   625 •
                  D0 255JT = 2,9
                                                                                          BD397
   626.
              255 SAVE(JP, JT) = DML(JT = 1)
                                                                                          BD398
   627.
              254 PRINT 281 RJ. DML
                                                                                          BD399
   628.
              222 IF(PARAM - TOL)260,200,200
                                                                                          BD400
   629 •
             200 CONTINUE
                                                                                          BD401
   630 •
           C
   631 •
             IF PROGRAM PROGRESSES TO THIS POINT, IT TOOK TOO MANY ITERATIONS == ABORT
   632.
   633.
                  IF (ABORT) 270, 270, 2000
                                                                                          BD402
   634 •
              270 ABORT # 1
                                                                                          BD403
   635.
                  PRINT 271,KK
                                                                                          BD404
   636 •
              271 FORMAT(1X///' ***BAND', I3, WENT BEYOND MAXIMUM ITERATIONS==INITI
                                                                                          BD405
   637 •
                 IATE ABORT****///)
                                                                                          BD406
   638 •
                  GO TO 133
                                                                                          BD407
   639•
             STARTING ROUTINE FOR INEGP, OR REFLECTANCE CALCULATIONS
   640 •
   641 •
   642.
             260 IF(NN - 1)732,732,733
                                                                                          BD4071
   643.
             732 DØ 734JP * 1.8
                                                                                          BD4072
   644.
             734 INEGP(JP_11) = INEG(JP_11)
                                                                                          BD4073
   645.
                  GB TB 360
                                                                                          BD4074
             733 PRINT 351
   646.
                                                                                          BD4075
   647 •
                  D0 285JP = 1.NDS
                                                                                          BD408
   648 .
                                                                                          BD409
                  0 = L
   649 •
                  A1 = 0 .
                                                                                          BD410
   650 •
                 D6 280KJ = 8,1,=1
                                                                                          BD411
   651 •
                  IF(MU(KJ) - DIV)283,283,282
                                                                                          BD412
   652 .
             282 J = J + 1
                                                                                          BD413
   653.
             280 A1 = A1 + INEG(KJ,JP)
                                                                                          BD414
   654 •
             283 IF(J)2810,2810,284
                                                                                          BD415
   655.
             L/LA = LA + 85
                                                                                          BD416
   656 *
                  G0 T0 58
                                                                                          BD417
   657 •
            2810 \text{ A1} = INEG(8)JP
                                                                                          BD4171
  658•
             58 DG 285KJ = 1,8
                                                                                          BD4172
  659 •
             285 INEGP(KJ,JP) # A1
                                                                                          BD418
30000
                 DA ROOTS - 1 PTEST
                                                                                           D 10
```

```
C FRONT WALL CALCULATIONS
  663·
  664 •
                                                                                      BD421
  665 •
                DØ 301I = 1.8
            301 IPOSP(I,1) = RFLO(I)*INEGP(I,1) + (1. = RFLO(I))*IPOSN*NN \sim
                                                                                        BD422
  666 •
  667 •
          C MARCH TO BACK WALL
  668 •
  669 •
                                                                                        BD423
  670 •
                D0 310I = 1.5
                                                                                        BD424
                DO 3031L = 1.8
  671
                                                                                        BD425
  672 -
                D0 303IN = 1.8
            303 PHASE(IL, IN) # 1. + ISOT(I)*MUP(IL)*MU(IN)
  673.
                                                                                        BD426
                                                                                        BD427
  674.
                III = LMT(I) + 1
                JJJ = LMT(I + 1)
                                                                                    BD428
  675 •
                IF(III - 1)304,304,305
                                                                                        BD429
 676•
  677 •
            304 \text{ III} = 2
                                                                                        BD430
  678 •
                                                                                        80431
            305 SFF = SF(KK,I)
  679 •
                                                                                        BD432
                KFF = KF(KK I)
                                                                                        BD433
  680 •
                BET = SFF + KFF
  681 •
                C2 = DY*SFF/2:
                                                                                        BD4331
                C4 = DY+S+KFF/3.141593+NN
                                                                                     BD4332
  682.
              DØ 310J = III.JJJ
                                                                                        BD434
  683 •
  684+
                CS = C4 \times T(J = 1) \times \times 4 \times F(KK_2J)
                                                                                        BD4341
                D6 310JL = 1,8
  685 •
                                                                                        80435
                                                                                        BD436
              MUU = MUP(JL)
  686 •
                                                                                        BD437
  687 •
                SUM = 0.
                C1 = 1. - BET+DY/MUU
                                                                                        BD438
  688 •
  689 •
              DB 311LJ = 1,8
                                                                                        BD441
                                                                                    BD442
                PHASCO = PHASE(JL,LJ)
  690 •
  691 •
                PHASKO # 2. # PHASCO
                                                                                        BD443
            311 SUM = SUM + A (LJ)*(PHASCO*IPOS(LJ,J=1) + PHASKO*INEG(LJ,J=1)) BD444
  692 •
  693•
                TERM = IPOSP(JL,J)
                                                                                       BD445
                IPOSP(JL,J) = C1*IPOSP(JL,J = 1) + (C2*SUM + C31/MUU
                                                                                    BD446
  694 •
            310 PARAM = PARAM + (TERM/IPOSN = IPOSP(JLJJ)/IPOSN)**2
                                                                                     BD447
  695+
  6.96 •
             BACK BOUNDARY CONDITIONS
  697 •
          С
  698 •
                                                                                        BD4471
  699 •
                IF (KERES = 1)118,118,119
                                                                                        BD4472
  700 •
           -119 C1 = S*NN*T(NDS)**4/3.141593*F(KK,J)
                                                                                        BD4473
  701 •
                D0 31I = 1.8
            31 INEGP(I,NDS) = FRFLO(I)*IPOSP(I,NDS) + (10 = RBB)*C1
                                                                                        BD4474
  702 •
                                                                                        BD4475
  703+
                GO TO 800
            118 C1 = (1 \cdot - RBB) + S \times NN + T(NDS) + + 4/3 \cdot 141593 + F(KK \cdot J)
                                                                                        BD448
  704.
                                                                                        BD449
  705 •
                 D0 312I = 1.8
            312 INEGP(I, NDS) = RBB + IPOSP(I, NDS) .+ C1
                                                                                        BD450
  706 •
  707•
  708 .
            MARCH TO FRONT WALL
  709 •
                                                                                        BD451
 710 •
            800 DØ 315I = 5,1,=1
                                                                                         D - - -
  711
                n ~4 - +1 - 4
```

TANAH - U#

```
/ L _
∞ 713°•
             316 PHASE(IL, IN) = 1 \cdot = ISOT(I) * MUP(IL) * MU(IN)
                                                                                           BD454
  714.
                III = LMT(I + 1)
                                                                                           BD455
  715.
                 JJJ = LMT(I) + 1
                                                                                           BD456
  716 * 1
                 IF(III - NDS)317,318,318
                                                                                           BD457
  717.
             318 III = NDS = 1
                                                                                           BD458
  718.
             317 \text{ SFF} = \text{SF}(KK)I)
                                                                                           BD459
  719.
                 KFF = KF(KK,I)
                                                                                           BD460
  720•
                 BET = SFF + KFF
                                                                                           BD461
  721 •
                 C2 = DY*SFF/2•

    BD4611

                 C4 = DY*S*KFF/3.141593*NN
  722.
                                                                                           BD4612
  723.
                 DO 315J = III, JJJ, -1
                                                                                           BD462
                C3 = C4*T(J + 1)**4*F(KK*J)
  724.
                                                                                           BD4621
  725 •
                 DØ 315JL = 1,8
                                                                                           BD463
  726 •
                 MUU = MUP(JL)
                                                                                           BD464
  727.
                 SUM = 0.
                                                                                           BD465
  728.
                 C1 = 1. - BET*DY/MUU
                                                                                           BD466
  729.
                 DB 320LJ = 1.8
                                                                                           BD469
  730 •
                 PHASCO = PHASE(JL,LJ)
                                                                                           BD470
  731 •
                 PHASKO = 2. - PHASCO
                                                                                           BD471
             320 SUM = SUM + A (LJ) * (PHASCO*IPOS(LJ)J+1) + PHASKO*INEG(LJ,J+1))
  732 •
                                                                                           BD472
  733.
                 TERM = INEGP(JL)J)
                                                                                           BD473
  734.
                 INEGP(JL_1J) = C1*INEGP(JL_1J + 1) + (C2*SUM + C3)/MUU
                                                                                           BD474
  735 •
             315 PARAM = PARAM + (TERM/IPOSN = INEGP(JLJJ)/IPOSN)**2
                                                                                           BD475
  736.
           С
            CHECK FOR DIVERGENCE, SOLUTION, OR ABORT STATUS == STANDARD PROCEDURE AS ABOVE
  737 •
  738+
  739.
                 IF(JP - 1)323,323,324
                                                                                           BD476
  740 •
             324 IF(PARAM * 10)323,325,325
                                                                                           BD477
  741.
             323 IF(PARAM = TOL)794,327,327
                                                                                           BD478
  742.
             325 IF(ABORT)330,330,2000
                                                                                           BD479
             327 IF (ABORT) 340, 340, 321
  743.
                                                                                           BD4791
  744.
             330 ABORT = 1
                                                                                           BD480
  745+
                 PRINT 331, JP
                                                                                           BD481
             331 FORMAT(1X/// ***REFLECTANCE CALCULATION DIVERGED==INITIATE ABORT BD482
  746 •
  747.
                1 AFTER 1, 13, 1 ITERATIONS *** 1///)
                                                                                           BD483
  748.
                 GØ TØ 260
                                                                                           BD484
  749 .
             340 IF(IK - 1)321,321,300
                                                                                           BD485
  750 •
             794 \text{ IF}(IK = 1)321,321,326
                                                                                           BD4851
  751 •
             326 PRTVAR ≈ 10
                                                                                           BD486
  752 •
                 GO TO 350 -
                                                                                           BD487
  753.
             321 PRTVAR = 1
                                                                                           BD488
  754 •
           С
  755 •
           C
            PRINT REFLECTANCE FIELD
  756 •
  757 •
             350 PRINT 500 JP
                                                                                           BD489
             351 FORMAT(1X/// REFLECTANCE FIELD'//)
                                                                                           BD490
  758.
                                                                                           BD491
  759 •
                 PRINT 352
             352 FORMAT( ! NODE : ,6X, : 11 ! ,9X, : 12 ! ,9X, : 13 ! ,9X, : 14 ! ,9X, : 15 ! ,9X, : 16 ! ,9X . BD492
  760+
                                                                                           BD493
  761
                1 1 1 7 1 2 9 X 2 1 1 8 1 / / )
                 DA PRATE PALANDO POTVER
                                                                                           BD 9'
  7/つ。
```

```
/ ---
                                                                                      ロレ・ノコ
2 - 764<sup>™</sup>
            353 PRINT 281, RI, (IPOSP(IX, I), IX # 1,8)
                                                                                      BD496
  765 •
                PRINT 82
                                                                                      BD4961
                DØ 354I = NDS,1,=PRTVAR
  766.
                                                                                      BD4962
  767.
                RI = I
                                                                                      BD4963
  768 •
            354 PRINT 281 RI (INEGP(IX, I), IX # 1,8)
                                                                                     BD4964
  769.
                BUTPUT PARAM
                                                                                     BD4965
  770 •
                IF (PARAM - TOL) 360, 300, 300
                                                                                      BD497
  771 •
            300 CONTINUE
                                                                                      BD498
  772.
                IF(ABORT)370,370,2000
                                                                                      BD499
  773.
            370 ABORT = 1
                                                                                      BD500
  774.
                PRINT 371
                                                                                      BD501
  775 •
            371 FORMAT(1X///! ***REFLECTANCE ITERATIONS EXCEEDED MAXIMUM==INITIAT BD503
  776 •
                                                                                     BD504
             1E ABORT***!///)
  777 •
                GØ TØ 260
                                                                                     BD505
  778.
  779.
            CALCULATE REFLECTANCE FOR BAND AND PRINT
  780 •
                                                                                     BD506
  781 •
            360 R(KK) = 0
  782.
                                                                                     BD507
                00 3611 = 1,8
                RF(I) = RFLO(I) + INEGP(I,1)/NN*(1. PRFLO(I))/IPOSN
  783•
                                                                                     BD508
            361 R(KK) = R(KK) + AU1(I) + MU1(I) + RF(I)
  784.
                                                                                     BD509
  785 •
                PRINT 921 RF
                                                                                     BD5091
            921 FORMAT(1X//! REFLECTANCE FIELD: 1//7X, 8(F10.8, 1X)/).
  786 •
                                                                                     BD5092
  787.
                R(KK) = R(KK)/*50151552 \cdots
                                                                                     BD5093
  788 •
                BUTPUT R(KK)
                                                                                     BD510
  789.
         . С
  790 •
             SAVE OR AND DORDY FROM THIS BAND FOR OVERALL RESULTS
  791 •
  792•
                D0 362I = 1.NDS
                                                                                     BD511
  793.
                QRSAV(I) = QRSAV(I) + Q(I)
                                                                                   BD512
  794 •
            362 DQRSAV(I) = DQRSAV(I) + DQR(I)
                                                                                     8D513
  795.
                BARFL1 = BARFL1 + IPBSN+R(KK)
                                                                                   BD514
  796 •
                DARFL2 = BARFL2 + IPOSN
                                                                                     80515
  797 •
             65 CONTINUE
                                                                                     BD516
          C ·
  798 •
  799.
             CALCULATE OVERALL REFLECTANCE AND PRINT, ALONG WITH OVERALL OR AND DORDY
  *008
  801 •
                                                                                     BD517
  802 ·
                CARFL = CARFL1/CARFL2
  803.
                PRINT 410, CARFL, (QRSAV(I), I = 1, NDS)
                                                                                      BD518
            410 FORMAT('1 OVER ALL REFLECTANCE #1, F8.7/// OVERALL FLUXES, STARTI BD519
  804.
                                                                                      BD520
  805 •
               1NG AT FRONT WALL: 1//(1X) 10E12.5/))
  806 •
            PRINT 411, (DQRSAV(I), I = 1, NDS)
                                                                                     80521
            411 FORMAT(1X/// OVERALL DIVERGENCE: 1//(1X,10E12.5/))
  807.
                                                                                      BD522
  .808
          C
                                                                                      BD523
  809 •
           2000 END
```

| 15 | 1 • | | SUBROUTINE BRKDWN(RMUC, TERM1, TERM2, A, MU) | | |
|---|------|-----|---|---|--------|
| DATA AU2(1), AU2(2), AU2(3)/.568888889, .47862807, .236926885/ DATA MU3(1), MU3(2), MU3(3)/.238619186, .661209386, .932469514/ DATA AU3(1), AU3(2), AU3(3)/.467913935, .360761573, .171324492/ BD0194 D0 861I = 1,3 BD1475 MU(I) = RMUC*MU3(I) BD1476 A(I) = RMUC*AU3(I) BD1477 IF (I = 2)862, 862, 861 BD1478 BD1478 BD1479 BD1479 BD1479 BD1479 A(I + 3) = TERM2 + TERM1*MU2(=I + 3). BD1480 A(I + 3) = TERM2* TERM1*MU2(=I + 3) BD1481 A(=I + 9) = A(I + 3) BD1482 BD1483 BD1483 BD1483 BD1483 BD1483 RETURN | 2• | | REAL A(8), MU(8), MU2(8), AU2(8), MU3(8) | | |
| DATA MU3(1), MU3(2), MU3(3)/.238619186,.661209386,.932469514/ DATA AU3(1), AU3(2), AU3(3)/.467913935,.360761573,.171324492/ BD0194 DD 861I = 1,3 BD1475 MU(I) = RMUC+MU3(I) A(I) = RMUC+AU3(I) BD1477 IF (I = 2)862,862,861 BD1478 BD1478 BD1478 BD1478 BD1479 BD1479 A(I + 3) = TERM2 + TERM1+MU2(=I + 3), BD1480 A(I + 3) = TERM1+AU2(=I + 4) BD1481 A(=I + 9) = A(I + 3) BD1482 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 | 3• | | DATA MU2(1) MU2(2) / 53846931 , 906179846/ | | BD0191 |
| DATA AU3(1),AU3(2),AU3(3)/.467913935,.360761573,.171324492/ DO 861I = 1,3 BD1475 MU(I) = RMUC+MU3(I) DO 4(I) = RMUC+AU3(I) DO 4(I) = RMUC+AU3(I) BD1477 DO 861I = 1,3 BD1476 BD1477 BD1477 BD1478 BD1478 BD1478 BD1479 BD1479 BD1479 BD1479 BD1480 A(I + 3) = TERM2 + TERM1*MU2(=I + 3) BD1480 A(I + 3) = TERM1*AU2(=I + 4) BD1481 A(=I + 9) = A(I + 3) BD1482 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 BD1483 | 4 . | | DATA AU2(1), AU2(2), AU2(3)/.56888889, .47862807, .236926885/ | | BD0192 |
| 7: D0 861I = 1,3 8: MU(I) = RMUC+MU3(I) 9: A(I) = RMUC+AU3(I) 10: IF(I = 2)862,862,861 11: 862 MU(I + 3) = TERM2 = TERM1+MU2(=I + 3). 12: MU(=I + 9) = TERM2 + TERM1+MU2(=I + 3) 13: A(I + 3) = TERM1+AU2(=I + 4) 14: A(=I + 9) = A(I + 3) 15: 861 CONTINUE 16: MU(6) = TERM2 17: A(6) = TERM1+AU2(I) 18: RETURN BD1475 BD1475 BD1475 BD1475 BD1476 BD1477 BD1478 BD1478 BD1478 BD1483 BD1483 BD1483 | 5• | | DATA MU3(1), MU3(2), MU3(3)/.238619186,.661209386,.932469514/ | , | BD0193 |
| 8. MU(I) = RMUC*MU3(I) 9. A(I) = RMUC*AU3(I) 10. IF(I = 2)862,862,861 11. 862 MU(I + 3) = TERM2 = TERM1*MU2(=I + 3). 12. MU(=I + 9) = TERM2 + TERM1*MU2(=I + 3) 13. A(I + 3) = TERM1*AU2(=I + 4) 14. A(=I + 9) = A(I + 3) 15. 861 CONTINUE 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(I) 18. RETURN BD1483 BD1483 BD1483 | 6 + | | DATA AU3(1), AU3(2), AU3(3)/.467913935, .360761573, .171324492/ | | BD0194 |
| 9. | 7 • | , | D0 861I = 1,3 | | BD1475 |
| 10. IF(I = 2)862,862,861 11. 862 MU(I + 3) = TERM2 = TERM1*MU2(=I + 3). 12. MU(=I + 9) = TERM2 + TERM1*MU2(=I + 3) 13. A(I + 3) = TERM1*AU2(=I + 4) 14. A(=I + 9) = A(I + 3) 15. 861 CONTINUE 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(1) RETURN BD1483 BD1483 BD1483 | 8 • | | MU(I) = RMUC+MU3(I) | | BD1476 |
| 11. 862 MU(I + 3) = TERM2 = TERM1*MU2(=I + 3). 12. MU(=I + 9) = TERM2 + TERM1*MU2(=I + 3) 13. A(I + 3) = TERM1*AU2(=I + 4) 14. A(=I + 9) = A(I + 3) 15. 861 CONTINUE 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(1) 18. RETURN BD1483 BD1483 | 9. | | A(I) = RMUC+AU3(I) | | BD1477 |
| 12. MU(=I + 9) = TERM2 + TERM1*MU2(=I + 3) 13. A(I + 3) = TERM1*AU2(=I + 4) 14. A(=I + 9) = A(I + 3) 15. 861 CONTINUE 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(1) 18. RETURN BD1483 BD1483 | 10• | | IF(I = 2)862,862,861 | | BD1478 |
| 13. | 11 * | 862 | MU(I + 3) = TERM2 = TERM1 * MU2(=I + 3). | | BD1479 |
| 14. | 12. | | MU(=I + 9) = TERM2 + TERM1*MU2(=I + 3) | | BD1480 |
| 15. 861 CONTINUE 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(1) 18. RETURN BD1483 BD1483 | 13. | | A(I + 3) = TERM1*AU2(=I + 4) | } | BD1481 |
| 16. MU(6) = TERM2 17. A(6) = TERM1*AU2(1) 18. RETURN BD1483 BD1483 | 14. | | A(=I+9)=A(I+3) | | BD1482 |
| 17. A(6) = TERM1*AU2(1) 18. RETURN BD1483 | 15 • | 861 | CONTINUE | • | 801483 |
| 18. RETURN | 16. | | MU(6) = TERM2 | | BD1483 |
| | 17. | | A(6) = TERM1 + AU2(1) | | BD1483 |
| 19. END | 18. | • | RETURN | | |
| 13. 610 | 19• | | END | | |

```
TEST CASE 1

W= 1.0

V_0 = 1.0
```

| NDS = 101 | ļ | • | | | | | | | | |
|-----------------|------------------|----------|---------|----------|-------|----------|-------------------------|-------|-------|-------|
| TOL = 9.5 | 99999E=11 | | | | | • | • | | | |
| TEST = 10 | 000 | | | | | | | | | |
| PRINT = 2 | 25 | | | | - | | | | | |
| NONDM = 1 | 1 | | - ' | | • • • | • | | • | | • |
| THICK = 1 | L+00000 CM | | | | | • | - | | 4 | |
| BNDS = 11 | 100000000 | | | | | | | • | | |
| SPECIAL | L == 0 STA | NDARD | 1 2 | | | | · · · · · · · · · · · · | | • | • |
| TEMPD = 1 | i - | | | | • | | | | | • |
| TEMP = (KELVIN) | •000 | •000 | •000 | •000 | •000 | •000 | +000 | •000 | •000 | • 000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | • 000 | • 000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | • 000 | •000 | •000 | •000 | • 000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | • 000 | •000 |
| ISOT = | •000 •0000000 | •0000000 | • 0 0 0 | 0000 •00 | 00000 | •0000000 | | | | |

INTENSITIES IN WATTS/CM++2/STERADIAN

FLUXES IN WATTS/CM++2

FLUX DIVERGENCE IN WATTS/CM++3

1 • 400

100.0000000 WATTS/CM**2

+030

. 32715E-. 9

INDEX *

RB =

ପ୍ଟ ≖

```
.000000
                                                    .000000 CM**=1
                  •000000
                             •000000
K ≖
       •000000
                                                  1.000000 CM**=1
S ≠₃
      1.000000
                 1.000000
                            1.000000
                                       1.000000
GAUSSIAN INTEGRAL
  MUIS
              WEIGHTS
             ·32747149
 •16699862
 •46275014
             ·25248051
 •65259266
             •11990213
 •71393394
             +03555630
 •76911736
             07182908
 84992695
             08537477
 •93073654
             •07182908
 •98591995
             .03555630
WAVELENGTH INTERVAL:
                      •00000E 00 - •99999E 05 CM
                      .00000E 00 - .99999E 09 MICRONS
 F(0 - LT):
 •76529E=80 •41180E=82 •10295E=83 •51476E=84 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E
 •00000E 00 •00000E
 •00000E 00 •51476E=84 •65889E=
 *32680E*79 *26313E=77 *62500E*01 *00000E 00**65446E=77 *00000E 00 *80964E*77 *22204E*15 *13092E=79 *50375€=
 .00000E 00 .00000E 00 .43959E=72 .86736E=18 .22041E=38 .46137E 08 .35112E 51 .13605E 46 .25759E 51 .1880₩ =
 •22859E 09 •40116E=17 •27636E=75 •27537E 48 •44060E 49 •94040E=37 •42409E=25=•21828E=09 •25760E 51 •18877E=
 •27538E 48 •23510E=37=•96207E 12 •78603E=21 •27638E=75 •44061E 49 •13346E 46 •60818E 08 •18809E=36 •6112€
 *35112E 51 *43656E=10 *11755E+37 *36734E=39 *12148E=26 *00000E 00 *25593E+54 *48172E+37 *10408E+16 *29387E+
 .33144E 13 .35903E=73 .36734E=39 .18808E=36=.21690E=06=.24501E=05 .19966E 46 .43369E=17 .44065E 49 .14106€
 .60818E 08 .25760E 51 .27541E 48 .94039E=37 .20881E=52 .25759E 51 .55039E=19 .13306E 46-.56548E=10=.92448
```

```
•5718994 •2050691 •0863307 •0465407 •0332410 •0290592 •0279618 •0277839
RFL0 =
ITERATION 19
                                                                                          DQRDY = 0.
                                                                                      . 18
                                13
                                           I 4
                                                      15
                                                                 16
                                                                            17
NODE
          I 1
                     12
      .23624E 02 .18984E 02 .16367E 02 .47356E 02 .58092E 02 .60491E 02 .60965E 02 .61020E 02 .71419E 02 .40
      •24261E 02 •20172E 02 •17607E 02 •44420E 02 •54038E 02 •56534E 02 •57286E 02 •57533E 02 •71445E 02 .■0
 11 .
      .24142E 02 .20930E 02 .18528E 02 .41740E 02 .50359E 02 .52908E 02 .53883E 02 .54288E 02 .71466E 02 ■0
 ≥1•
     .23537E 02 .21311E 02 .19150E 02 .39258E 02 .46988E 02 .49556E 02 .50708E 02 .51243E 02 .71482E 02 .0
 31.
     .22608E 02 .21361E 02 .19497E 02 .36931E 02 .43870E 02 .46433E 02 .47725E 02 .48368E 02 .71495E 02 ■0
 41.
     .21455E 02 .21124E 02 .19592E 02 .34725E 02 .40962E 02 .43501E 02 .44903E 02 .45635E 02 .71507E 02 ■0
 51.
     +20136E 02 +20637E 02 +19457E 02 +32610E 02 +38225E 02 +40728E 02 +42216E 02 +43020E 02 •71519E 02 •0
 51.
     •18681E 02 •19929E 02 •19111E 02 •30562E 02 •35627E 02 •38084E 02 •39639E 02 •40503E 02 •71532E 02 ■0
 /1 .
     .17099E 02 .19022E 02 .18568E 02 .28556E 02 .33136E 02 .35543E 02 .37149E 02 .38062E 02 .71547E 02 ■0
 81.
     15380E 02 17925E 02 17834E 02 126568E 02 130720E 02 133077E 02 134722E 02 135676E 02 171568E 02 150
 91
     13489E 02 16634E 02 16908E 02 124567E 02 128346E 02 130653E 02 132331E 02 133320E 02 171597E 02 12€
101.
      •40467E 00 •49901E 00 •50723E 00 •73702E 00 •85037E 00 •91960E 00 •96992E 00 •99961E 00
101.
     •54139E 01 •26000E 01 •20362E 01 •21123E 01 •21185E 01 •20655E 01 •20158E 01 •19866E 01
 91.
      *90795E 01 *47011E 01 *36473E 01 *35833E 01 *34891E 01 *33184E 01 *31700E 01 *30819E 01
 81.
     *11922E 02 .67598E 01 .52977E 01 .51089E 01 .49230E 01 .46419E 01 .43992E 01 .42538E 01
 71 •
      .14252E 02 .87547E 01 .69602E 01 .66621E 01 .63938E 01 .60114E 01 .56802E 01 .54804E 01
 61.
     •16252E 02 •10676E 02 •86163E 01 •82238E 01 •78827E 01 •74087E 01 •69957E 01 •67449E 01
 51.
      •18028E 02 •12517E 02 •10253E 02 •97797E 01 •93751E 01 •88194E 01 •83320E 01 •80340E 01
 41
     •19638E 02 •14276E 02 •11858E 02 •11318E 02 •10859E 02 •10231E 02 •96768E 01 •93358E 01
 31.
     .21109E 02 .15947E 02 .13421E 02 .12826E 02 .12321E 02 .11632E 02 .11018E 02 .10639E 02
 21.
    .22443E 02 .17521E 02 .14930E 02 .14291E 02 .13749E 02 .13008E 02 .12343E 02 .11930E 02
 11.
     .23624E 02 .18984E 02 .16367E 02 .15696E 02 .15126E 02 .14343E 02 .13636E 02 .13193E 02
PARAM # 8+441262E=12
DIMENSIONLESS
                                                      15
                                                                16
                                                                            17
                                                                                       İB
                                                                                                  QR
                                           I 4
NODE
          11
                     12
                                13
 1. -74218E 00 .59641E 00 .51417E 00 .14877E 01 .18250E 01 .19004E 01 .19153E 01 .19170E 01 .71419E 00 E0
```

11. .76217E 00 .63371E 00 .55316E 00 .13955E 01 .16977E 01 .17761E 01 .17997E 01 .18075E 01 .71445E 00 EC

•0278213

•0292094

CRTDG = 45.5847

RFLI = 1.0000000 1.0000000 1.0000000 .3219466 .0909002 .0394923

| JIO | | | 100T00F 00 | | | | | | |
|-------------------|--|--|--|--|--|--|--|--|------------|
| 41 • | •71026E 00 | •67107E 00 | •61251E 00 | •11602E 01 | •13782E 01 | +14587E 01 | •14993E 01 | •15195E 01 | •71495E 00 |
| 5.1 • | 67403E 00 | +66362E 00 | •61549E 00 | •10909E 01 | •12869E 01 | •13666E 01 | •14107E 01 | •14337E 01 | •71507E 00 |
| 61. | •63259E 00 | •64832E 00 | •61126E 00 | •10245E 01 | •12009E 01 | •12795E 01 | •13263E 01 | •13515E 01 | •71519E 00 |
| 71. | •58687E 00 | •62609E 00 | •60039E 00 | •96014E 00 | •11193E 01 | •11964E 01 | •12453E 01 | •12724E 01 | •71532E 00 |
| 81 . | •53718E 00 | *59758E 00 | •58333E 00 | •89713E 00 | •10410E 01 | •11166E 01 | +11671E 01 | •11958E 01 | •71547E 00 |
| 91. | •48318E 00 | •56312E 00 | •56028E 00 | •83466E 00 | •96510E 00 | •10391E 01 | •10908E 01 | •11208E 01 | •71568E 00 |
| 101. | •42377E 00 | •52256E 00 | •53117E 00 | •77181E 00 | *89050E 00 | •96300E 00 | •10157E 01 | •10468E 01 | •71597E 00 |
| | | | | | | | | | |
| | | | | the state of the s | | | | | |
| 101. | +12713E=01 | •15677E=0 | •15935E=01 | •23154E=01 | •26715E=01 | +28890E=01 | •30471E=01 | •31404E=01 | |
| 101. | | | •15935E=01 •63970E=01 | | | | | | |
| | •17008E 00 | .81681E=0 | | •66359E≠01 | •66556E=01 | •64891E=01 | •63328E=01 | •62411E=01 | |
| 91. | •17008E 00 •28524E 00 | *81681E=0: | •63970E=01 | •66359E=01 •11257E 00 | •66556E=01 •10961E 00 | •64891E=01 •10425E 00 | •63328E=01 •99588E=01 | •62411E=01 •96819E=01 | |
| 91. 81. | •17008E 00 •28524E 00 •37455E 00 | •81681E=0: •14769E 00 •21236E 00 | •63970E=01 •11458E 00 | •66359E=01 •11257E 00 •16050E 00 | •66556E=01 •10961E 00 •15466E 00 | •64891E=01 •10425E 00 •14583E 00 | •63328E=01 •99588E=01 •13820E 00 | •62411E=01 •96819E=01 •13364E 00 | |
| 91. 81. 71. | •17008E 00 •28524E 00 •37455E 00 •44774E 00 | •81681E=0: •14769E 00 •21236E 00 •27504E 00 | . •63970E=01) •11458E 00) •16649E 00 | •66359E=01 •11257E 00 •16050E 00 •20930E 00 | •66556E=01 •10961E 00 •15466E 00 •20087E 00 | •64891E=01 •10425E 00 •14583E 00 •18885E 00 | •63328E=01 •99588E=01 •13820E 00 •17845E 00 | .62411E=01 .96819E=01 .13364E 00 .17217E 00 | |

.61695E 00 .44849E 00 .37253E 00 .35555E 00 .34113E 00 .32142E 00 .30401E 00 .29329E 00 .66315E 00 .50098E 00 .42164E 00 .40294E 00 .38708E 00 .36542E 00 .34615E 00 .33422E 00 .70506E 00 .55044E 00 .46903E 00 .44896E 00 .43194E 00 .40865E 00 .38778E 00 .74218E 00 .59641E 00 .51417E 00 .49311E 00 .47518E 00 .45060E 00 .42839E 00 .41448E 00

REFLECTANCE FIELD

I 1

ITERATION

HODE

| •35743E | 02 | •52783E | 02 | •58305E | 02 | •60162E | 02 | •60781E | 02 | •60971E | 02 | •61016E | 02 | •61020E | 02 |
|---------|---|--|--|---|--|---|--|---|---|---|--|---|--|---|--|
| •34315E | 02 | •49200E | 0.2 | •54242E | 02 | •56141E | 02 | •56937E | 05 | •57304E | 02 | •57482E | 02 | •57562E | 02 |
| •32944E | 02 | •45952E | 02 | •50553E | 02 | •52466E | 02 | •53399E | 05 | •53910E | 02 | •54198E | 05 | •54341E | 0.5 |
| •31601E | 02 | .42972E | 02 | •47172E | 02 | •49079E | 02 | •50116E | 02 | •50743E | 02 | •51121E | 02 | •51317E | 02 |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| •21617E | 02 | •26161E | 0.5 | •28473E | 02 | •30108E | 02 | •31397E | 0.5 | •35383E | 05 | •33085E | 05 | •33468E | 02 |
| | •34315E •32944E •31601E •30262E •28914E •27545E •26143E •24698E •23196E | •34315E 02 •32944E 02 •31601E 02 •30262E 02 •28914E 02 •27545E 02 •26143E 02 •24698E 02 •23196E 02 | •34315E 02 •49200E •32944E 02 •45952E •31601E 02 •42972E •30262E 02 •40208E •28914E 02 •37619E •27545E 02 •35170E •26143E 02 •32829E •24698E 02 •30567E •23196E 02 •28356E | •34315E 02 •49200E 02 •32944E 02 •45952E 02 •31601E 02 •42972E 02 •30262E 02 •40208E 02 •28914E 02 •37619E 02 •27545E 02 •35170E 02 •26143E 02 •32829E 02 •24698E 02 •30567E 02 •23196E 02 •28356E 02 | • 34315E 02 • 49200E 02 • 54242E • 32944E 02 • 45952E 02 • 50553E • 31601E 02 • 42972E 02 • 47172E • 30262E 02 • 40208E 02 • 44045E • 28914E 02 • 37619E 02 • 41128E • 27545E 02 • 35170E 02 • 38382E • 26143E 02 • 32829E 02 • 35776E • 24698E 02 • 30567E 02 • 33277E • 23196E 02 • 28356E 02 • 30854E | • 34315E 02 • 49200E 02 • 54242E 02 • 32944E 02 • 45952E 02 • 50553E 02 • 31601E 02 • 42972E 02 • 47172E 02 • 30262E 02 • 40208E 02 • 44045E 02 • 28914E 02 • 37619E 02 • 41128E 02 • 27545E 02 • 35170E 02 • 38382E 02 • 26143E 02 • 32829E 02 • 35776E 02 • 24698E 02 • 30567E 02 • 33277E 02 • 23196E 02 • 28356E 02 • 30854E 02 | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E • 32944E 02 • 45952E 02 • 50553E 02 • 52466E • 31601E 02 • 42972E 02 • 47172E 02 • 49079E • 30262E 02 • 40208E 02 • 44045E 02 • 45930E • 28914E 02 • 37619E 02 • 41128E 02 • 42980E • 27545E 02 • 35170E 02 • 98382E 02 • 40194E • 26143E 02 • 32829E 02 • 35776E 02 • 37544E • 24698E 02 • 30567E 02 • 33277E 02 • 34999E • 23196E 02 • 28356E 02 • 30854E 02 • 32531E | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E 02 • 32944E 02 • 45952E 02 • 50553E 02 • 52466E 02 • 31601E 02 • 42972E 02 • 47172E 02 • 49079E 02 • 30262E 02 • 40208E 02 • 44045E 02 • 45930E 02 • 28914E 02 • 37619E 02 • 41128E 02 • 42980E 02 • 27545E 02 • 35170E 02 • 98382E 02 • 40194E 02 • 26143E 02 • 32829E 02 • 35776E 02 • 37544E 02 • 24698E 02 • 30567E 02 • 33277E 02 • 34999E 02 • 23196E 02 • 28356E 02 • 30854E 02 • 32531E 02 | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E 02 • 56937E • 32944E 02 • 45952E 02 • 50553E 02 • 52466E 02 • 53399E • 31601E 02 • 42972E 02 • 447172E 02 • 49079E 02 • 50116E • 30262E 02 • 40208E 02 • 44045E 02 • 45930E 02 • 47046E • 28914E 02 • 37619E 02 • 41128E 02 • 42980E 02 • 44155E • 27545E 02 • 35170E 02 • 38382E 02 • 40194E 02 • 41412E • 26143E 02 • 32829E 02 • 35776E 02 • 37544E 02 • 38791E • 24698E 02 • 30567E 02 • 33277E 02 • 34999E 02 • 36266E • 23196E 02 • 28356E 02 • 30854E 02 • 32531E 02 • 33811E | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E 02 • 56937E 02 • 32944E 02 • 45952E 02 • 50553E 02 • 52466E 02 • 53399E 02 • 31601E 02 • 42972E 02 • 47172E 02 • 49079E 02 • 50116E 02 • 30262E 02 • 40208E 02 • 44045E 02 • 45930E 02 • 47046E 02 • 28914E 02 • 37619E 02 • 41128E 02 • 42980E 02 • 44155E 02 • 27545E 02 • 35170E 02 • 38382E 02 • 40194E 02 • 41412E 02 • 26143E 02 • 32829E 02 • 35776E 02 • 37544E 02 • 38791E 02 • 24698E 02 • 30567E 02 • 33277E 02 • 34999E 02 • 36266E 02 • 23196E 02 • 28356E 02 • 30854E 02 • 32531E 02 • 33811E 02 | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E 02 • 56937E 02 • 57304E • 32944E 02 • 45952E 02 • 50553E 02 • 52466E 02 • 53399E 02 • 53910E • 31601E 02 • 42972E 02 • 47172E 02 • 49079E 02 • 50116E 02 • 50743E • 30262E 02 • 40208E 02 • 44045E 02 • 45930E 02 • 47046E 02 • 47766E • 28914E 02 • 37619E 02 • 41128E 02 • 42980E 02 • 44155E 02 • 44949E • 27545E 02 • 35170E 02 • 38382E 02 • 40194E 02 • 41412E 02 • 42265E • 26143E 02 • 32829E 02 • 35776E 02 • 37544E 02 • 38791E 02 • 39691E • 24698E 02 • 30567E 02 • 33277E 02 • 34999E 02 • 36266E 02 • 37204E • 23196E 02 • 28356E 02 • 30854E 02 • 32531E 02 • 33811E 02 • 34779E | • 34315E 02 • 49200E 02 • 54242E 02 • 56141E 02 • 56937E 02 • 57304E 02 • 32944E 02 • 45952E 02 • 50553E 02 • 52466E 02 • 53399E 02 • 53910E 02 • 31601E 02 • 42972E 02 • 47172E 02 • 49079E 02 • 50116E 02 • 50743E 02 • 30262E 02 • 40208E 02 • 44045E 02 • 45930E 02 • 47046E 02 • 47766E 02 • 28914E 02 • 37619E 02 • 41128E 02 • 42980E 02 • 44155E 02 • 44949E 02 • 27545E 02 • 35170E 02 • 38382E 02 • 40194E 02 • 41412E 02 • 42265E 02 • 26143E 02 • 32829E 02 • 35776E 02 • 37544E 02 • 38791E 02 • 39691E 02 • 24698E 02 • 30567E 02 • 33277E 02 • 34999E 02 • 36266E 02 • 37204E 02 • 23196E 02 • 28356E 02 • 30854E 02 • 32531E 02 • 33811E 02 • 34779E 02 | .34315E 02 .49200E 02 .54242E 02 .56141E 02 .56937E 02 .57304E 02 .57482E .32944E 02 .45952E 02 .50553E 02 .52466E 02 .53399E 02 .53910E 02 .54198E .31601E 02 .42972E 02 .47172E 02 .49079E 02 .50116E 02 .50743E 02 .51121E .30262E 02 .40208E 02 .45930E 02 .47746E 02 .48219E .28914E 02 .37619E 02 .41128E 02 .42980E 02 .44155E 02 .45463E .27545E 02 .35170E 02 .98382E 02 .40194E 02 .41412E 02 .42265E 02 .42830E .26143E 02 .32829E 02 .35776E 02 .34999E 02 .36266E 02 .37204E 02 .37843E .23196E 02 .28356E 02 .30854E 02 <td< th=""><th>.34315E 02 .49200E 02 .54242E 02 .56141E 02 .56937E 02 .57304E 02 .57482E 02 .32944E 02 .45952E 02 .50553E 02 .52466E 02 .53399E 02 .53910E 02 .54198E 02 .31601E 02 .42972E 02 .47172E 02 .49079E 02 .50116E 02 .50743E 02 .51121E 02 .30262E 02 .40208E 02 .45930E 02 .47746E 02 .48219E 02 .28914E 02 .37619E 02 .41128E 02 .42980E 02 .44155E 02 .45463E 02 .27545E 02 .35170E 02 .38382E 02 .40194E 02 .41412E 02 .42865E 02 .42830E 02 .26143E 02 .32829E 02 .35776E 02 .34999E 02 .36266E 02 .37204E 02 .37843E 02</th><th>.35743E 02 .52783E 02 .58305E 02 .60162E 02 .60781E 02 .60971E 02 .61016E 02 .61020E .34315E 02 .49200E 02 .54242E 02 .56141E 02 .56937E 02 .57304E 02 .57482E 02 .57562E .32944E 02 .45952E 02 .50553E 02 .52466E 02 .53399E 02 .53910E 02 .54198E 02 .54341E .31601E 02 .42972E 02 .47172E 02 .49079E 02 .50116E 02 .50743E 02 .51121E 02 .51317E .30262E 02 .40208E 02 .44045E 02 .45930E 02 .47046E 02 .47766E 02 .48219E 02 .48459E .28914E 02 .37619E 02 .41128E 02 .42980E 02 .441155E 02 .44949E 02 .45463E 02 .45739E .27545E 02 .35170E 02 .38382E 02 .40194E 02 .411412E 02 .42265E 02 .42830E 02 .43136E .26143E 02 .32829E 02 .35776E 02 .37544E 02 .38791E 02 .39691E 02 .40297E 02 .40629E .24698E 02 .30567E 02 .33277E 02 .34999E 02 .36266E 02 .37204E 02 .37843E 02 .38197E .23196E 02 .28356E 02 .30854E 02 .32531E 02 .33811E 02 .34779E 02 .35447E 02 .35818E .21617E 02 .26161E 02 .28473E 02 .30108E 02 .31397E 02 .32389E 02 .33082E 02 .33468E</th></td<> | .34315E 02 .49200E 02 .54242E 02 .56141E 02 .56937E 02 .57304E 02 .57482E 02 .32944E 02 .45952E 02 .50553E 02 .52466E 02 .53399E 02 .53910E 02 .54198E 02 .31601E 02 .42972E 02 .47172E 02 .49079E 02 .50116E 02 .50743E 02 .51121E 02 .30262E 02 .40208E 02 .45930E 02 .47746E 02 .48219E 02 .28914E 02 .37619E 02 .41128E 02 .42980E 02 .44155E 02 .45463E 02 .27545E 02 .35170E 02 .38382E 02 .40194E 02 .41412E 02 .42865E 02 .42830E 02 .26143E 02 .32829E 02 .35776E 02 .34999E 02 .36266E 02 .37204E 02 .37843E 02 | .35743E 02 .52783E 02 .58305E 02 .60162E 02 .60781E 02 .60971E 02 .61016E 02 .61020E .34315E 02 .49200E 02 .54242E 02 .56141E 02 .56937E 02 .57304E 02 .57482E 02 .57562E .32944E 02 .45952E 02 .50553E 02 .52466E 02 .53399E 02 .53910E 02 .54198E 02 .54341E .31601E 02 .42972E 02 .47172E 02 .49079E 02 .50116E 02 .50743E 02 .51121E 02 .51317E .30262E 02 .40208E 02 .44045E 02 .45930E 02 .47046E 02 .47766E 02 .48219E 02 .48459E .28914E 02 .37619E 02 .41128E 02 .42980E 02 .441155E 02 .44949E 02 .45463E 02 .45739E .27545E 02 .35170E 02 .38382E 02 .40194E 02 .411412E 02 .42265E 02 .42830E 02 .43136E .26143E 02 .32829E 02 .35776E 02 .37544E 02 .38791E 02 .39691E 02 .40297E 02 .40629E .24698E 02 .30567E 02 .33277E 02 .34999E 02 .36266E 02 .37204E 02 .37843E 02 .38197E .23196E 02 .28356E 02 .30854E 02 .32531E 02 .33811E 02 .34779E 02 .35447E 02 .35818E .21617E 02 .26161E 02 .28473E 02 .30108E 02 .31397E 02 .32389E 02 .33082E 02 .33468E |

14

15

I 6

17

18

13

12

```
101.
     ◆64°50£ 00 ◆7°483£ 00 ◆°5419£ 00 ◆90324£ 00 ◆94191£ 00 ◆97168£ 00 ◆99245£ 00 ◆10040£ 01
91.
     •20554E 01 •21286E 01 •21166E 01 •20806E 01 •20438E 01 •20140E 01 •19935E 01 •19824E 01
     *35552E 01 •35704E 01 •34817E 01 •33641E 01 •32534E 01 •31647E 01 •31030E 01 •30689E 01
81.
71.
     •51066E 01 •50696E 01 •49105E 01 •47166E 01 •45358E 01 •43905E 01 •42888E 01 •42323E 01
     .66824E 01 .65992E 01 .63766E 01 .61129E 01 .58670E 01 .56683E 01 .55285E 01 .54507E 01
61 •
51.
     •82639E 01 •81403E 01 •78614E 01 •75346E 01 •72290E 01 •69809E 01 •68055E 01 •67075E 01
     •98369E 01 •96783E 01 •93502E 01 •89673E 01 •86078E 01 •83144E 01 •81061E 01 •79894E 01
41.
31 •
     *11389E 02 *11201E 02 *10831E 02 *10399E 02 *99910E 01 *96567E 01 *94185E 01 *92846E 01
     •12910E 02 •12697E 02 •12290E 02 •11816E 02 •11366E 02 •10996E 02 •10731E 02 •10581E 02
21.
11.
     •14385E 02 •14151E 02 •13716E 02 •13206E 02 •12721E 02 •12319E 02 •12030E 02 •11867E 02
     •15798E 02 •15549E 02 •15091E 02 •14553E 02 •14039E 02 •13610E 02 •13301E 02 •13126E 02
PARAM = +000000
```

REFLECTANCE FIELD:

•68030000 •40318537 •30733222 •26895428 •25078058 •24087214 •23519987 •23233533

R(KK) # •289466

```
INDEX =
         1.200
     .030
₹B =
36 =
        100.0000000 WATTS/CM**2
                  .000000
                             •000000
                                         .000000
                                                    +000000 CM+*=1
      .000000
                                                   1.000000 CM+#=1
     1.000000
                 1.000000
                            1.000000
                                       1.000000
BAUSSIAN INTEGRAL
  MUIS
             WEIGHTS
!• 13190150
             +25864875
b. 36549670
             •19941813
.c. 51544112
             •09470302
ス0• 57374948
             •05298041
.P. 65597504
             •10702837
. 477638483
             12721205
3.89679462
             10702837
8.97902018
             +05298041
VAVELENGTH INTERVAL:
                      •99999E 05 - •99999E 70 CM
                      •99999E D9 • •99999E 74 MICRONS
F(8 - LT):
$80289E-77--23138E+06 -79437E-80 -00000E 00 -00000E 00 -41454E-75 -00000E 00 -00000E 00 -00000E 00 -00000E 1
•00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E 00 •00000E
*00000E 00 *00000E 00 *00000E 00 *00000E 00 *00000E 00 *00000E 00 *00000E 00 *00000E 00 *10295E=83 *13126E=
+33603E→79 +86360E→77 +72370E 76 +00000E 00-+67470E=79 +00000E 00 +20916E=77 +44409E=15 +13046E=79=+44645E=1
.00000E 00 .00000E 00-.44645E=07 .19259E=33 .10486E 08 .55955E 43 .16521E 46 .13331E 46 .25760E 51 .94750
+18011E 46 +70530E=36 +13884E=26 +47742E=37 +47742E=37=+96207E 12 +11102E=13 +56424E=36 +47742E=37 +25759E !
•73468E≠39 •27538E 48=•77151E=65 •58676E 49 •17888E=65 •22769E=17 •55022E=19 •13532E 46 •65828E=36 •35265
+25771E 51 +10408E=16 +58677E 49 +35900E=73 +13389E 46 +80297E=80=+00000E 00 +94040E=37 +22041E=38 +44064E
•57778E=33 •35900E=73 •10842E=18 •13346E 46≈•83266E=26 •13676E 46 •19966E 46 •60838E=17 •94039E=37 •18879€
+25759E 51 +47091E=36 +18563E=17 +41361E=55 +47742E=37 +47740E=37 +27536E 48 +24686E=48=+24536E=05 +30211
```

```
RELI == 1.0000000 1.0000000 1.0000000 .2648743 .0530140 .0153192
                                                                     •0090397
                                                                               •0082868
        •5008626 •1350915 •0429077 •0179697
                                                                     •0083438 •0082671
                                                 +0108486
                                                          •0088369
₹FL0 =
ITERATION 17
                                                                                         DORDY=O.
                                13
                                                      15
                                                                 16
                                                                            I 7
                                                                                        18
                                                                                                   QR
ABDE
          11
                     12
                                           I 4
     .23387E 02 .19831E 02 .17563E 02 .38142E 02 .44243E 02 .45356E 02 .45543E 02 .45562E 02 .65906E 02
     .23913E 02 .20935E 02 .18779E 02 .35926E 02 .41417E 02 .42808E 02 .43301E 02 .43498E 02 .65928E 02
11.
     .23559E 02 .21511E 02 .19587E 02 .33894E 02 .38841E 02 .40440E 02 .41182E 02 .41530E 02 .65943E 02
21.
     .22723E 02 .21649E 02 .20032E 02 .31991E 02 .36456E 02 .38209E 02 .39158E 02 .39634E 02 .65955E 02
31.
                                                                                                           BOt
     +21610E 02 +21429E 02 +20159E 02 +30178E 02 +34220E 02 +36087E 02 +37206E 02 +37792E 02 +65964E 02
41.
     *20324E 02 .20916E 02 .20010E 02 .28428E 02 .32099E 02 .34050E 02 .35310E 02 .35991E 02 .65972E 02
51.
     *18921E 02 *20165E 02 *19621E 02 *26719E 02 *30067E 02 *32078E 02 *33456E 02 *34219E 02 *65980E 02
61.
     *17422E 02 *19214E 02 *19022E 02 *25032E 02 *28100E 02 *30154E 02 *31632E 02 *32467E 02 *65989E 02
                                                                                                           EO(
71.
                                                                                                          01
     .15829E 02 .18090E 02 .18232E 02 .23348E 02 .26177E 02 .28262E 02 .29825E 02 .30724E 02 .66001E 02
81.
     •14118E 02 •16801E 02 •17263E 02 •21645E 02 •24270E 02 •26381E 02 •28018E 02 •28974E 02 •66019E 02
                                                                                                           001
91.
     •12228E 02 •15334E 02 •16105E 02 •19890E 02 •22347E 02 •24483E 02 •26189E 02 •27198E 02 •66048E 02
101 ·
     *36685E 00 *46001E 00 *48316E 00 *59669E 00 *67041E 00 *73450E 00 *78567E 00 *81595E 00
i 01 •
91.
      *60117E 01 *29224E 01 *22849E 01 *22106E 01 *20847E 01 *19337E 01 *18261E 01 *17699E 01
     .96851E 01 .52832E 01 .41298E 01 .38940E 01 .35889E 01 .32360E 01 .29734E 01 .28305E 01
₿1•
      •12339E 02 •75111E 01 •59691E 01 •55985E 01 •51372E 01 •46005E 01 •41914E 01 •39647E 01
71.
      *14456E 02 *96046E 01 *77790E 01 *72981E 01 *67035E 01 *60027E 01 *54579E 01 *51517E 01
61.
     •16277E 02 •11573E 02 •95479E 01 •89782E 01 •82716E 01 •74265E 01 •67576E 01 •63770E 01
51.
      •17923E 02 •13429E 02 •11270E 02 •10630E 02 •98306E 01 •88599E 01 •80789E 01 •76294E 01
41.
     •19449E 02 •15182E 02 •12939E 02 •12246E 02 •11371E 02 •10293E 02 •94118E 01 •88992E 01
31.
     *20875E 02 *16836E 02 *14552E 02 *13818E 02 *12884E 02 *11716E 02 *10746E 02 *10177E 02
21•
     •22197E 02 •18390E 02 •16098E 02 •15338E 02 •14359E 02 •13116E 02 •12071E 02 •11451E 02
<u>i</u>1.
     •23387E 02 •19831E 02 •17563E 02 •16787E 02 •15778E 02 •14479E 02 •13371E 02 •12707E 02
3ARAM = 1.710344E=11
)IMENSIONLESS
                                                                                                   QR.
NODE
         11
                     12
                                Ι3
                                           14
                                                      I 5
                                                                 16
                                                                           - 17
                                                                                     · 18
     •73473E 00 •62300E 00 •55174E 00 •11983E 01 •13899E 01 •14249E 01 •14308E 01 •14314E 01 •65906E 00 ■0
 1 •
11. .75124E 00 .65770E 00 .58995E 00 .11287E 01 .13012E 01 .13449E 01 .13603E 01 .13665E 01 .65928E 00
```

ıO.

₹01

• D1

.01

チンシコエエム RTDG = 56.4427 •56308E 00 •42189E 00 •35404E 00 •33395E 00 •30884E 00 •27834E 00 •25381E 00 •23968E 00

.61102E 00 .47695E 00 .40650E 00 .38471E 00 .35724E 00 .32337E 00 .29568E 00 .27958E 00

.65582E 00 .52892E 00 .45715E 00 .43412E 00 .40477E 00 .36806E 00 .33761E 00 .31971E 00

•69735E 00 •57773E 00 •50573E 00 •48185E 00 •45109E 00 •41207E 00 •37922E 00 •35973E 00

•73473E 00 •62300E 00 •55174E 00 •52739E 00 •49569E 00 •45488E 00 •42006E 00 •39919E 00

.01

EFLECTANCE FIELD

41 .

31.

21.

11.

TERATION 4

| ODE | 11 | | . 15 | | 13 | | I 4 | | 15 | | 16 | | 17 | | 18 | |
|------|---------|-----|---------|-----|---------|-----|---------|----|---------|-----|---------|----|---------|-----|---------|-----|
| | | | | | | | | • | e . | • | | | • | | | • |
| 1. | •31385E | 02 | •41866E | 02 | •44539E | 02 | •45277E | 02 | •45490E | 02 | •45549E | 02 | •45561E | 02 | +45562E | 02 |
| 11. | •30230E | 02 | •39166E | 02 | •41734E | 02 | •42672E | 02 | +43104E | 0.5 | •43334E | 02 | •43462E | 02 | •43524E | 0.2 |
| 21. | •29088E | 02 | •36717E | 0.2 | •39170E | 02 | •40259E | 02 | •40866E | 02 | •41238E | 05 | •41464E | 02 | •41580E | 02 |
| 31. | •27931E | 02 | •34456E | 0.2 | •36792E | 02 | •37993E | 02 | •38742E | 02 | •39234E | 02 | •39542E | 02 | •39704E | 02 |
| 41 * | •26744E | 0.5 | •32338E | 0.5 | •34558E | 0.5 | +35842E | 02 | •36707E | 02 | •37298E | 02 | •37678E | 02 | •37879E | 0.2 |
| 51. | •25517E | 02 | •30326E | 02 | •32436E | 02 | •33782E | 02 | •34741E | 02 | •35416E | 02 | +35857E | 02 | •36093E | 02 |
| 61. | | | | | | | | | | | | | | | •34335E | |
| 71 • | | | | | | | | | | | | | | | •32595E | |
| 81 . | •21546E | 0.5 | •24674E | 02 | •26504E | 02 | •27950E | 02 | •29102E | 02 | +29963E | 02 | •30545E | 02 | •30862E | 02 |
| 91. | | | | | | | | | | | | | | | •29122E | |
| 01. | •18554E | 02 | •20970E | 02 | •55668E | 02 | •24151E | 05 | •25391E | 05 | ·26343E | 02 | •26996E | 0.5 | •27355E | 0.5 |

```
•55662E 00 •62909E 00 •68004E 00 •72454E 00 •76174E 00 •79030E 00 •80989E 00 •82067E 00
    •22181E 01 •21711E 01 •20619E 01 •19564E 01 •18745E 01 •18172E 01 •17807E 01 •17616E 01
    •39430E 01 •37910E 01 •35362E 01 •32899E 01 •30930E 01 •29509E 01 •28583E 01 •28091E 01
81 .
    *56826E 01 *54408E 01 *50578E 01 *46833E 01 *43789E 01 *41560E 01 *40091E 01 *39305E 01
71.
61. •74113E 01 •70944E 01 •66008E 01 •61119E 01 •57088E 01 •54102E 01 •52119E 01 •51051E 01
51.
    •91154E 01 •87366E 01 •81488E 01 •75593E 01 •70669E 01 •66986E 01 •64521E 01 •63188E 01
     •10786E 02 •10357E 02 •96906E 01 •90137E 01 •84415E 01 •80095E 01 •77184E 01 •75604E 01
41.
     •12417E 02 •11948E 02 •11217E 02 •10465E 02 •98225E 01 •93329E 01 •90011E 01 •88202E 01
31.
21. ·14001E 02 ·13502E 02 ·12718E 02 ·11904E 02 ·11200E 02 ·10659E 02 ·10290E 02 ·10089E 02
11. ·15529E 02 ·15007E 02 ·14183E 02 ·13317E 02 ·12562E 02 ·11976E 02 ·11575E 02 ·11354E 02
1. .16984E 02 .16448E 02 .15596E 02 .14691E 02 .13893E 02 .13269E 02 .12840E 02 .12603E 02
ARAM = +000000
```

EFLECTANCE FIELD:

•68580747 •44546020 •36856717 •33271611 •31065112 •29577386 •28612715 •28095168

(KK) # .344042

```
TEST RUN 2
       \gamma_{0} = 3.177
        R8=.8
        X = 0 [ISOTROPIC SCATTERING]
        \omega = .9995
       INDEX = 1.0
                                            0-6.6611 MICRONS
6.6611-20 MICRONS
                             3 BANDS:
        SLAB DIVIDED INTO
                                                       MICRONS
NDS = 101
                   TOTAL RESULTS ARE COMPARABLE TO
```

540.000 540.000

A SINGLE SLAB SUBJECT TO AN INCIDENT

RADIATIVE FLUX OF 459.646 WATTS/CM2

TOL = 9.999999E+11

THICK # 1.00000 CM

| 540.000 | 540+000 | 540+000 | 540+000 | 540.000 | 540+000 | 540+000 | 540+000 | 540.000 | 540.000 |
|-----------------------|---------|---------|---------|---------|----------|---------|---------|------------------|---------|
| 540.000 | 540+000 | 540+000 | 540+000 | 540.000 | 540.000 | 540.000 | 540+000 | 54 0 •000 | 540.000 |
| 540+000 | 540.000 | 540+000 | 540.000 | 540+000 | 540+000 | 540.000 | 540+000 | 540.000 | 540.000 |
| 540.000 | 540+000 | 540.000 | 540+000 | 540.000 | 540+000 | 540+000 | 540+000 | 540.000 | 540.000 |
| 540+000 | 540.000 | 540.000 | 540+000 | 540.000 | 540.000 | 540.000 | 540.000 | 540+000 | 540.000 |
| 540.000 | 540+000 | 540.000 | 540.000 | 540.000 | 540.000 | 540.000 | 540.000 | 540+000 | 540.000 |
| 540.000 | 540.000 | 540.000 | 540+000 | 540.000 | 540.000 | 540+000 | 540.000 | 540.000 | 540.000 |
| 540.000 | 540.000 | 540.000 | 540+000 | 540.000 | 540.000 | 540.000 | 540.000 | 540.000 | 540.000 |
| 540 • 000 • 000000 | 0 •0000 | 000 •00 | 00000 • | 0000000 | •0000000 | | | | |

ISOT =

INTENSITIES IN WATTS/CM*#2/STERADIAN

FLUXES IN WATTS/CM++2

FLUX DIVERGENCE IN WATTS/CM**3

1.000

241.6569977 WATTS/CM**2

*800

RI = 8.547389E - 13

KUBELKA MUNK STARTING ROUTINE

INDEX =

R8 =

Q0 =

```
001588
                   ·001588
                              +001588
                                          ·001588
                                                     •001588
      3 • 175400
                  3 - 175400
                             3 • 175400
                                         3 • 175400
                                                    3.175400 CM++-1
WAVELENGTH INTERVAL:
                       *66611E*03 * *20000E*02 CM
                       •66611E 01 - •20000E 02 MICRONS
 F(\theta = LT):
 •52574E 00 •52574E
 •52574E 00 •52574E
 +52574E 00 +52574E
 •52574E 00 .•52574E 00 •52574E  *52574E 00 *52574E
 •52574E 00  •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E 00 •52574E
 +52574E 00 +52574E
 •52574E 00 •52574E
 •52574E 00  •52574E 00
CRT = 1.57080
CRTDG = 89.9999
         • 00000000
                   •00000000
                              •0000000
                                        .0000000
                                                   .0000000
                                                             •0000000
                                                                        •0000000
                                                                                  •0000000
RFL6 =
         •0000000
                   •0000000
                              •0000000
                                                                                  •0000000
                                        •0000000
                                                   •0000000
                                                             .0000000
                                                                        •0000000
R8 = •000000
```

| 46. | 59268E | 02 | .57778F | 0.2 | •56312F | 0.5 | .55049F | Λ2 | -54109¢ | V 2 | .53475F | 0.2 | *53087E | 0.2 | - 52220C | V.3 |
|------------|-----------------------------|----|---------|-----|---------|-----|---------|----|---------|-----|---------|-----|---------|-----|----------|-----|
| 45 | •59519E | | | | | | | | | | | | | | | |
| 44. | •59770E | | | | | | | | | | | | | | | |
| 43. | .6002SE | | | | | | | | | | | | | | | |
| 42. | •60273E | | | | | | | | | | | | | | | |
| 41. | .60525E | | | | | | | | | | | | | | | |
| 40. | •60777E | | | | | | | | | | | | | | | |
| 39• | •61028E | | | | | | | | | | | | | | | |
| 38. | +61281E | | | | | | | | | | | | | | | |
| 37• | •61533E | | | | | | | | | | | | | | | |
| 36. | •61785E | 02 | •60303E | 0.2 | •58870E | 02 | •57597E | 02 | •56600E | 02 | •55894E | 02 | •55444E | 02 | •55209E | 02 |
| 35• | •62038E | 02 | •60555E | 0.5 | •59124E | 05 | ∙57851E | 02 | •56850E | 02 | •56138E | 02 | •55683E | 02 | •55444E | 0.5 |
| 34• | •62291E | | | | | | | | | | | | | | | |
| 33• | •62544E | | | | | | | | | | | | | | | |
| 32• | •62797E | | | | | | | | | | | | | | | |
| 31. | •63051E | | | | | | | | | | | | | | | |
| 30• | +63305E | | | | | | | | | | | | | | | |
| 29• | •63559E | | | | | | | | | | | | | | | - |
| 28• | +63814E | | | | | | | | | | | | | | | |
| 27. | •64069E | | | | | | | | | | | | | | | |
| 26 • | •64325E | | | | | | | | | | | | | | | |
| 25 • | •64581E | | | | | | | | | | | | | | | |
| 24 • | •64838E | | | | | | | | | | | | | | | |
| 23. 22. | •65095E •65352E | | | | | | | | | | | | | | | |
| 21. | •65611E | | | | | | | | | | | | | | | |
| 50. | 65870E | | | | | | | | | | | | | | | |
| 19• | •66129E | | | | | | | | | | | | | | | |
| 18. | 466390E | | | | | | | | | | | | | | · · | |
| 17. | •66651E | | | | | | | | | | | | | | | |
| 16. | +66914E | | | | | | | | | | | | | | | |
| 15. | •67177E | | | | | | | | | | | | | | | |
| 14. | .67442E | | | | | | | | | | | | | | | |
| 13. | +67708E | | | | | | | | | | | | | | | |
| 12. | •67975E | | | | | | | | | | | | | | | |
| 11. | •68244E | 02 | •66707E | 02 | •65275E | 05 | •63988E | 02 | •62917E | 92 | .62106E | 02 | •61559E | 02 | •61262E | 0.5 |
| 10. | •68516E | 02 | •66972E | 02 | •65538E | 02 | •64248E | 02 | •63175E | 02 | •62361E | 02 | •61811E | 02 | ·61512E | 02 |
| 9• | •68789E | 02 | •67239E | 0.5 | •65801E | 02 | •64510E | 02 | •63434E | 02 | •62617E | 02 | •62064E | 02 | •61763E | 02 |
| 8• | •69066E | 02 | •67507E | 0.5 | •66066E | 05 | •64772E | 02 | •63694E | 02 | •62874E | 02 | •62318E | 02 | .62015E | 02 |
| 7• | •69346E | | | | | | | | | | | | | | | |
| 6• | •69631E | | | | | | | | | | | | | | | |
| 5. | •69921E | | | | | | | | | | | | | | | |
| 4 • | •70219E | | | | | | | | | | | | | | | |
| 3• | •70527E | | | | | | | | | | | | | | | |
| 2. | •70848E | | | | | | | | | | | | | | | |
| <u>i</u> • | •71188E | | •69488E | 02 | •67992E | 05 | •66669E | 05 | •65566E | 02 | •64721E | 02 | •64143E | 02 | •63827E | 02 |
| PARAM | = •000000 | 0 | | | | | | | | | | | | | | |

PARAM = .000000 R(KK) = .862550 1.000

INDEX =

.800 185.2250061 WATTS/CM**2 .001588 **.001588** .001588 +001588 .001588 CM**=1 3 • 175400 3 . 175400 3.175400 3.175400 CM***1 3 • 175400 S # WAVELENGTH INTERVAL: .00000E 00 = .66611E=03 CM .000000E 00 - .66611E 01 MICRONS F(8 - LT): .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E .40298E 00 .40298E •40298€ 00 CRT = 1.57080CRTDG # 89.9999 .0000000 .0000000 .0000000 •0000000 •0000000 .0000000 •0000000 •0000000 •0000000 •0000000 •0000000 •0000000 •0000000 •0000000 •0000000 •00000000

| ∞ I1 * | 12 | | 13 | • | . I4 | | 15 | | 16 | | 17 | | 18 | | QR | • | DQRD |
|-----------|-------------------------|------------|---------|----|----------|-----|----------|-----|----------|-----|------------------|-----|----------|------------|---------|----|---------------------------|
| 58959E | 02 6 • 58959E | 02 | •58959E | 02 | •58959E | 02 | •58959E | 02 | •58959E | 02 | •58959E | 02 | +58959E | 02 | •25539E | 02 | 11048E-> |
| •53645£ | 02 -55472E | 0.2 | ●56445E | 02 | •56963E | 02 | •57266E | 0.5 | .57450E | 02 | •57560E | 0.2 | •57615F | 02 | •25355E | 02 | 10555E0 |
| | 02 % 52910E | | | | | | | | | | | | | | | | |
| | 02 9 -50739E | | | | | | | | | | | | | | | | |
| | 02 48720E | | | | | | | | | | | | | | | | |
| •45615E | 02-46761E | 02 | •47881E | 02 | •48859E | 0.5 | •49627E | 05 | •50185E | 05 | •50553£ | 02 | •50751E | 02 | •24930E | 02 | - •89800 0 |
| •43690E | 02 •44825E | 0.5 | •45922E | 02 | •46903E | 0.5 | •47698E | 05 | •48291E | 05 | •48689E | 02 | •48905E | 0.5 | •24840E | 02 | - 85954 - 0 |
| • 4175:6E | 02 0. 42892E | 0.5 | •43977E | 02 | • 44957E | 0.5 | •45769E | Óδ | •46385E | 02 | •46805E | 05 | •47035E | 0.5 | •24757E | 05 | 85085E00 |
| | 02-40942E | | | | | | | | | | | | | | | | |
| | 02 • 38935E | | | | | | | | | | | | | | | | |
| ·35283£ | 02 6 • 36692E | 02 | •37876E | 02 | •38909E | 05 | •39774E | 0.5 | •40448E | 02 | •40917E | 02 | •41178E | 02 | •24682E | 05 | -•68273E₩0 |
| | | | | | | | | | · | | | | . 1 | | • | | : |
| • 28227F | 024 • 29353E | 02 | •30301F | 02 | -31197F | n a | - 21819E | 0.5 | . 302585 | 02 | , 3 27245 | 0.2 | .320#35 | ~ 2 | | | |
| : 36290F | 02 • 33969E | ∪ & 0 2 | •33152F | 02 | •33051F | 02 | -31019E | 02 | *33424E | 02 | 136/34E | 02 | .3373AE | 70 | | | ē |
| 38579F | 025.36964E | 02 | •35731F | 02 | -35142F | 0.5 | -34928E | 0.5 | 34891F | 05 | -34919E | 02 | -34951E | 02 | | | |
| •40586E | 02 · 39279E | 02 | •38025E | 02 | •37207F | 02 | •36755E | 02 | •36532F | 02 | -36434E | 0.5 | 36397E | 02 | | | · |
| : 42535E | 02 + 1343E | 02 | •40147E | 02 | •39227F | 02 | +38628F | 0.5 | *38272F | 0.5 | •38076F | 02 | •37985F | 02 | | | |
| •44464E | 028.43313E | οŽ | •42170E | 05 | •41211F | 0.5 | .40521F | ด้ว | 40071E | 02 | •39803F | 0.5 | •39669F | 02 | | | .• |
| •46390E | 023.45253E | 02 | •44144E | 02 | +43171F | 02 | 42426F | 0.2 | 41910F | 02 | 441587E | 0.5 | •41420E | 02 | | | |
| •48326E | 02 • 47188E | 02 | 46097E | 05 | +45120E | 02 | •44340E | 02 | +43778E | 02 | 43414E | 02 | •43222F | 02 | - | | |
| •50288E | 024.49139E | 02 | +48051E | 02 | 47071E | 02 | 46269E | 0.5 | • 45673F | 0.5 | 45278E | 02 | • 45066E | 0.2 | | | |
| •52307E | 02 -51129E | 02 | •50031E | οŽ | +49044E | 02 | .48224E | 02 | 47602E | 02 | •47183E | 05 | +46955E | 02 | | | • |
| | 024 -53260E | | | | | | | | | | | | | | | | |
| = 9.7951 | 87E-11 | | | | | | | | . , | - | | - | | ~ — | | | |
| PAI | RAM | | | | | | | | | | | | | | | | |
| | • | | | | | | , | | | | | | | | | | · |
| IONLESS | | | | | | | • | | | | | • | | | | | |
| DIME | ension less | | • | | | | | ι | | | | | | | | | |
| Ιí | · IS | | 13 | | I 4 | | 15 | | 16 | ÷ | 17 | | 18 | | QR | | DORD |
| | 016 · 10000E | | | | | | | | | | | | | | | | |
| | 00 • 94086E | | | | | | | | | | | | | | | | |
| | 00 -89740E | | | | | | | | | | | | | | | | |
| | 00 ⁷ .86059E | | | | | | | | | | | | | | | | |
| | 00w.82633E | | | | | | | | | | | | | | | | |
| | 00A.79311E | | | | | | | | | | | | | | | | |
| | 00 3. 76028E | | | | | | | | | | | | | | | | |
| | 00 72749E | | | | | | | | | | | | | | | | |
| | 00-69441E | | | | | | | | | | | | | | | | |
| | 00-66038E | | | | | | | | | | | | | | | | |
| •59844E | 001 • 65535E | 00 | •64241E | 00 | •65993E | 00 | •67461E | OQ. | •68603E | 00 | •69399E | 00 | •69842F | 0.0 | •13325E | 00 | 23211E 0 |
| | | | | | | | | | | | • | | | | | | |

101. - 47875E 00 .49786E 00 .51393E 00 .52794E 00 .53968E 00 .54882E 00 .55519E 00 .55873E 00 •61552E 00 •57615E 00 •56229E 00 •56058E 00 •56324E 00 •56695E 00 •57014E 00 •57210E 00 •65433E 00 •62694E 00 •60602E 00 •59604E 00 •59241E 00 •59179E 00 •59227E 00 •59280E 00 81. •68838E 00 •66621E 00 •64495E 00 •63106E 00 •62341E 00 •61962E 00 •61795E 00 •61733E 00 71. +72144E 00 +70121E 00 +68092E 00 +66533E 00 +65517E 00 +64912E 00 +64581E 00 +64426E 00 61. •75415E 00 •73464E 00 •71525E 00 •69897E 00 •68728E 00 •67964E 00 •67509E 00 •67282E 00 51. •78682E 00 •76753E 00 •74872E 00 •73222E 00 •71958E 00 •71083E 00 •70535E 00 •70252E 00 41. •81966E 00 •80036E 00 •78184E 00 •76527E 00 •75205E 00 •74252E 00 •73634E 00 •73309E 00 31 • .85294E 00 .83344E 00 .81499E 00 .79838E 00 .78477E 00 .77466E 00 .76796E 00 .76437F 00 21. .88718E 00 .86720E 00 .84858E 00 .83184E 00 .81792E 00 .80738E 00 .80026E 00 .79640E 00 113 •92545E 00 •90335E 00 •88389E 00 •86670E 00 •85236E 00 •84137E 00 •83386E 00 •82975E 00 1 •

R(KK) # .862537

ے ∪ظار

INDEX = 1.000

RB ≖ •800.

•52574E 00

Q6 = 241.6569977 WATTS/CM**2

K = +001588 +001588 +001588 +001588 -+001588 CM**=1 ; S = 3+175400 3+175400 3+175400 3+175400 CM**=1

WAVELENGTH INTERVAL: +66611E=03 = +20000E=02 CM +66611E 01 = +20000E 02 MICRONS

•66611E 01 # •20000E 02 MICKONS

I 1 12 13 15 16 I 4 17 18 QR DORDY •76922E 02€•76922E 02 •76922E 02 •33316E 02 ■•14414 •69989E 02-172373E 02 •73642E 02 •74318E 02 •74713E 02 •74954E 02 •75097E 02 •75169E 02 •33077E 02 ••13771E •67175E 024-69030E 02 •70587E 02 •71614E 02 •72280E 02 •72709E 02 •72972E 02 •73108E 02 •32921E 02 ■•13238 •64576E 028.66199E 02 •67759E 02 •68946E 02 •69783E 02 •70348E 02 •70706E 02 •70893E 02 •32780E 02 •.12724 .62033E 02₹.63564E 02 .65072E 02 .66326E 02 .67267E 02 .67928E 02 .68356E 02 .68584F 02 .32648E 02 -.12218EP •59514E 022 •61009E 02 •62470E 02 •63746E 02 •64748E 02 •65476E 02 •65956E 02 •66215E 02 •32524E 02 ■•11716 ■

| 51916E 49243E | 05. 3 | •53417 •50799 | 5 05 5 05 | •54832E •52236E | 0S 0S | •56111E •53527E | 02 | •57185E •54617E | 0 S 0 S | •58012E •55464E | 05 05 | •58582E •56052E | 05 05 | •58896E •56378F | 0S 0S | .32203E | 02 02 | - 10709=5 - 10194== - 96482EF - 89077EF |
|---|---|--|--|--|--|---|--|---|--|---|--|---|--|--|--|--|----------------------|--|
| .47348E .50334E .52953E .55496E .58012E .60525E .63051E .65611E .68244E | S S S S S S S S S S S S S S S S S S S | .44320 .48227 .51248 .53940 .56511 .59041 .61566 .64111 .66707 | 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | .39534E .43254E .46618E .49612E .52379E .55020E .57594E .60142E .62692E .65275E | 00 00 00 00 00 00 00 00 00 00 00 00 00 | .43122E .45850E .48544E .51180E .53768E .56325E .58868E .61414E .63988E | 00 00 00 00 00 00 00 00 00 00 00 00 00 | .43327E .45571E .47955E .50398E .52868E .55353E .57851E .60367E .62917E | 00000000000000000000000000000000000000 | .43612E .45523E .47664E .49933E .52281E .54680E .57117E .59590E .62106E | 05 05 05 05 05 05 | .43858E .45560E .47535E .49678E .51931E .54258E .56642E .59074E .61559E | 00000000000000000000000000000000000000 | .44008E .45601E .47487E .49559E .51756E .54041E .56392E .58798E .61262E | 00000000000000000000000000000000000000 | .00000E .00000E .00000E .00000E .00000E .00000E | 00 00 00 00 00 00 | .00000E .00000E .00000E .00000E .00000E .00000E .00000E |
| I ONLESS | | ION LES | 5 | | | | | | | | | · . | | | | | | |
| I1 | | 12 | | 13 | | I 4 | | 15 | | 16 | | 17 | | 18 | | QR | | D@RD |
| | | | | | | | | | | | | | | | | | | |
| :90987E :87329E :83951E :80644E :77370E :74104E :70824E :67491E :64017E | 000000000000000000000000000000000000000 | •94087 •89741 •86060 •82635 •79313 •76029 •72751 •69443 | 00 00 00 00 00 00 00 00 00 00 00 | .95736E .91765E .88088E .84596E .81213E .77890E .74591E .71282E .67907E | 00 00 00 00 00 00 00 | .93100E .89632E .86226E .82872E .79554E .76253E .72946E .69586E | 00 00 00 00 00 00 | .97129E .93966E .90719E .87448E .84174E .80903E .77630E .74342E .71003E | 00 00 00 00 00 00 00 | •97442E •94523E •91455E •88308E •85120E •81908E •78676E •75417E •72104E | 00 00 00 00 00 00 00 | •97627E •94866E •91919E •88864E •85745E •82583E •79388E •76158E •72869E | 00 00 00 00 00 00 00 | •10000E •97721E •95042F •92162F •89160E •86081E •82949F •79778E •76566E •73293E | | .13687E .13623E .13565E .13510E .13459E .13411E .13366E .13326E | 00 00 00 00 00 00 00 | 37562E (35886 (35886 (35886 (31839 (31839 (30531 (27907E (27907E (25142E (|

" . " >=> 400000F 00 .0000F 00 .00001F 00 .00001F 00 .00737F 00 .04130F 00 .03384F 00 .85846F 00 .00000F 00 .

BAND 3

INDEX =

008+

RB ≠

1.000

```
ପ୍ପ ≖
          32.7640076 WATTS/CM**2
K ≔
       •001588
                   •001588
                              ·001588
                                          .001588
                                                     •001588 CM++-1
S =
      3 • 175400
                  3 - 175400
                             3 - 175400
                                         3 • 175400
                                                    3 • 175400 CM**=1
WAVELENGTH INTERVAL: +20000E-02 - +10000E 70 CM
                       •20000E 02 = •10000E 74 MICRONS
 F(\theta = LT):
 •71283E=01  •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01
 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01
 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01
 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01
 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01 •71283E=01
 *71283E=01             ,最后还是一个大型,我们还是一个大型,不是一个一个一个一个大型,我们也看到她们的感染,更多,是一个一个一点,这个人的一点都的"是你是这个女子,我不是一个一个一个
 *71283E=01  •71283E=01  +71283E=01  •71283E=01
CRT = 1.57080
CRIDG # 89.9999
RFLI ·
         •00000000
                   •00000000
                              •0000000
                                        .0000000
                                                   •0000000
                                                             .0000000
                                                                        •0000000
                                                                                  •0000000
```

•0000000

.0000000

•0000000

•00000000

•00000000

.00000000

.0000000

•0000000

RFL0 =

| 10429E | 024.1 | 0429E | 02 | •10429E | 02 | •10429E | 02 | •10429E | 02 | +10429E | 02 | •10429E | 02 | •10429E | 0.2 | •45166E | 01 | 19543E (|
|----------|---------|-------|-----|---------|----|---------|-----|---------|-----|---------|----|---------|----|---------|-----|----------|----|-----------------------------|
| :94892E | 01/.3 | 8125E | 01 | •99844E | 01 | •10076E | 02 | •10130E | 0.5 | •10162E | 02 | •10182E | 02 | •10191E | 02 | • 44842E | 01 | - 18671E (|
| 91077E | 01.9 | 3593E | 01 | •95703E | 01 | .97096E | 01 | •97998E | 01 | •98580E | 01 | •98937E | 01 | •99121E | 01 | •44630E | 01 | ■•17948 C |
| 87555E | 01 48 | 9754E | 01 | •91869E | 01 | •93479E | 01 | •94613E | 01 | +95380E | 01 | •95864E | 01 | •96118E | 0.1 | •44440E | 01 | -•17252₹ C |
| | | | | | | | | | | | | | | | | | | - • 16566EMO |
| ·80692E | 013.8 | 2718E | 01 | +84699E | 01 | •86430E | 01 | •87788E | 01 | *88774E | 01 | .89426E | 01 | •89776E | 01 | .44094E | 01 | - 15885 |
| | | | | | | | | | | | | | | | | | | = • 15205 3 0 |
| •7386:6E | 01 • 7 | 5875E | 01 | •77794E | 01 | •79528E | 01 | +80963E | 01 | •82054E | 01 | •82797E | 01 | *83203E | 01 | •43791E | 01 | 14520E 0 |
| •70390E | 017.7 | 2425E | 01 | •74343E | 01 | •76078E | 01 | •77534E | 01 | •78656E | 01 | •79428E | 01 | •79854F | 01 | •43661E | 01 | -•13821 0 |
| 66766E | 01 6 | 8876E | 01 | •70824E | 01 | *72575E | 01 | •74052E | 01 | .75201E | 01 | •75998E | 01 | •76441E | 01 | •43561E | 01 | - · 13082 0 |
| :62416E | 014.6 | 4907E | 01 | •67002E | 01 | •68830E | 01 | •70360E | 01 | •71552E | 01 | •72382E | 01 | •72843E | 01 | .43662E | 01 | 12078E 0 |
| | | | | | | | | | | | | • | | | | | | |
| | | | | | | | | | | | | •57905E | | | | | | |
| | | | | | | | | | | | | •59465E | | | | - | | |
| | | | | | | | | | | | | •61772E | | | | | | |
| | | | | | | | | | | | | •64451E | | | | | | |
| | | | | | | | | | - | | | •67357E | | | | | | |
| | | | | | | | | | | | | •70411E | | | | | | |
| | | | | | | | | | | | | •73566E | | | | | | |
| | | | | | | | | | | | | •76798E | | | | | | |
| | | | | | | | | | | | | •80096E | | | | | | |
| | | | | | | | | | | | | •83464E | | | | - | | |
| | | | 0.1 | •92185E | 01 | •90392E | 01 | •88896E | 01 | •87750£ | 01 | •86967E | 01 | •86539E | 01 | | | • |
| = 6·4652 | | . 1 | | | | | | | | | | | | | | ٠ | | |
| PA F | RAM | | | * | | | | | | | ٠ | | | ٠. | | | | |
| ionless | | | | | | | | • | | | | | | | | | | |
| · · | | ~ | | | | | | • | | | | | | | | | | |
| DIME | W5/ON | LESS | | | | | | , | | | | | | | | | | |
| I 1 | ٠. | 15 | | 13 | | I 4 | | 15 | | 16 | | 17 | - | 18 | | QR | | DORD |
| •10000E | 014 • 1 | 3000E | 01 | •10000E | 01 | •10000E | 01 | •10000E | 01 | +10000E | 01 | •10000E | 01 | •10000E | 01 | •13785E | 00 | 37562E 0 |
| | | | | | | | | | | | | | | | | | | ⇒ •35886 ■ 0 |
| 87330E | 00 -8 | 9742E | 0.0 | •91766E | 00 | •93101E | 00 | •93966E | 00 | •94524E | 00 | •94866E | 00 | 95043E | 00 | •13622E | 00 | - • 34497 0 |
| -83952E | 004 8 | 6061E | 0.0 | •88089E | 00 | •89633E | 00 | •90720E | 00 | •91455E | 00 | •91920E | 00 | •92163E | 0.0 | •13564E | 00 | 33157E_0 |
| -80646E | 00. •8 | 2637E | 00 | •84597E | 00 | •86227E | 0.0 | •87449E | 00 | •88309E | 00 | +88866E | 00 | •89161E | 0.0 | •13509E | 00 | =•31840≧0 |
| 77372E | 005.7 | 9314E | 00 | •81214E | 00 | •82873E | 00 | •84175E | 0.0 | •85121E | 00 | •85746E | 00 | *86082F | 0.0 | •13458E | 00 | - ⋅30531 - 0 |
| 74106E | 009.7 | 603SE | 00 | •77892E | 00 | •79556E | 00 | •80904E | 00 | •81909E | 00 | •82584E | 00 | ·82951E | 00 | •13410E | 00 | - 29224EF0 |
| | | | | | | | | | | | | | | | | | | 27908E_ 0 |
| | | | | | | | | | | | | | | | | | | - · 265641 0 |
| | | | | | | | | | | | | | | | | | | - • 25143 - 0 |
| ·59848E | 004 • 6 | 2237E | 00 | •64245E | 00 | •65998E | 00 | •67465E | 00 | •68608E | 00 | •69403E | 00 | •69846E | 00 | •13326E | 00 | - • 23213E 0 |
| | | | | | | | | | | | | | | | | | | |

I 6

17

18

QR

DORD

er sı

14

15

s 11 °

401. 47879E 00 .49789E 00 .51396E 00 .52798E 00 .53972E 00 .54886E 00 .55523E 00 .55877E 00 91. 61556E 00 .57619E 00 .56233E 00 .56062E 00 .566328E 00 .56698E 00 .57018E 00 .57213E 00 81. 65438E 00 .62699E 00 .60607E 00 .59608E 00 .59245E 00 .59184E 00 .59231E 00 .59284E 00 71. 68843E 00 .66626E 00 .64499E 00 .63110E 00 .62345E 00 .61967E 00 .61799E 00 .61737E 00 61. 72148E 00 .70125E 00 .68097E 00 .66537E 00 .65521E 00 .64917E 00 .64586E 00 .64431E 00 51. 75419E 00 .73468E 00 .71529E 00 .69902E 00 .68732E 00 .67969E 00 .67514E 00 .67287E 00 41. 78685E 00 .76757E 00 .74876E 00 .73226E 00 .71962E 00 .71087E 00 .70539E 00 .70257E 00 31. 81969E 00 .80039E 00 .78188E 00 .76531E 00 .75210E 00 .74256E 00 .73639E 00 .73313E 00 21. 85297E 00 .83347E 00 .81503E 00 .79841E 00 .78480E 00 .77470E 00 .76800E 00 .76441E 00 11. 88720E 00 .86722E 00 .88392E 00 .883187E 00 .81795E 00 .80741E 00 .80030E 00 .79643E 00 .92546E 00 .90336E 00 .88392E 00 .886672E 00 .85238E 00 .84140E 00 .83389E 00 .82978E 00

R(KK) = .862564

OVER ALL MET LEUTANDE - GOESTON

OVERALL FLUXES, STARTING AT FRONT WALL!

| | | | | | | | | | | | | • | | | | , | _ |
|-----------|--------|---------|-----|---------|-----|---------|-----|---------|-----|---------|----|---------|----|---------|------|---------|-------|
| .63371E 0 | | | | | | | | | | | | | | | | | |
| •62916E 0 | 2 | •62884E | 02 | .62852E | 02 | •62822E | 02 | •62792E | 0 S | •62762E | 02 | •62733E | 02 | •62704E | 02 | .62675E | 02 |
| •62619E 0 | 2 | •62591E | 02 | .62563E | 02 | •62536E | 0.5 | •62509E | 05 | •62482E | 02 | .62456E | 02 | •62429E | 02 | .62403E | 2 |
| •62351E 0 | 2 | •62325E | 02 | •62299E | 02 | •62274E | 02 | •62249E | 02 | •62223E | 02 | .62198E | 02 | •62174E | 05 . | .62149E | 02 |
| •62100E 0 | - 2 | •62076F | 0.5 | •62052E | 02 | •62028E | 02 | •62004E | 02 | •61980E | 02 | •61957E | 02 | •61933E | 02 | .61910E | Ş, |
| •61864E 0 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| •61641E 0 | 2 | •61620E | 02 | •61599E | 0.5 | •61578E | 05 | •6155/E | 0.5 | 1912305 | UE | 1010101 | ٧L | 1014722 | 0.0 | 1 | - |
| •61435E 0 | 2 | •61416E | 02 | .61396E | 02 | .61377E | 02 | ·61359E | 05 | •61340E | 02 | .61322E | 02 | •61304E | 02 | .61286E | 2 |
| •61251E C | 2 | •61235E | 02 | .61219E | 02 | •61203E | os | •61187E | 02 | •61173E | 05 | •61159E | 02 | •61145E | 02 | .61133E | 02 |
| •61111E 0 | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | i | | |
| +61251E C | 2 | | | • | | | | - | | | • | | | | | | |

OVERALL DIVERGENCE

| - • 27417E 01 | | | | | | | | | | | | | | | | |
|---------------|---------|----|----------|----|----------|----|----------|----|--------|----|----------|----|--------|----|------------|---|
| 26193E 01 | •26089E | 01 | -•25985E | 01 | -•25883E | 01 | -•25781E | 01 | 25679E | 01 | -+25578E | 01 | 25478E | 01 | ■•25378E ■ | 1 |
| -•25179E 01 | | | | | | | | | | | | | | | | |

--24202E 01 --24105E 01 --24008E 01 --23912E 01 --23816E 01 --23719E 01 --23623E 01 --23527E 01 --23431E 01 --23240E 01 --23144E 01 --23048E 01 --22953E 01 --22857E 01 --22762E 01 --22666E 01 --22571E 01 --22475E 1

--22285E 01 --22189E 01 --22094E 01 --21999E 01 --21903E 01 --21808E 01 --21712E 01 --21617E 01 --21522E 01 --21330E 01 --21235E 01 --2139E 01 --21043E 01 --20947E 01 --20851E 01 --20755E 01 --20659E 01 --20563E 1 --20370E 01 --20273E 01 --20176E 01 --20078E 01 --19883E 01 --19785E 01 --19686E 01 --19587E 1

--20370E 01 --20273E 01 --20176E 01 --20078E 01 --19981E 01 --19883E 01 --19785E 01 --19688E 01 --19588E 01 --19588E 01 --19588E 01 --18567E 01 --18567E 01

--18351E 01 --18240E 01 --18127E 01 --18010E 01 --17889E 01 --17762E 01 --17628E 01 --17483E 01 --17325E

```
Test Case 3
          7 = 3.177
          O°K
          X=0 [ISOTROPIC SCATTERING]
          R_{B} = .8
          INDEX = 1.0
          SLAB HAS TWO LAYERS - W= .95 For FIRST 3/5 415
                                          W= . 9995 FOR REAR 3/5 4/3
NDS # 201
THICK = 1.00000 CM
 SPECIAL -- 1 STANDARD
TEMPD = 1
               .000
                     • 000
                                                .000
                                                                    .000
        • 000
                                   .000
                                          .000
                                                       000
                                                              • 000
```

(KELVIN)

| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
|------|--------|---------|----------|-------|----------|-------|---------------|------|--------|
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | • 000 | •000 | •000 | •000 | •000 | •000 | ** 000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | • 000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | • 000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | • 000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | +000 | •000 | •000 | . •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | +000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | +000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 | •000 |
| •000 | •00000 | 00 •000 | 0000 •00 | 00000 | •0000000 | | | | |

INTENSITIES IN WATTS/CM**2/STERADIAN

FLUXES IN WATTS/CM**2

ISOT =

FLUX DIVERGENCE IN WATTS/CM**3

```
INDEX =
          1.000
RB =
     •800
QØ =
         100 • 0000000 WATTS/CM++2
K ⇒
       •158850
                  ·158850
                             •001588
                                        +001588
                                                    +001588 CM*#=1
S 13
      3.018150
                 3.018150
                            3 • 175412
                                        3+175412
                                                   3-175412 CM++=1
GAUSSIAN INTEGRAL
  MUIS
              WEIGHTS
 +09501249
             ·18945062
 •28160357
             •18260342
 •45801675
             •16915649
 •61787623
             •14959598
 •75540441
             •12462896
 •86563122
             •09515852
 •94457501
             •06225352
 •98940092
             02715246
WAVELENGTH INTERVAL:
                      *00000E 00 * *99999E 70 CM
                      •00000€ 00 - •99999E 74 MICRONS
F(0 - LT):
•76529E=80 •41180E=82 •10295E=83 •51476E=84 •00000E 00 •00000E 00 •52964E=77 •21620E=81 •00000E 00 •51476E
.00000E 00 .00000E 00 .00000E 00 .00000E 00 .00000E 00 .00000E 00 .00000E 00 .00000E 00 .00000E 00 .0000E
15674E 32 125098E 00 100000E 00 100000E 00 100000E 00 100000E 00 100000E 00 100000E 00 151476E=84 1658€9E
•32680E-79 •26313E-77 •62500E-01 •00000E 00-•65446E-77 •00000E 00 •80964E-77 •22204E-15 •13092E-79 •50375E
•00000E 00 •00000E 00 •43959E=72 •86736E=18 •22041E=38 •46137E 08 •35112E 51 •13605E 46 •25759E 51 •188■3E
```

*32715F-49 *00000 00 *9009 F-90 *111905 31

•35112E 51 •43656E=10 •11755E=37 •36734E=39 •12148E=26 •00000E 00 •25593E=54 •48172E=37 •10408E=16 •29387E
•33144E 13 •35903E=73 •36734E=39 •18808E=36=•21690E=06=•24501E=05 •19966E 46 •43369E=17 •44065E 49 •14106

+22859E 09 +40116E=17 +27636E=75 +27537E 48 +44060E 49 +94040E=37 +42409E=25=+21828E=09 +25760E 51 +18877E

•27538E 48 •23510E=37=•96207E 12 •78603E=21 •27638E=75 •44061E 49 •13346E 46 •60818E 08 •18809E=36 •611 €E

•60818E 08 •25760E 51 •27541E 48 •94039E=37 •20881E=52 •25759E 51 •55039E=19 •13306E 46=•56548E=10=•924


```
--15085E-27--22067E-12--11082E-06--31925E-49--30467E-28 -34656E-43--14291E-24 -47495E-72--94780E-44 -139m E
*18011E 46 *84850E=75=*72370E 76 *74917E=71 *46835E=72 *28995E=73 *12325E=69=*37419E=49 *19651E=18 *94040E
 •22149E 13 •94758E=37 •57108E=64 •18808E=36 •22149E 13 •94714E=37 •27544E 48 •47093E=36 •16108E=55 •000 E
 •43491E=17 •55968E 43 •14185E 46 •70552E=18=•42764E=49 •97782E 43 •56711E=36 •00000E 00=•40023E=03 •25369E
 *38523E=33 *13336E=16=*28563E=61 *58781E=38 *55098E=39 *14156E 43 *47020E=37 *42950E 10 *11715E 50 *276 E
 •14326E 46 •10658E=13 •11154E 13 •11154E 13 •47612E=64 •88162E=38 •77040E=33 •23511E=37 •87992E=18 •470■E
 *11715E 50=*42764E*49 *26158E=17 *43521E=13 *78815E 00 *25759E 51 *20087E 60=*42764E=49 *11715E 50 *25534E
 •94040E#37 •36683E 48 •79663E#12 •18808E#36 •17632E#37 •17632E#37 •60215E#38 •14106E#36 •94040E#37 •551■E
 •36684E 48 •11715E 50 •55101E-39 •47020E-36 •36734E-39 •11715E 50 •14671E 46 •38528E-33 •27550E 48 •94039E
 •53076E=54
CRT = 1.57080
  DG = 89.9999
         •0000000
                   •0000000
                             .0000000
                                       •0000000
                                                  •0000000
                                                            .0000000
                                                                      •0000000
                                                                                +0000000
                   .0000000
         •0000000
                             •0000000
                                       +0000000
                                                  •0000000
                                                            +0000000
                                                                      +0000000
                                                                                •0000000
R0 = .000000
RI = 8.547389E=13
```

KUBELKA MUNK STARTING ROUTINE

OT

NODE

| HOPE | . Gri | | G.U. | DURDI |
|--------|---------|-----|------------|-----------------------|
| 1 • | •10000E | 03 | .61329E 0 | 251254E 02 |
| 2• | •99405E | 02 | •60990E 0 | 2 = • 50957E 02 |
| 3⋅ | •98814E | 02 | •60653E 0 | 2 = • 50663E, 02 |
| 4 • | •98227E | 02 | 60319E 0 | 2 - 50370E 02 |
| 5 • | •97644E | 02 | •59986E 0 | 2 - • 50079E 02 |
| 6. | •97065E | 02 | •59657E 0 | 2 -49790E 02 |
| 7 • | •96489E | 02 | •59329E Q | 2•49503E 02 |
| 8• | •95917E | 02 | •59004E 0 | 2 49218E 02 |
| - 9∙ | •95349E | 0.5 | •58681E 0. | 2 -•48935E 02 |
| 10+ | •94784E | 02 | •58360E 0 | 2 =•48654E 02 |
| 11. | •94223E | 02 | •58042E 0 | 2 ≈ •48375E 02 |
| 12. | •93666E | 02 | •57726E 0 | 2 - 48097E 02 |
| 13. | •93112E | 02 | •57412E 0 | 247821E 02 |
| 14. | •92562E | 02 | •57100E 0 | 2 =+47548E 02 |
| 15• | •92015E | 02 | •56791E 0 | 2 - 47276E 02 |
| 16. | •91472E | 0.2 | •56483E. 0 | 2 47005E 02 |
| o 1表+/ | •90933F | 02 | •56178F 0 | 2 -46737F 02 |



```
ا بي ا
        *19/906 OK *200006 OK *201066 OK *202006 OK *204346 OK *206046 OK *207476 OK *208356 OK *992866 O1 443
i 67 •
        •19732E 02 •20064E 02 •20173E 02 •20266E 02 •20415E 02 •20584E 02 •20727E 02 •20814E 02 •99923E 01 €
i 68 a
        •19695E 02 •20033E 02 •20150E 02 •20246E 02 •20396E 02 •20564E 02 •20706E 02 •20793E 02 •10056E 02 ⋅€
        •19658E 02 •20001E 02 •20127E 02 •20226E 02 •20377E 02 •20544E 02 •20685E 02 •20772E 02 •10119E 02 ••3
i 69 •
        •19620E 02 •19969E 02 •20103E 02 •20206E 02 •20357E 02 •20524E 02 •20664E 02 •20750E 02 •10182E 02 •■3
į70•
171.
        •19583E 02 •19937E 02 •20078E 02 •20185E 02 •20337E 02 •20503E 02 •20643E 02 •20729E 02 •10244E 02 •■3
i72.
        *19545E 02 *19904E 02 *20053E 02 *20164E 02 *20316E 02 *20482E 02 *20621E 02 *20707E 02 *10306E 02 -.37
173.
        19507E 02 19871E 02 120028E 02 120142E 02 120295E 02 120461E 02 120599E 02 120684E 02 10368E 02 120368E 02 12
        •19469E 02 •19838E 02 •20002E 02 •20120E 02 •20274E 02 •20439E 02 •20577E 02 •20662E 02 •10430E 02 ■
174.
175.
        •19430E 02 •19804E 02 •19975E 02 •20097E 02 •20252E 02 •20417E 02 •20555E 02 •20639E 02 •10492E 02 •₹31
176. · 19392E 02 · 19770E 02 · 19948E 02 · 20074E 02 · 20230E 02 · 20395E 02 · 20532E 02 · 20616E 02 · 10553E 02 - 137
177.
        •19353E 02 •19736E 02 •19921E 02 •20051E 02 •20207E 02 •20372E 02 •20509E 02 •20592E 02 •10615E 02 •■36
        •19314E 02 •19701E 02 •19893E 02 •20027E 02 •20185E 02 •20349E 02 •20485E 02 •20569E 02 •10676E 02 ■36
178.
179.
        •19275E 02 •19666E 02 •19865E 02 •20002E 02 •20161E 02 •20326E 02 •20462E 02 •20545E 02 •10737E 02 ••3€
        •19236E 02 •19631E 02 •19836E 02 •19978E 02 •20138E 02 •20302E 02 •20438E 02 •20521E 02 •10799E 02 ■3
180 .
181 .
        •19197E 02 •19595E 02 •19807E 02 •19953E 02 •20114E 02 •20278E 02 •20414E 02 •20496E 02 •10860E 02 •3
<u>1</u>82•
        •19157E 02 •19559E 02 •19778E 02 •19927E 02 •20090E 02 •20254E 02 •20389E 02 •20472E 02 •10922E 02 ■•3€
i83.
        •19117E 02 •19523E 02 •19748E 02 •19901E 02 •20065E 02 •20230E 02 •20365E 02 •20447E 02 •10984E 02 •3€
184.
        19077E 02 19487E 02 19718E 02 19875E 02 120040E 02 120205E 02 120340E 02 120421E 02 11046E 02 1204
        •19037E 02 •19450E 02 •19687E 02 •19848E 02 •20015E 02 •20180E 02 •20314E 02 •20396E 02 •11108E 02 ■▼3€
185 •
        *18997E 02 *19413E 02 *19657E 02 *19821E 02 *19989E 02 *20154E 02 *20289E 02 *20370E 02 *11171E 02 = 36
i 86 •
i87.
        •18957E 02 •19376E 02 •19625E 02 •19794E 02 •19963E 02 •20129E 02 •20263E 02 •20344E 02 •11234E 02 •■3€
        •18916E 02 •19339E 02 •19594E 02 •19766E 02 •19937E 02 •20103E 02 •20237E 02 •20318E 02 •11297E 02 ■■35
i 88 •
        •18876E 02 •19301E 02 •19562E 02 •19738E 02 •19910E 02 •20076E 02 •20211E 02 •20292E 02 •11362E 02 ■•3!
i 89 •
i 90 •
        •18835E 02 •19263E 02 •19529E 02 •19709E 02 •19883E 02 •20050E 02 •20184E 02 •20265E 02 •11427E 02 #■3E
        •18794E 02 •19225E 02 •19497E 02 •19681E 02 •19856E 02 •20023E 02 •20157E 02 •20238E 02 •11493E 02 ■■31
i 91 •
        •18753E 02 •19187E 02 •19464E 02 •19651E 02 •19829E 02 •19996E 02 •20130E 02 •20211E 02 •11560E 02 ■•35
192.
        •18712E 02 •19149E 02 •19431E 02 •19622E 02 •19801E 02 •19969E 02 •20103E 02 •20184E 02 •11628E 02 ■435
i 93 •
194 ·
        *18670E 02 *19110E 02 *19397E 02 *19592E 02 *19773E 02 *19941E 02 *20075E 02 *20156E 02 *11698E 02 *■3
i 95 •
        •18629E 02 •19071E 02 •19363E 02 •19562E 02 •19744E 02 •19913E 02 •20047E 02 •20128E 02 •11769E 02 •₹3!
        •18587E 02 •19032E 02 •19329E 02 •19532E 02 •19715E 02 •19885E 02 •20019E 02 •20100E 02 •11843E 02 ■•3€
i96 •
i.97 •
        *18545E 02 *18993E 02 *19295E 02 *19501E 02 *19687E 02 *19857E 02 *19991E 02 *20072E 02 *11918E 02 #234
i 98 •
        •18503E 02 •18954E 02 •19260E 02 •19470E 02 •19657E 02 •19828E 02 •19963E 02 •20043E 02 •11996E 02 •■34
199.
        •18461E 02 •18914E 02 •19225E 02 •19439E 02 •19628E 02 •19799E 02 •19934E 02 •20014E 02 •12077E 02 ■•34
500•
        •18419E 02 •18874E 02 •19190E 02 •19407E 02 •19598E 02 •19770E 02 •19905E 02 •19985E 02 •12161E 02 □■34
301 €
        •18377E 02 •18834E 02 •19154E 02 •19375E 02 •19568E 02 •19740E 02 •19875E 02 •19956E 02 •12249E 02 •■34
:01 •
        *14702E 02 *15068E 02 *15324E 02 *15500E 02 *15654E 02 *15792E Q2 *15900E 02 *15965E 02
        *15125E 02 *15190E 02 *15390E 02 *15545E 02 *15687E 02 *15819E 02 *15923E 02 *15985E 02
₹00 •
        •15491E 02 •15309E 02 •15456E 02 •15590E 02 •15722E 02 •15846E 02 •15946E 02 •16007E 02
99•
        *15808E 02 *15427E 02 *15523E 02 *15636E 02 *15757E 02 *15875E 02 *15970E 02 *16029E 02
98.
        •16085E 02 •15542E 02 •15591E 02 •15683E 02 •15792E 02 •15904E 02 •15996E 02 •16052E 02
97.
96 •
        •16326E 02 •15654E 02 •15658E 02 •15731E 02 •15829E 02 •15933E 02 •16021E 02 •16076E 02
        +16538E 02 +15763E 02 +15725E 02 +15779E 02 +15866E 02 +15964E 02 +16048E 02 +16100E 02
95•
        *16725E 02 *15870E 02 *15792E 02 *15827E 02 *15904E 02 *15995E 02 *16075E 02 *16125E 02
94.
       *16890E 02 *15974E 02 *15859E 02 *15875E 02 *15942E 02 *16027E 02 *16102E 02 *16150E 02
93.
92.
       *17037E 02 *16075E 02 *15925E 02 *15924E 02 *15980E 02 *16059E 02 *16130E 02 *16176E 02
       •17169E 02 •16174E 02 •15991E 02 •15979E 02 •16019E 02 •16091E 02 •16159E 02 •16203E 02
91•
90 ..
       #17007E NO -1707NE NE FIRANCE NO IIAANOE NE IIA E E
                                                                                      4 - 4 -
```

```
•20120E 02 •19516E 02 •19345E 02 •19259E 02 •19181E 02 •19115E 02 •19067E 02 •19040E 02
35•
    .20210E 02 .19580E 02 .19391E 02 .19295E 02 .19212E 02 .19143E 02 .19093E 02 .19066E 02
4 .
າ3•
    •20300E 02 •19646E 02 •19438E 02 •19332E 02 •19244E 02 •19172E 02 •19121E 02 •19093E 02
2.
    •20393E 02 •19714E 02 •19487E 02 •19371E 02 •19278E 02 •19203E 02 •19150E 02 •19121E 02
    •20487E 02 •19784E 02 •19538E 02 •19412E 02 •19314E 02 •19235E 02 •19181E 02 •19150E 02
1 •
30 .
    •20582E 02 •19856E 02 •19591E 02 •19454E 02 •19350E 02 •19269E 02 •19212E 02 •19181E 02
.9.
    +20680E 02 +19930E 02 +19645E 02 +19498E 02 +19388E 02 +19304E 02 +19245E 02 +19213E 02
28•
    *20779E 02 *20005E 02 *19702E 02 *19544E 02 *19428E 02 *19340E 02 *19279E 02 *19246E 02
27•
    •20879E 02 •20083E 02 •19760E 02 •19591E 02 •19469E 02 •19377E 02 •19314E 02 •19280E 02
36.
    . • 20981E 02 • 20162E 02 • 19820E 02 • 19640E 02 • 19511E 02 • 19416E 02 • 19351E 02 • 19316E 02
25.
    +21086E 02 +20244E 02 +19882E 02 +19690E 02 +19555E 02 +19456E 02 +19389E 02 +19352E 02
    +21191E 02 +20327E 02 +19945E 02 +19742E 02 +19601E 02 +19497E 02 +19428E 02 +19390E 02
24.
23.
    *21299E 02 *20412F 02 *20011E 02 *19796E 02 *19648E 02 *19540E 02 *19468E 02 *19430E 02
_2.
    +21409E 02 +20499E 02 +20078E 02 +19852E 02 +19696E 02 +19585E 02 +19510E 02 +19470E 02
21•
    •21520E 02 •20588E 02 •20148E 02 •19909E 02 •19746E 02 •19630E 02 •19553E 02 •19512E 02
    •21634E 02 •20679E 02 •20219E 02 •19968E 02 •19798E 02 •19677E 02 •19598E 02 •19555E 02
30 •
    •21750E 02 •20772E 02 •20292E 02 •20028E 02 •19851E 02 •19726E 02 •19644E 02 •19600E 02
9.
    •21868E 02 •20867E 02 •20367E 02 •20091E 02 •19906E 02 •19776E 02 •19691E 02 •19645E 02
8•
7.
    •21988E 02 •20964E 02 •20444E 02 •20155E 02 •19962E 02 •19828E 02 •19740E 02 •19693E 02
    •22111E 02 •21063E 02 •20523E 02 •20221E 02 •20020E 02 •19881E 02 •19790E 02 •19741E 02
6.
    •22236E 02 •21164E 02 •20604E 02 •20289E 02 •20080E 02 •19935E 02 •19841E 02 •19791E 02
5•
    •22364E 02 •21268E 02 •20687E 02 •20359E 02 •20141E 02 •19992E 02 •19895E 02 •19843E 02
4.
    +22495E 02 +21374E 02 +20773E 02 +20430E 02 +20205E 02 +20050E 02 +19949E 02 +19896E 02
Э.
    •22629E 02 •21483E 02 •20860E 02 •20504E 02 •20270E 02 •20109E 02 •20006E 02 •19951E 02
2.
    *22767E 02 *21594E 02 *20950E 02 *20580E 02 *20337E 02 *20171E 02 *20064E 02 *20007E 02
1 .
    •22908E 02 •21707E 02 •21042E 02 •20658E 02 •20405E 02 •20234E 02 •20123E 02 •20065E 02
0 •
    +23053E 02 +21824E 02 +21137E 02 +20738E 02 +20476E 02 +20299E 02 +20185E 02 +20124E 02
9•
    •23203E 02 •21944E 02 •21235E 02 •20820E 02 •20549E 02 •20366E 02 •20248E 02 •20186E 02
8.
7•
    .23357E 02 .22067E 02 .21335E 02 .20905E 02 .20625E 02 .20435E 02 .20313E 02 .20249E 02
    *23517E 02 *22194E 02 *21438E 02 *20993E 02 *20702E 02 *20506E 02 *20380E 02 *20314E 02
6.
    +23683E 02 +22324E 02 +21545E 02 +21083E 02 +20782E 02 +20579E 02 +20450E 02 +20381E 02
5•
    •23856E 02 •22459E 02 •21655E 02 •21177E 02 •20865E 02 •20655E 02 •20522E 02 •20451E 02
4 .
    •24036E 02 •22599E 02 •21768E 02 •21273E 02 •20950E 02 •20734E 02 •20596E 02 •20523E 02
з.
    •24224E 02 •22743E 02 •21886E 02 •21373E 02 •21039E 02 •20815E 02 •20673E 02 •20597E 02
    .24422E 02 .22894E 02 .22008E 02 .21477E 02 .21131E 02 .20899E 02 .20752E 02 .20675E 02
1.
RAM = 37.1288
ERATION
          2
DE
        I 1
                   12
                              13
                                          I 4
                                                     15
                                                                Ĭ 6
                                                                           17
                                                                                       18
1.
   •31831E 02 •30115E 02 ■•5■6
2.
    •30801E 02 •31484E 02 •31617E 02 •31673E 02 •31701E 02 •31718E 02 •31727E 02 •31732E 02 •29796E 02 ■•5■26
Э.
    •29906E 02 •31143E 02 •31403E 02 •31513E 02 •31570E 02 •31603E 02 •31622E 02 •31631E 02 •29480E 02 ■•537
    •29124E 02 •30809E 02 •31189E 02 •31351E 02 •31437E 02 •31486E 02 •31514E 02 •31528E 02 •29166E 02 ■•5€3.
5.
    •28439E 02 •30483E 02 •30975E 02 •31188E 02 •31302E 02 •31367E 02 •31405E 02 •31424E 02 •28855E 02 ■•5■9
```

6 • 7

•27837E 02 •30165E 02 •30763E 02 •31025E 02 •31166E 02 •31248E 02 •31295E 02 •31318E 02 •28545E 02 ●•526

To.

QR

| NODE | I 1 | 15 | 13 | | I 4 | | 15 | | 16 | | 17 | | 18 | | QR | | |
|------|-------------|-------------|-------------|-----|----------|----|---------|-----|---------|-----|---------|------|---------------|------|-------------|-----|----|
| 1. | •31831E 02 | •31831E 0 | 2 431831E | 02 | •31831E | 02 | •31831E | 02 | •31831E | 02 | •31831E | 02 | •31831E | 02 | •29769E | 0.2 | |
| 2• | •30869E 02 | . •31506E (| 91631E | 02 | •31683E | 02 | •31710E | 0.5 | +31725E | 02 | +31734E | 02 | •31739E | 0.5 | •29485E | 02 | -, |
| з. | -•30033E 02 | | | | | | | | | | | | | | | | |
| 4 • | | | 2 •31232E | | | | | | | | | | | | | | |
| 5• | •28666E 02 | • 30573E | 91033E | 02 | •31231E | 02 | •31337E | 02 | •31398E | 02 | •31434E | 05 | •31451E | 02 | •28650E | 02 | -, |
| 6• | | | 30834E | | | | | | | | | | | | | | |
| 7 + | | | 2 •30637E | | | | | | | | | | | | | | |
| 8. | | | 30442E | | | | | | | | | | | | | | |
| 9• | | | 12 .30247E | | | | | | | | | | | | | | |
| 10• | | | 02 •30055E | | | | | | | | | | | | | | |
| 11. | | | 02 •29865E | | | | | | | | | | | | | | |
| 12. | | | 02 •29676E | | | | | | | | | | | | | | |
| 13. | | | 02 •29490E | | | | | | | | | | | | | | |
| 14+ | | | 2 • 29305E | | | | | | | | | | | | | | |
| 15. | | | 02 +29123E | | | | | | | | | | | | | | |
| 16. | | |)2 •28943E | | | | | | | | | | | | | | |
| 17• | | | 2 •28765E | | | | | | | | | | | | | | |
| 18. | | | 02 •28590E | | | | | | | | | | | | | | |
| 19• | | | 28416E | | | | | | | | | | | | | | |
| 20+ | | | 02 •28245E | | | | | | | | | | | | | | |
| 21• | | | 08 •28077E | | | | | | | | | | | | | | |
| 22. | | | 2. •27910E | | | | | | | | | | | | | | |
| 23. | | | 27746E | | | | | | | | | | | | | | |
| 24+ | | | 27584E | | | | | | | | | | | | | | |
| 25• | | | 2 .27424E | | | | | | | | | | | | | | |
| 26 • | | | 27266E | | | | | | | | | | | | | | |
| 27• | | | 27111E | | | | | | | | | | | | | - | _ |
| 28+ | | | 2 •26958E | | | _ | | | | _ | | _ | - | - | | | |
| 29+ | | | 5 • 56806E | | | | | | | | | | | - | | | |
| 30+ | | | 2 •26657E | | | - | | | | | | | | _ | | | |
| 31 • | | | 2 •26510E | | | - | | | _ | | | | | _ | _ | | |
| 35. | | | S •56366E | | | - | | | · · | | _ | - | | _ | | | |
| 33• | | | 36223E | | | | | | | | | | | | | | |
| 34• | | | 25082E | _ | _ | - | | _ | ••• | - | | | | • | | - | _ |
| 35• | | | 2 •25943E | | | | | | | | | | | | | | |
| 36. | | | 2 •25806E | | | | | | | | | | | | | | |
| 37• | •22363E 02 | | | | | | | | | | | | | | | | |
| 38• | •22275E 02 | | | | | | | | | | | | | | | | |
| 39• | •22189E 02 | | | | | | | | | | | | | | | | |
| 40• | | | 25278E | | | | | | | | | | | | | | |
| 41 • | | | 2 •25151E | | | | | | | | | | | | | | |
| 42• | •21939E 02 | | | | | | | | | | | | | | | | |
| 43• | •21858F 02 | •53330E 0 | 24901E | 0.5 | •2595.4E | 02 | .500DE | 02 | •2/114t | 05 | •2/398E | 0.5 | •2/545E | 05 | 1 7 2 0 7 5 | 04 | |
| 44• | *21//9E 02 | •535\\F 6 | 2 +24779E | 50 | •2583/E | 02 | *26545E | 02 | •8/009E | 02 | *5/530F | 02 | * C / 4 4 5 E | 02 | 41303/6 | 75 | |
| 45• | •21/01F 02 | •23166E 0 | 12. •24659F | ŋΡ | #25/21F | በዖ | 476435F | በዖ | •26904F | n M | 4411APE | () ~ | *C/34/E | 1) C | *10910c | ŲΕ | |

| •24919E | 05 | •23695E | 0.5 0.~ | +22900E | - | | | | | •21609E | | | | •21302E | | | | |
|-----------------|-----|----------|------------|---------|--------|----------|----|----------|----|------------------|----|-----------|----|----------------------|-----|-----------|-----|------------------------------|
| | | | | | | | | | | | | | | •21375E | | | | • |
| = 5•3560 | 71E | -11 | | , | | | | • | | | | | | | | | | |
| PAR | MAS | | | | | | | | | | | 4 | | | | • | | |
| • | | | | | | | | | ., | | | | ¢ | | | | | • |
| 78NU 500 | | | | | | | .* | | | | : | 1.5 | | | A) | odes | 1 - | -39 |
| IONLESS | • | | - | | | | | | | V | | | | | , • | DOGE - | • | 37 |
| | | | | | | | | · | | | | | | · | | | • | |
| I1 | | 12 | | 13 | | I 4 | | 15 | ٠. | 16 | | 17 | | 18 | | QR | | DQRDY |
| *10000E | 01 | •10000E | 01 | •10000E | 01 | •10000E | 01 | •10000E | 01 | •10000E | 01 | +10000E | 01 | *10000E | 01 | •29769E | 00 | 34505 |
| | | | | | | | | | | | | | | | | | | 34229E |
| | | | | | | | | | | | | | | | | | | -• 33971 <u>E</u> ≀ |
| | | | | | | | | | | | | | | | | | | - 33728 |
| | | | | | | | | | | | | | | | | | | =•33499 E |
| | | | | | | | | | _ | | | | | | | | | 33281E |
| | | | | | | | | | | | | | | | | | | ⇒ •33 ₀ 73 |
| | | | | | | | | | | | | | | | | | | ••32879 * • |
| | | | | | | | | | | | | | | | | | | 32684E |
| | | | | | | | | | | | | | | | | | | - 325015 · |
| | | | | | | | | | | | | | | | | | | 32324 |
| | | | | | | | | | | | | | | | | | | 32152E. « |
| | | | | | | | | | | | | | | | | | | =•31986E \ |
| | | | | | | | | | | | | | | | | | | -•31825 -•31668 |
| | | | | | | | | | | | | | | | | | | 31515E |
| | | | | | | | | | | | | | | | | | | -•31365 |
| | | | | | | | | | - | | | | | • | | | | - 31219 |
| | | | | | | | | | | | | | | | | | | 31076E |
| | | - | | | | | | | | | | | | | | | | -•30936 = |
| _ | | _ | | | - | • | | | - | | | | | | | | | ■•30799 |
| | | | | | | | | | | | | | | | | | | 30664E |
| | | | | | | | | | | | | | | | | | | - 30532E |
| | | | | | | | | | | | - | | | | | | | 30402 |
| | | | | | | | | | | | | | | | | | | - 302742 |
| | | | | | | | | | | | | | | | | | | 30149E |
| •73367E | 00. | .80405E | 00 | •85171E | 00 | •87951E | 00 | •89646E | 00 | •90702E | 00 | •91337E | 00 | •91661E | 00 | •53050E | 00 | - •30026 • |
| •73019E | 00 | •79891E | 00 | .84690E | 00 | •87523E | 00 | •89260E | 00 | .90346E | 00 | .91000E | 00 | -91334E | 00 | +22778E | 00 | -,29904 |
| •72682E | 00 | •79389E | Q O | •84215E | 0.0 | •87098E | 00 | •88876E | 00 | •89991E | 00 | +90664E | 00 | •91007E | 00 | •22537E | 00 | ₩•29785E |
| •72353E | 00 | • 78900E | 00 | •83747E | 00 | .86677E | 00 | •88494E | 00 | •89637E | 00 | •90328E | 00 | •90682E | 00 | *55598E | 00 | *• 29667 € |
| •72033E | 00 | .78423E | 00 | *83285E | 00 | .86259E | 00 | •88115E | 00 | .89285E | 00 | .89994E | 00 | •90357E | 00 | +22059E | 00 | -• 29552 |
| | | | | | | | | | | | | | | | | | | -•29438E |
| | | | | | | | | | | | | | | | | | | -•29326E |
| | | | | | | | | | | | | | | | | | | - 29216 |
| | | | | | | | | | | | | | | | | | | = •29107€ |
| •70536E | 0.0 | •76200E | 00 | •81073E | 00 | •84227E | 00 | •86250E | 00 | •87545E | 00 | •88337E | 00 | •88745E | 00 | •20880E | 00 | -•29000 <u>E</u> |
| | | | | | | | | | | | | | | | | | | - • 28895 |
| | | | | | | | | | | | | | | | | | | -•28791 |
| • 1 970 °F | ΔO | .7°9º □ | DΩ | •79919E | \cap | • º305ºE | 00 | • P5110F | Λ٥ | 94 <u>5</u> 01 F | ሰሰ | • º 735°F | ΛΛ | + ⁸ 779∩F | იი | • ^∩1 ¤>F | ሰባ | * • 28.189€. |

| 69180F | ăă l | 7 (U. 15) - 74017F | | • 790 1 2 - | .0.0 | | | * 6 T T T E E. | | | | | | . 874 EUE | | | 00 | = • 28489 1 070 |
|--------|------|-----------------------|----|------------------------|------|---------|----|----------------|----|---------|----|---------|----|-----------|-----|------------|----|-------------------------------------|
| | | | | | | | | | | | | | | | | | | - · 28392iic |
| | | | | | | | | | | | | | | | | | | = +28296E |
| | | | | | | | | | | | | | | | | | | 58505E |
| | | | | | | | | | | | | | | | | | | -•28109 = (|
| | _ | | - | | | | | | | | - | | | | | | | |
| | | | | | | | | | | | | | | | | | | ■•28 ₀ 17 = / |
| | | | | | | | | | | | | | | | | | | ••27927E (••27838 ■ (|
| | | | | | | | | • | | | | | | | | | _ | |
| | | | | | | | | | | | | | | | | | | =+27751 = (|
| - | | • | | | - | | | | | | | | | | - w | | | |
| | | | | | | | | - | | | | | | - | | | | - · 27581 |
| | | | - | | | | | | - | _ | | | | | | | | -• 27498 - (|
| | | | | | | | | | | | | | | | | • | | *•27417E (|
| | | | | | | | | | | | | | | | | | | ■•27337 <u>⊑</u> (|
| | | | | | | | | | | | | | | | | | | ■•27258 ■ (|
| | | | | | | _ | | | | • | | - | | | ~ ~ | | | = • 27181 = (|
| | | | | | | | | • | | _ | | | | _ | | | | =•27105E € |
| · | | | | | | | - | | | | - | | | _ | | | | -•27 ₀ 31 1 (|
| | | | | | | | | | | | | | | | | | | = 26958 = (|
| | | | | | | | | | | | | | | | | | | = • 26887E (|
| | | - | | • | | | | | | | | | | | | | | #•26817 ₽ ¢ |
| | | | | | | | | | | • | | - | | | | | | ■•26749 ■ (|
| | | | | | | | | | | | | | | | | | | 26682E |
| | | | | | | | | | | | | | | | | | | = • 26616E (|
| | | | | | | | | | | | | | | | | | | ≈• 26553 ≡ (|
| | | | | | | | | | | | | | | | | | | 26491E (|
| | | | | | | | | | | | | | | | | | | 26430E € |
| | | | | | | | | | | | | | | | | | | -•26372 = r |
| - | | | - | - | | | | | - | | - | | | | - | | | -•26315 . (|
| | | - | | | | _ | | | | | | | | | | | | - 56590E € |
| | | | | | | | | | | | | | | | | | | ≈• 26207 ≘ (|
| | | | | , , | • | | | | | | | | | | | | | -•26156 = (|
| | | | | | | | | | | | | | | | | | | = • 26107E (|
| | | | | | | | | | | | | | | | | | | - • 26061E (|
| | - | - | | | | | | | | | | | | | | | | =•26017 E c |
| | | | | | | | | | | | | | | | | | | - · 25976E |
| | | | | | | | | | | | | | | | | | | - · 25939EW(|
| | | | | | | | | | | | | | | | | | | ■• 25904 ■ (|
| | | | | | | | | | | | | | | | | | | . * •25873 ≣ (|
| | | | | | | | | | | | | | | | | | | - 25847E |
| | | | | | | | | | | | | | | | | | | - • 25852 |
| | | | | | | | | | | | | | | | | | | -•25827 |
| | | | | | | | | | | | | | | | | | | -•25798Ē₫. |
| 63290E | 001 | •64232E | 00 | •66952E | 00 | •69757E | 00 | •72053E | 00 | •73742E | 00 | •74862E | 00 | ◆75465E | 0.0 | *11140E | 00 | -•25766 <u>-</u> € |
| 63473E | 000 | .64240E | 00 | •66863E | 00 | •69619E | 00 | •71892E | 00 | •73570E | 00 | +74686E | 00 | •75287E | 00 | . • 11139E | 00 | -• 25733 ∤ |
| 63611E | 200 | -64244E | 00 | •66774E | 00 | •69482E | 00 | •71732E | 00 | •73400E | 00 | •74511E | 00 | +75110E | 00 | •11138E | 00 | ■•25697 € (|
| 63712E | 00. | .64242E | 00 | •66685E | 00 | •69347E | 00 | •71574E | 00 | •73231E | 00 | •74338E | 00 | •74935E | 00 | •11137E | 00 | - 25660E . |
| 63779E | 00 | •64235E | 00 | •66596E | 00 | •69212E | 00 | •71417E | 00 | •73064E | 00 | •74166E | 00 | •74762E | 00 | •11135E | 00 | -·25621 <u>=</u> |
| 63820E | 00 | 64223E | 00 | •66506E | 00 | •69079E | 00 | •71262E | 00 | •72898E | 00 | •73995E | 00 | •74589E | 00 | +11134E | 00 | •2 5581 |
| | | | | | | | | | | | | | | | | | | - pggaqr", |

| 70010E | | _ | 0.0 | . 440045 | .u u | . 49490 | | .709016 | 0.0 | 72.075 | 0.0 | . 7949AF | 00 | - 740 Jac | 0.0 | .11129F | ~ . | u. 26454UBO |
|--------|-------|----------|-----|------------|------|---------|-----|----------|-----|----------|-----|----------|-----|-----------|-----|---------------|------|--|
| | | | | | | | | | | | | | | | | | | -•254544 no |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | = • 25365E ¹ n |
| | | | | | | | | | | | | | | | | | | - 25319E 0 |
| | | | | | | | | | | | | | | | | | | -•252731 o |
| | | | | | | | | | | | | | | | | | | - •25227 ₹ 0 |
| | | | | | | | | | | | | | | | | | | =•25180E p |
| | | | | | | | | | | | | | | | | | | -•25133 p |
| | | | | | | | | | | | | | | | | | | •• 25085 • 0 |
| | | | | | | | | | | | | | | | | | | ■•25037E @ |
| | | | | | | | | | | | | | | | | | | -•24989 <u>-</u> 0 |
| | | | | | | | | | | | | | | | | | | 24940 0 |
| | | | | | | | | | | | | | | | | | | 24891E 0 |
| | | | | | | | | | | | | | | | | | | -•24842E Ō |
| | | | | | | | | | | | | | | | | | | -+24793 a |
| | | | | | | | | | | | | | | | | | | -•24743 ₽ o |
| | | | | | | | | | | | | | | | | | | - · 24693E 0 |
| | | | | | | | | | | | | | | | | | | -+24643 ∏ Ū |
| 62167E | 00 | •63034E | 00 | •64477E | 00 | •66378E | 0.0 | •68175E | 00 | •69612E | 00 | •70612E | 0.0 | •71166E | 0.0 | •11096E | 00 | #+24593 ■ ⊓ |
| 62047E | 00 | •62945E | 00 | •64372E | 00 | •66251E | 00 | •68034E | 00 | •69462E | 00 | •70458E | 00 | •71010E | 00 | •11094E | 00 | -•24543E ₫ |
| 61927E | 00 | +62854E | 00 | •64266E | 00 | •66125E | 0.0 | •67892E | 00 | •69313E | 00 | •70305E | 00 | •70854E | 00 | •11092E | 00 | - · 24492 0 |
| 61805E | 00 | •62760E | 00 | •64160E | 00 | •65998E | 00 | •67752E | 00 | •69164E | 00 | •70152E | 00 | •70699E | 00 | •11090E | 00 | -+24442 g |
| | | | | | | | | | | | | | | | | | | ••24391E Q |
| | | | | | | | | | | | | | | | | | | 24340E 0 |
| | | | | | | | | | | | | | | | | | | 242890 ¢ |
| | | | | | | | | | | | | | | | | | | -+24238 - 0 |
| | | | | | | | | | | | | | | | | | | -+24187E 0 |
| | | | | | | | | | | | | | | | | | | -• 24135 0 |
| | | | | | | | | | | | | | | | | | | 24084 |
| | | | | | | | | | | | | | | | | | | -+24032E 0 |
| | | | | | | | | | | | | | | | | | | -•23981 € € |
| | | | | | | | | | | | | | | | | | | - 239291 0 |
| | | | | | | | | | | | | | | | | | | - • 23877E € |
| | | | | | | | | | | | | | | | | | | ■ 23825E 0 |
| | | | | | | | | •65945E | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | - · 23721 0 |
| | | | | | | | | | | | | | | | | | | 23668E 0 |
| | | | | | | | | | | | | | | | | | | =•23616 = 0 |
| 99/00E | 00 | +01002E | 00 | -499555 | -00 | 463367E | 00 | .45000E | 00 | .4448EE | 00 | -67607E | 00 | 681345 | 00 | -110595 | 00 | ••23563 ■ € |
| | | | | | | | | | | | | | | | | | | = • 23511E 0 |
| | | | | | | | | | | | | | | | | | | *+23458 = 0 |
| | | | | | | | | | | | | | | | | | | |
| 59265E | 00 | •60594E | 0.0 | •61902E | 00 | •6345/E | 00 | • 54964E | 00 | • 66536E | 00 | 10/10/6 | 00 | •0/680E | 00 | • 1 1 0 5 6 E | 00 | *•23405■ 0 |
| 59134E | 00 | •60475E | 0.0 | •61783E | 00 | •63329E | 00 | +64848E | 0.0 | +66113E | 00 | •6/021E | 00 | 45/532E | 00 | •11050E | .00 | = +23352E (|
| 59004E | 00- | • 60356E | 00 | •61664E | 00 | •63201E | 00 | •64/11E | 00 | +659/1E | 00 | +668/5E | ÖΟ | *6/J85E | 00 | •11040E | 00 | - · 23300E (|
| 58873E | COM | +60235E | 00 | •61545E | 00 | •63073E | 00 | *645/4E | 00 | •65829E | 00 | •66/30E | 00 | •6/238E | 00 | *1104/E | 00 | - • 23246 - (|
| 58741E | 000 | +60114E | 00 | •61425E | 00 | •62945E | 00 | •64438E | 00 | +65686E | 00 | •66584E | 00 | •6/091E | 00 | •11045E | 00 | - • 23193 - € |
| 58610E | 00.3 | •59992E | 0.0 | •61304E | 00 | •62816E | 00 | •64302E | 00 | •65545E | 00 | +66439E | 00 | •66944E | 00 | •11043E | 00 | -•23140 <u>E</u> |
| 58478E | 00 | •59869E | 00 | •61183E | 00 | •62688E | 00 | •64165E | 00 | •65403E | 00 | +66294E | 00 | •66797E | 00 | •11041E | 00 | =•23087 |
| 58346E | 00 | •59746E | 0.0 | •61062E | 00 | •62559E | 00 | +64029E | 00' | +65261E | 00 | •66150E | 00 | +66651E | 00 | •11039E | 00 | - •53033 ■ € |
| SROTE | U U A | •89623E | 00 | • KN9 - NF | ባበ | •62471F | nn | •63893F | ባበ | +65120F | იი | • 66005F | 00 | • 65505F | ററ | •11'037F | - ೧೧ | ************************************** |

| | | | | | | | | | | | | - 11001 | | | | | | |
|-----------|--------|---------|------|-----------|------|------------------|------|-----------------|-----|----------|------|----------------|------|----------|---------|------------|------|-----------------------------|
| | | | | | | | | | | | | | | | | | | *•2287211 (|
| | | | | | | | | | | | | | | | | | | *•22819 |
| | | | | | | | | | | | | | | | | | | -•22765Eัฐ. |
| | | | | | | | | | | | | | | | | | | - • 22711EF |
| :57415E | 000 | •58869E | 0.0 | •60202E | 00 | •61656E | 00 | •63076E | 00 | •64274E | 00 | •65141E | 00 | •65632E | 0.0 | •11027E | 00 | -• 22657 - ⋅ |
| | | | | | | | | | | | | | | | | | | - 22602E |
| •57146E | 004 | •58614E | 0.0 | •59952E | 00 | •61396E | 00 | •62805E | 00 | •63992E | 00 | •64854E | 00 | •65343E | 00 | •11023E | 0,0 | - · 22548 <u>E</u> (|
| •57012E | 00 | •58486E | 00 | •59827E | 00 | •61266E | 0.0 | •62669E | 00 | •63852E | 00 | +64711E | 00 | •65198E | 00 | •11021E | 00 | -• 22494 (|
| | | | | | | | | | | | | | | | | | | -• 22439 ₽ (|
| •56742E | 0.0 | •58228E | 0.0 | •59575E | 00 | •61006E | 0.0 | •62397E | 00 | •63571E | 00 | •64425E | 0.0 | •64910E | 0 0. | •11018E | 00 | -•22384E (|
| | | - | | | | | | | _ | | | | | | | | | -•22329 = (|
| =56471E | 00 | •57969E | 0.0 | •59322E | 00 | •60745E | 00 | •62125E | 00 | •63291E | 00 | •64139E | 00 | •64621E | 00 | +11014E | 00 | ••22275 ■ € |
| :56335E | ÇO | •57838E | 00 | •59195E | 00 | •60614E | 00 | •61989E | 00 | •63151E | 00 | •63997E | 00 | •64477E | 0.0 | •11013E | 00 | - • 555550E € |
| :56199E | 00 | •57708E | 00 | •59068E | 00 | •60483E | 00 | •61853E | 00 | •63011E | 00 | •63854E | 00 | •64334E | 0.0 | •11011E | 00 | =•22164 <u>E</u> (|
| | | | | | | | | | | | | | | | | | | - 22109 |
| :55926E | 00 | •57445E | 0.0 | •58812E | 00 | •60550E | 00 | •61580E | 00 | .62731E | 00 | •63569€ | 00 | •64046E | 00 | •11008E | 00 | =•22054E (|
| | | * | | | | | | | | | | | | _ | | | | ••21998 <u>E</u> (|
| =55651E | 00 | •57180E | 00 | •58554E | 00 | •59957E | 00 | •61308E | 00 | •62451E | 00 | •63284E | 00 | •63759E | 00 | +11004E | 00 | -•21942 r |
| :55514E | 00 | •57048E | 00 | •58425E | 00 | •59825E | 00 | •61172E | 00 | •62311E | 00 | +63142E | 00 | •63616E | 00 | •11003E | 00 | -•21886 - € |
| :55376E | 00 | •56915E | 00 | •58295E | 00 | •59693E | 0.0 | •61035E | 00 | •62171E | 00 | +63000E | 00 | +63472E | 0.0 | •11001E | 00 | 21830E (|
| :55237E | 00 | •56781E | 00 | •58165E | 00 | •59561E | 0.0 | •60899E | 00 | •62031E | 00 | •62858E | 00. | •63329E | 00 | •10999E | 00 | -+21774 m (|
| :55099E | 00. | •56647E | 0.0 | •58035E | 00 | •59428E | 0.0 | •60762E | 00 | •61891E | 00 | •62716E | 00 | •63186E | 00 | •10998E | 00 | ■•21717 = r |
| | | | | | | | | | | | | | | | | | | - · 21661E (|
| | | | | | | | | | | | | | | | | | | -+21604 <u>E</u> (|
| | | | | | | | | | - | | | | | | | | | ~•21547 = € |
| - | | | | | | | | · · | | | - | No. | | | | - | - | =•21490E (|
| | | _ | | _ | | | | | | | - | | | | - | | | 21432E (|
| | | | | | | | | | | | | | | | | | | -+21375m (|
| | | | | | | | | | | | | | | | | | | =•21317 = (|
| | | | | | | | | | | | | | | | | | | - · 21258E (|
| | | | | | | | | | | | | | | | | | | 21200m (|
| | | | | | | | | | - | | | | | | | | | 21141 = (|
| | | | 4. | | | | | - | | - · | | _ | | | | - | | -•21082E (|
| | | | | | | | | | | | | | | | | | | ■. 21022E (|
| | | | | | | | | | _ | | | | | | | | | = • 20962 ≡ (|
| | | | | | | | | | | | | | | | | | | -•50905£ (|
| - | - | | | | | | | | | | | | | | - | | | - 20841E (|
| | | | | | | | | | | | | | | | | | | -•20779 ■ (|
| | | | | | | | | | | | | | | | | | | -•20717 = (|
| | | | | | | | | | | | | | | | | | | - 20654E (|
| | | | | | | | | | | | | | | | | | | - · 20591 (|
| | | | | | | | | | | | | | | | | | | =•20527 i |
| | | | | | | | | | | | | | | | | | | 20462E |
| | | | | | | | | | | | | | | | | | | - 20396E |
| | | | | | | | | | | | | | | | | | | 20329 |
| | | | | | | | | | | | | | | | | | | =•20261 = T |
| | | | | | | | | | | | | | | | | | | - 20191EV |
| | | | | | | | | | | | | | | | | | | 20120 |
| | | | | | | | | | | | | | | | | | | -•20046= |
| | | | | | | | | | | | | | | | | | | 19971F 1 |
| 1113-7-45 | 1311~1 | # .3 * | (11) | 4-34120-5 | 1113 | A 11/12/21 11/21 | 1111 | A sheet and the | 0.0 | DIAMI AL | 1111 | gradus and the | 1117 | 4:1-1 ME | 1 7 7 3 | + 117 4 3P | 1717 | · • · · · · · · · · · |

50582E 00m 52359E 00 •53891E 00 •55290E 00 •56560E 00 •57624E 00 •58402E 00 •58847E 00 •10962E 00 ••19813¶[(50403E 00₹.52198E 00 .53739E 00 .55141E 00 .56412E 00 .57475E 00 .58252E 00 .58697E 00 .10962E 00 .19730 i c 50218E 009452035E 00 +53585E 00 +54991E 00 +56262E 00 +57325E 00 +58102E 00 +58546E 00 +10962E 00 =+19642E (50028E 00\$•51868E 00 •53429E 00 •54839E 00 •56111E 00 •57173E 00 •57950E 00 •58394E 00 •10963E 00 #•19551**E**#C 49832E 00 •51698E 00 •53270E 00 •54685E 00 •55959E 00 •57021E 00 •57797E 00 •58241E 00 •10964E 00 =•19455 (49628E 00 •51524E 00 •53109E 00 •54529E 00 •55804E 00 •56866E 00 •57643E 00 •58086E 00 •10965E 00 ▼•19353**F***C 49415E 00 •51345E 00 •52944E 00 •54370E 00 •55648E 00 •56710E 00 •57486E 00 •57930E 00 •10966E 00 ••19244E C 49193E 004.51161E 00 .52775E 00 .54208E 00 .55488E 00 .56552E 00 .57328E 00 .57772E 00 .10968E 00 ..19128 (207 204 39355E 004 .40929E 00 .42220E 00 .43367E 00 .44391E 00 .45241E 00 .45863E 00 .46218E 00 40766E 00 •41316E 00 •42414E 00 •43481E 00 •44462E 00 •45288E 00 •45895E 00 •46243E 00 41990E 00 •41698E 00 •42610E 00 •43599E 00 •44539E 00 •45340E 00 •45932E 00 •46273E 00 43054E CO •42074E OO •42810E OO •43721E OO •44619E OO •45395E OO •45973E OO •46306E OO 43984E 00 •42443E 00 •43011E 00 •43847E 00 •44703E 00 •45454E 00 •46017E 00 •46343E 00 44798E 00 •42804E 00 •43214E 00 •43976E 00 •44790E 00 •45516E 00 •46065E 00 •46383E 00 45514E 00 •43158E 00 •43417E 00 •44107E 00 •44880E 00 •45582E 00 •46116E 00 •46427E 00 46147E 00 .43505E 00 .43621E 00 .44240E 00 .44973E 00 .45650E 00 .46169E 00 .46473E 00 46709E 00 •43843E 00 •43825E 00 •44376E 00 •45069E 00 •45721E 00 •46225E 00 •46522E 00 47210E 00 •44174E 00 •44029E 00 •44513E 00 •45166E 00 •45794E 00 •46284E 00 •46573E 00 47660E DD +44497E DO +44233E DO +44652E DO +45266E DO +45869E DO +46345E DO +46626E DO 48067E OD *44813E OD *44436E OO *44791E OO *45367E OO *45947E OO *46408E OO *46682E OO 48436E 00 •45121E 00 •44639E 00 •44932E 00 •45470E 00 •46026E 00 •46473E 00 •46740E 00 48773E 00 •45422E 00 •44840E 00 •45074E 00 •45575E 00 •46108E 00 •46540E 00 •46799E 00 49083E 00 •45715E 00 •45041E 00 •45217E 00 •45681E 00 •46190E 00 •46608E 00 •46861E 00 49369E OO •46002E OO •45241E OO •45360E OO •45789E OO •46275E OO •46679E OO •46924E OO 49636E 00 •46282E 00 •45439E 00 •45504E 00 •45898E 00 •46361E 00 •46751E 00 •46989E 00 49886E DD +46555E DD +45636E DD +45649E DD +46008E DD +46449E DD +46825E DD +47055E DD 50121E 00 •46822E 00 •45833E 00 •45794E 00 •46119E 00 •46537E 00 •46900E 00 •47123E 00 50343E 00 •47084E 00 •46027E 00 •45940E 00 •46231E 00 •46628E 00 •46976E 00 •47193E 00 50555E 00 ·47339E 00 ·46221E 00 ·46085E 00 ·46344E 00 ·46719E 00 ·47054E 00 ·47264E 00 50758E 00 •47589E 00 •46413E 00 •46231E 00 •46458E 00 •46812E 00 •47133E 00 •47336E 00 50952E 00 +47833E 00 +46604E 00 +46378E 00 +46573E 00 +46905E 00 +47214E 00 +47410E 00 51140E 00 •48072E 00 •46794E 00 •46524E 00 •46689E 00 •47000E 00 •47296E 00 •47484E 00 51322E 00 •48307E 00 •46983E 00 •46671E 00 •46805E 00 •47096E 00 •47379E 00 •47561E 00 51499E 00 •48537E 00 •47170E 00 •46818E 00 •46922E 00 •47193E 00 •47463E 00 •47638E 00 51671E OO •48762E OO •47356E OO •46964E OO •47040E OO •47291E OO •47548E OO •47716E OO 51839E, 00 •48983E 00 •47540E 00 •47111E 00 •47159E 00 •47390E 00 •47634E 00 •47796E 00 52004E 00 •49199E 00 •47724E 00 •47258E 00 •47278E 00 •47490E 00 •47721E 00 •47877E 00 52166E 00 •49412E 00 •47906E 00 •47405E 00 •47398E 00 •47590E 00 •47810E 00 •47959E 00 52325E 00 ·49621E 00 ·48086E 00 ·47552E 00 ·47518E 00 ·47692E 00 ·47899E 00 ·48042E 00 52482E 00 .49827E 00 .48266E 00 .47699E 00 .47639E 00 .47794E 00 .47989E 00 .48125E 00 52637E 00\$\\$50029E 00 *48444E 00 *47846E 00 *47760E 00 *47897E 00 *48080E 00 *48210E 00 52791E 00~.50228E 00 .48622E 00 .47992E 00 .47882E 00 .48001E 00 .48172E 00 .48296E 00 52942E 00@-50423E 00 -48798E 00 -48139E 00 -48004E 00 -48105E 00 -48265E 00 -48383E 00 53092E 00♥.50616E 00 .48973E 00 .48286E 00 .48127E 00 .48211E 00 .48359E 00 .48470E 00 53241E 00₹.50806E 00 .49146E 00 .48432E 00 .48250E 00 .48317E 00 .48454E 00 .48559E 00 53389E 00 -50993E 00 ·49319E 00 ·48579E 00 ·48374E 00 ·48423E 00 ·48549E 00 ·48648E 00 53536F 00^{*}+51178F 00 +49494F 00 +48725F 00 +48498F 00 «△8530F 00 +48645F 00 +48738F 00

```
andote on introduction. Theore on indexic on indexic on indexed on indexico on indexico on indexico.
      •53826E 00 •51540E 00 •49831E 00 •49017E 00 •48747E 00 •48747E 00 •48840E 00 •48921E 00
161.
160.
      •53970E 00 •51717E 00 •49999E 00 •49163E 00 •48872E 00 •48856E 00 •48938E 00 •49014E 00
159 •
      •54114E 00 •51893E 00 •50167E 00 •49308E 00 •48997E 00 •48965E 00 •49037E 00 •49107E 00
158 +
      •54256E 00 •52066E 00 •50333E 00 •49454E 00 •49122E 00 •49075E 00 •49137E 00 •49201E 00
157 •
      •54399E 00 •52238E 00 •50499E 00 •49599E 00 •49248E 00 •49186E 00 •49237E 00 •49296E 00
156 •
      *54540E 00 *52407E 00 *50663E 00 *49744E 00 *49374E 00 *49297E 00 *49338E 00 *49392E 00
155.
      •54681E 00 •52575E 00 •50827E 00 •49889E 00 •49501E 00 •49409E 00 •49440E 00 •49488E 00
154.
      •54821E 00 •52741E 00 •50990E 00 •50034E 00 •49627E 00 •49521E 00 •49542E 00 •49585E 00
153.
       •54961E 00 •52906E 00 •51152E 00 •50179E 00 •49754E 00 •49634E 00 •49645E 00 •49682E 00
152.
      *55101E 00 *53069E 00 *51313E 00 *50323E 00 *49881E 00 *49747E 00 *49749E 00 *49780E 00
151 •
       •55240E 00 •53230E 00 •51473E 00 •50467E 00 •50008E 00 •49860E 00 •49853E 00 •49879E 00
150 •
      •55379E 00 •53391E 00 •51632E 00 •50611E 00 •50136E 00 •49974E 00 •49957E 00 •49979E 00
149 •
      •55517E 00 •53549E 00 •51791E 00 •50755E 00 •50263E 00 •50089E 00 •50062E 00 •50078E 00
148
      •55655E 00 •53707E 00 •51949E 00 •50899E 00 •50391E 00 •50203E 00 •50168E 00 •50179E 00
147.
       •55792E 00 •53863E 00 •52106E 00 •51042E 00 •50519E 00 •50319E 00 •50274E 00 •50280E 00
146.
      •55929E 00 •54018E 00 •52262E 00 •51185E 00 •50647E 00 •50434E 00 •50380E 00 •50382E 00
145 •
      •56066E 00 •54172E 00 •52417E 00 •51328E 00 •50776E 00 •50550E 00 •50487E 00 •50484E 00
144.
      •56203E 00 •54325E 00 •52572E 00 •51471E 00 •50904E 00 •50666E 00 •50595E 00 •50587E 00
143.
      •56339E 00 •54477E 00 •52726E 00 •51614E 00 •51033E 00 •50783E 00 •50703E 00 •50690E 00
142.
      *56475E 00 *54628E 00 *52880E 00 *51756E 00 *51161E 00 *50900E 00 *50811E 00 *50794E 00
141.
      •56611E 00 •54778E 00 •53033E 00 •51898E 00 •51290E 00 •51017E 00 •50920E 00 •50898E 00
140 .
      •56746E 00 •54927E 00 •53185E 00 •52040E 00 •51419E 00 •51134E 00 •51030E 00 •51003E 00
139
      *56881E 00 *55075E 00 *53336E 00 *52182E 00 *51548E 00 *51252E 00 *51139E 00 *51108E 00
138.
      •57016E 00 •55222E 00 •53487E 00 •52323E 00 •51677E 00 •51370E 00 •51249E 00 •51213E 00
137.
      •57151E 00 •55369E 00 •53637E 00 •52465E 00 •51806E 00 •51488E 00 •51360E 00 •51319E 00
136.
      •57285E 00 •55515E 00 •53787E 00 •52606E 00 •51935E 00 •51607E 00 •51471E 00 •51426E 00
135.
      •57419E 00 •55660E 00 •53936E 00 •52747E 00 •52065E 00 •51726E 00 •51582E 00 •51533E 00
134.
      •57553E 00 •55804E 00 •54085E 00 •52887E 00 •52194E 00 •51845E 00 •51694E 00 •51640E 00
133.
      •57687E 00 •55948E 00 •54233E 00 •53028E 00 •52324E 00 •51964E 00 •51805E 00 •51748E 00
132.
      •57820E 00 •56091E 00 •54380E 00 •53168E 00 •52453E 00 •52084E 00 •51918E 00 •51856E 00
131 •
      •57953E 00 •56233E 00 •54527E 00 •53308E 00 •52583E 00 •52204E 00 •52030E 00 •51964E 00
130 •
       •58086E 00 •56375E 00 •54673E 00 •53448E 00 •52712E 00 •52324E 00 •52143E 00 •52073E 00
129.
       •58218E 00 •56516E 00 •54819E 00 •53587E 00 •52842E 00 •52444E 00 •52256E 00 •52182E 00
128.
       •58351E 00 •56657E 00 •54964E 00 •53727E 00 •52972E 00 •52564E 00 •52370E 00 •52292E 00 .
127.
       •58483E 00 •56797E 00 •55109E 00 •53866E 00 •53101E 00 •52685E 00 •52484E 00 •52402E 00
126.
       •58615E 00 •56936E 00 •55253E 00 •54005E 00 •53231E 00 •52806E 00 •52598E 00 •52512E 00
125
      •58746E 00 •57076E 00 •55397E 00 •54144E 00 •53361E 00 •52927E 00 •52712E 00 •52623E 00
124.
      •58878E 00 •57214E 00 •55541E 00 •54282E 00 •53490E 00 •53048E 00 •52827E 00 •52734E 00
123.
      •59009E 00 •57352E 00 •55684E 00 •54420E 00 •53620E 00 •53169E 00'•52942E 00 •52845E 00
122 •
      *59140E 00 *57490E 00 *55826E 00 *54558E 00 *53750E 00 *53291E 00 *53057E 00 *52956E 00
121.
      •59271E 00 •57627E 00 •55968E 00 •54696E 00 •53880E 00 •53413E 00 •53172E 00 •53068E 00
120 •
      •59401E 00 •57764E 00 •56110E 00 •54834E 00 •54009E 00 •53534E 00 •53288E 00 •53180E 00
119.
      •59531E 00 •57900E 00 •56251E 00 •54971E 00 •54139E 00 •53656E 00 •53404E 00 •53293E 00
118.
      •59661E 00 •58036E 00 •56391E 00 •55108E 00 •54269E 00 •53778E 00 •53520E 00 •53405E 00
117.
      •59791E 00 •58171E 00 •56532E 00 •55245E 00 •54398E 00 •53900E 00 •53636E 00 •53518E 00
116.
      •59920E 00 •58306E 00 •56671E 00 •55382E 00 •54528E 00 •54023E 00 •53753E 00 •53631E 00
115.
      ●60049E 00 ●58441E 00 ●56811E 00 ●55519E 00 ●54658E 00 ●54145E 00 ●53869E 00 ●53744E 00
      •60178E 00 •58575E 00 •56950E 00 •55655E 00 •54787E 00 •54267E 00 •53986E 00 •53858E 00
114.
113.
      •60307E 00 •58709E 00 •57089E 00 •55791E 00 •54917E 00 •54390E 00 •54103E 00 •53972E 00
1-1-2-
      *'0'355 00 *589'39 00 579979 00 *559979 00 *550''F 00 *5'5135 00 *5'9905 00 *5'0945 00
```

```
- 302,32,00 - 3,307,00 43.0 52 00 4301,00 00 43,5332 00 43,5332 00 43,5332
       •60691E 00 •59108E 00 •57502E 00 •56197E 00 •55305E 00 •54758E 00 •54455E 00 •54314E 00
110.
109.
       •60818E 00 •59240E 00 •57639E 00 •56332E 00 •55434E 00 •54881E 00 •54573E 00 •54429E 00
108.
       •60945E 00 •59372E 00 •57775E 00 •56467E 00 •55563E 00 •55004E 00 •54691E 00 •54544E 00
107.
       •61071E 00 •59503E 00 •57912E 00 •56602E 00 •55692E 00 •55127E 00 •54809E 00 •54658E 00
106.
       •61198E 00 •59634E 00 •58047E 00 •56736E 00 •55821E 00 •55249E 00 •54926E 00 •54773E 00
       •61323E 00 •59765E 00 •58183E 00 •56870E 00 •55950E 00 •55372E 00 •55045E 00 •54889E 00
105.
104.
       •61449E 00 •59895E 00 •58318E 00 •57004E 00 •56079E 00 •55495E 00 •55163E 00 •55004E 00
 103.
       •61574E 00 •60025E 00 •58452E 00 •57137E 00 •56207E 00 •55618E 00 •55281E 00 •55119E 00
 102.
       •61698E 00 •60154E 00 •58586E 00 •57270E 00 •56336E 00 •55741E 00 •55399E 00 •55235E 00
. 101 •
       •61822E 00 •60283E 00 •58720E 00 •57403E 00 •56464E 00 •55864E 00 •55518E 00 •55351E 00
 100 •
       •61946E 00 •60411E 00 •58853E 00 •57536E 00 •56592E 00 •55987E 00 •55636E 00 •55466E 00
 99.
       •62069E 00 •60539E 00 •58986E 00 •57668E 00 •56720E 00 •56110E 00 •55755E 00 •55582E 00
 98•
       •62191E 00 •60667E 00 •59118E 00 •57800E 00 •56848E 00 •56232E 00 •55873E 00 •55698E 00
  97 •
       •62313E 00 •60794E 00 •59250E 00 •57932E 00 •56976E 00 •56355E 00 •55991E 00 •55814E 00
  96 *
       •62433E 00 •60920E 00 •59381E 00 •58063E 00 •57103E 00 •56477E 00 •56110E 00 •55930E 00
 95 •
       •62554E 00 •61046E 00 •59512E 00 •58194E 00 •57230E 00 •56600E 00 •56228E 00 •56046E 00
 94.
       •62673E 00 •61171E 00 •59642E 00 •58324E 00 •57357E 00 •56722E 00 •56346E 00 •56161E 00
 93.
       •62791E 00 •61296E 00 •59772E 00 •58454E 00 •57484E 00 •56844E 00 •56465E 00 •56277E 00
 92.
       •62908E 00 •61420E 00 •59901E 00 •58583E 00 •57610E 00 •56966E 00 •56583E 00 •56393E 00
 91 •
       •63024E 00 •61543E 00 •60029E 00 •58712E 00 •57736E 00 •57088E 00 •56701E 00 •56509E 00
  90 •
       •63139E 00 •61665E 00 •60157E 00 •58841E 00 •57861E 00 •57210E 00 •56819E 00 •56624E 00
  89•
       •63252E 00 •61786E 00 •60283E 00 •58969E 00 •57987E 00 •57331E 00 •56936E 00 •56740E 00
 88.
       •63364E 00 •61906E 00 •60410E 00 •59096E 00 •58111E 00 •57452E 00 •57054E 00 •56855E 00
 87.
       •63473E 00 •62026E 00 •60535E 00 •59223E 00 •58236E 00 •57572E 00 •57171E 00 •56970E 00
 86.
       •63581E 00 •62144E 00 •60659E 00 •59348E 00 •58359E 00 •57692E 00 •57288E 00 •57085E 00
 85•
       •63686E 00 •62260E 00 •60782E 00 •59473E 00 •58482E 00 •57812E 00 •57404E 00 •57199E 00
 84.
       •63789E 00 •62375E 00 •60904E 00 •59597E 00 •58605E 00 •57931E 00 •57520E 00 •57313E 00
 83.
       •63888E 00 •62489E 00 •61025E 00 •59720E 00 •58726E 00 •58049E 00 •57635E 00 •57427E 00
 82.
       •63984E 00 •62600E 00 •61144E 00 •59842E 00 •58847E 00 •58167E 00 •57750E 00 •57539E 00
 81.
       •64076E 00 •62709E 00 •61261E 00 •59963E 00 •58966E 00 •58284E 00 •57864E 00 •57652E 00
  * 08
       •63628E 00 •62635E 00 •61266E 00 •60000E 00 •59017E 00 •58341E 00 •57923E 00 •57712E 00
  79•
       •63250E 00 •62563E 00 •61270E 00 •60035E 00 •59067E 00 •58396E 00 •57981E 00 •57770E 00
  78•
       •62946E 00 •62499E 00 •61275E 00 •60071E 00 •59116E 00 •58452E 00 •58039E 00 •57829E 00
  77.
       •62705E 00 •62443E 00 •61283E 00 •60107E 00 •59166E 00 •58508E 00 •58097E 00 •57888E 00
  76.
       •62517E 00 •62395E 00 •61293E 00 •60145E 00 •59217E 00 •58564E 00 •58156E 00 •57947E 00
  75•
       •62376E 00 •62354E 00 •61307E 00 •60184E 00 •59269E 00 •58621E 00 •58215E 00 •58007E 00
 74.
       •62275E 00 •62321E 00 •61323E 00 •60225E 00 •59321E 00 •58679E 00 •58275E 00 •58068E 00
 73.
       •62208E 00 •62296E 00 •61342E 00 •60268E 00 •59375E 00 •58738E 00 •58335E 00 •58129E 00
 72.
       •62171E 00 •62278E 00 •61364E 00 •60312E 00 •59430E 00 •58797E 00'•58397E 00 •58191E 00
  71 •
       •62159E 00 •62268E 00 •61390E 00 •60358E 00 •59486E 00 •58858E 00 •58459E 00 •58253E 00
  70 •
       •62170E 00 •62266E 00 •61418E 00 •60406E 00 •59543E 00 •58919E 00 •58522E 00 •58317E 00
  69.
       •62199E 00 •62270E 00 •61450E 00 •60455E 00 •59602E 00 •58982E 00 •58586E 00 •58382E 00
 68.
       •62246E 00 •62282E 00 •61486E 00 •60507E 00 •59663E 00 •59046E 00 •58652E 00 •58447E 00
 67•
       •62307E 00 •62300E 00 •61525E 00 •60561E 00 •59725E 00 •59112E 00 •58718E 00 •58514E 00
 66.
       •62381E 00 •62326E 00 •61568E 00 •60618E 00 •59788E 00 •59179E 00 •58786E 00 •58582E 00
  65 •
       •62467E 00 •62358E 00 •61614E 00 •60676E 00 •59854E 00 •59247E 00 •58855E 00 •58651E 00
  64.
       *62564E 00 *62396E 00 *61663E 00 *60737E 00 *59921E 00 *59316E 00 *58926E 00 *58722E 00
 63.
       •62669E ÓO •62441E OO •61716E OO •60800E OO •59990E OO •59387E OO •58997E OO •58794E OO
 62 • .
      •62783E 00 •62493E 00 •61773E 00 •60866E 00 •60060E 00 •59460E 00 •59070E 00 •58867E 00
 41.
       *6290'F 00 *62550F 00 *61833F 00 *10934F 00 601335 00 *5953'E 00' 591'55 00 *590'4F 00
```

```
<u>. 090355 00 4059755 00 407075 00 4070055 00 4005055 00 4039705 00 4038575 00 4030755</u>
59 * · · · •63166E · 00 · · •62682E · 00 · •61964E · 00 · · •610777E/ 00 · · •60289E · 00 · · 59688E · 00 · •59299E · 00 · •59094E · 00
258424 • 63307ED00 (• 62757ED00 (• 62035ED00 (• 611582ED00 (• 60362E 00 • 59767E 00 • 59378E 00 • 59173E 00
57 x7 - 63452Ex00 (x62837E) 00 (x62109E 00 +61230Ex00 +60442E 00 +59848E 00 +59459E 00 +59254E 00
56 10 46360 BE 100 (4629 RZE 100 462187E 00 +61310E 00 +60524E 00 +59930E 00 +59541E 00 +59335E 00
55.00 +63759E 00 (+63013E 00 +62268E 00 +61393E 00 +60608E 00 +60015E 00 +59625E 00+59419E 00
54*** *63919E 00 (*63109E 00 *62353E 00 *61478E 00 *60695E 00 *60101E 00 *59710E 00 *59504E 00
53 1 1 1 6 4 0 8 4 E 1 0 0 1 6 3 2 1 1 E 0 0 1 6 2 4 4 2 E 0 0 1 6 1 5 6 6 E 0 0 1 6 0 7 8 3 E 0 0 1 6 0 1 8 9 E 0 0 1 5 9 7 9 8 E 0 0 1 5 9 5 9 1 E 0 0
52 4 4 4 253E 00 4 63317E 00 + 62534E 00 + 61657E 00 + 60874E 00 + 60279E 00 + 59887E 00 + 59679E 00
51 6) +64426E 00 (+63428E 00 +62629E 00 +61750E 00 +60967E 00 +60371E 00 +59978E 00 +59769E 00
50 ( +64603E 00 (+63544E 00 +62728E 00 +61846E 00 +61062E 00 +60465E 00 +60070E 00 +59861E 00
49 · · · 64784E · 00 · 63665E 00 · 62830E 00 · 61945E 00 · 61159E 00 · 60561E 00 · 60164E 00 · 59954E 00
       •64968E 00 •63790E 00 •62936E 00 •62046E 00 •61258E 00 •60658E 00 •60261E 00 •60049E 00
47 · / · · 65157E 00 · 63920E 00 · 63046E 00 · 62150E 00 · 61360E 00 · 60758E 00 · 60359E 00 · 60146E 00
46 ..... 65349E 00 .64055E 00 .63159E 00 .62257E 00 .61464E 00 .60860E 00 .60459E 00 .60245E 00
       •65545E 00 •64194E 00 •63275E 00 •62367E 00 •61570E 00 •60964E 00 •60561E 00 •60346E 00
45.
44.
       •65744E 00 •64337E 00 •63395E 00 •62479E 00 •61679E 00 •61069E 00 •60664E 00 •60448E 00
43.
       •65947E 00 •64485E 00 •63519E 00 •62594E 00 •61790E 00 •61178E 00 •60770E 00 •60553E 00
       •66153E 00 •64637E 00 •63646E 00 •62712E 00 •61903E 00 •61288E 00 •60878E 00 •60659E 00
42.
41 •
       •66363E 00 •64793E 00 •63776E 00 •62833E 00 •62019E 00 •61400E 00 •60988E 00 •60768E 00
       •66577E 00 •64954E 00 •63910E 00 •62956E 00 •62137E 00 •61514E 00 •61100E 00 •60878E 00
40 •
э9•
       •66794E 00 •65119E 00 •64048E 00 •63083E 00 •62258E 00 •61631E 00 •61214E 00 •60990E 00
       •67015E 00 •65288E 00 •64189E 00 •63212E 00 •62381E 00 •61750E 00 •61330E 00 •61105E 00
38•
       •67239E 00 •65461E 00 •64333E 00 •63344E 00 •62506E 00 •61871E 00 •61448E 00 •61221E 00
37.
36.
       •67467E 00 •65638E 00 •64482E 00 •63479E 00 •62635E 00 •61995E 00 •61568E 00 •61339E 00
35.
       •67699E 00 •65819E 00 •64633E 00 •63618E 00 •62765E 00 •62121E 00 •61691E 00 •61460E 00
34.
       •67934E 00 •66005E 00 •64788E 00 •63759E 00 •62899E 00 •62249E 00 •61815E 00 •61583E 00
33.
       •68174E 00 •66194E 00 •64947E 00 •63903E 00 •63035E 00 •62379E 00 •61942E 00 •61708E 00
32.
       •68417E 00 •66388E 00 •65109E 00 •64050E 00 •63173E 00 •62512E 00 •62071E 00 •61835E 00
31.
       •68663E 00 •66586E 00 •65275E 00 •64200E 00 •63314E 00 •62648E 00 •62203E 00 •61964E 00
30 •
       •68914E 00 •66787E 00 •65445E 00 •64353E 00 •63458E 00 •62786E 00 •62397E 00 •62096E 00
       •69169E 00 •66993E 00 •65618E 00 •64510E 00 •63605E 00 •62926E 00 •62473E 00 •62230E 00
29 •
       •69428E 00 •67203E 00 •65795E 00 •64669E 00 •63755E 00 •63069E 00 •62611E 00 •62366E 00
28.
27 .
       •69690E 00 •67417E 00 •65975E 00 •64832E 00 •63907E 00 •63214E 00 •62752E 00 •62504E 00
26.
       •69958E 00 •67636E 00 •66159E 00 •64998E 00 •64062E 00 •63362E 00 •62896E 00 •62645E^00 \
25.
       •70229E 00 •67858E 00 •66347E 00 •65167E 00 •64220E 00 •63513E 00 •63042E 00 √62789E 00 €
24 *
       •70505E 00 •68085E 00 •66539E 00 •65340E 00 •64381E 00 •63667E d0 №63491E d0 №62935E 00 00
23.
       •70785E 00 •68316E 00 •66735E 00 •65515E 00 •64545E 00 •63823E 00 •63342E 00 •63∂83E 00 °C
22.

        •71070E
        00
        •68551E
        00
        •66934E
        00
        •65695E
        00
        •64712E
        00
        •63982E
        00
        •63496E
        00
        •63234E
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
        00
       •71360E 00 •68791E 00 •67138E 00 •65877E 00 ∗64882E 00 •64144E 00 •63652E 00 ₩63988E 00 00
21.
20 •
       ◆71655E 00 ◆69036E 00 ◆67345E 00 ◆66064E 00 ◆65055E 00 ◆64308E 00 ◆63814E 00 (▶63544E 00 00
19.
       •71955E 00 •69285E 00 •67557E 00 •66254E 00 •65232E 00 •64476E/00 •63973E/00 •63703E/00 €
       •72260E 00 •69538E 00 •67773E 00 •66447E 00 □65412E 00 □64647E 00 □644138E 00 □63865E 00 00
18.
17.
       ◆72572E 00 ◆69797E 00 ◆67993E/00 ◆66644E/00 ₩65599E/00 ₩6482ΦE/00 (₩64306E/00 ₩64029E/00 00
16 •
       ◆72889E 00 ◆70060E 00 ◆68218E 00 ◆66846E-00 (₩65781E'MO ₩64998E/MO (₩64477E/MO W64497E)MO (W64497E)
15.
       •73212E 00 •70329E 00 •68447E 00 •67051E 00 ⊕65971E 00 ⊕65178E 00 ⊕64651E 00 ⊕64368E 00 00
14 ..
       ◆73542E 00 ◆70603E 00 ◆68680E 00 ◆67260E 00 ₩66465E00 +₩65962E000 (◆64828E)-00 ₩6484€E00 00
13.
       ◆73880E 00 ◆70882E 00 ◆68919E 00 ◆67473E/00 (▶66363E) 00 (▶65549E)(00 (▶65009E 00 (▶64718E) 00 ()
12.
       ◆74225E 00 ◆71168E 00 ◆69163E 00 ◆67691E 00 (▼66564E 00 (▼65739E) 00 (▼65192E 00 (▼64898E) 00 00
11.
      ◆74578E 00 ◆71460E 00 ◆69411E|\\00 ◆67913E|\00 ⟨\66770E/\do \\65934E}\do ⟨\65980E\do ⟨\665g8@\do
10.
       • 719105 በበ • 71769F በበ • 195115 ነበር ፣ 1941በምክለር (ዘናፈርማም/ዘር (ዘናፈረማም) መር ዘርርማም መር (ዘናርማም) መር
```

8. .75695E 00 .72375E 00 .70192E 00 .68609E 00 .67412E 00 .66541E 00 .65965E 00 .65655E 00
7. .76089E 00 .72695E 00 .70464E 00 .68852E 00 .67636E 00 .66753E 00 .66168E 00 .65854E 00
6. .76496E 00 .73024E 00 .70744E 00 .69101E 00 .67865E 00 .66968E 00 .66376E 00 .66057E 00
7. .76917E 00 .73362E 00 .71031E 00 .69356E 00 .68100E 00 .67190E 00 .66588E 00 .66265E 00
7. .77355E 00 .73710E 00 .71326E 00 .69617E 00 .68340E 00 .67416E 00 .66806E 00 .66478E 00
7. .78286E 00 .74441E 00 .71942E 00 .70163E 00 .68841E 00 .67887E 00 .67258E 00 .66921E 00
7. .78785E 00 .74826E 00 .72266E 00 .70448E 00 .69102E 00 .68133E 00 .67494E 00 .67151E 00

REFLECTANCE FIELD:

•78784698 •74825877 •72265708 •70448422 •69101828 •68132591 •67493832 •67₁₅₀₉₈₆

R(KK) = .703209

しュロウニ